

Permit No: **971213**

Location of Construction: 1352 Forest Ave		Owner: ANDREZEN <i>Andrey Tospiech</i>		Phone:	
Owner Address: 352 Forest Ave		Lessee/Buyer's Name:		Business Name:	
Contractor Name: <i>Jonas Tomaszewicz</i>		Address: 346 Palmer Ave		Phone: 79700455	
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE:	INSPECTION:	
single family dwelling	same w/ addition of sun room	\$ 8500	\$	Use Group: Type:	
Proposed Project Description:		Signature:	Signature:	Date:	
addition of sun room (20' x 18')		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	Approved with Conditions:	Date Applied For: October 31, 1997	
Permit Taken By: Reg Hall		Action:	Approved	Date:	
		Approved with Conditions:	Approved		
		Denied	Denied		

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
 2. Building permits do not include plumbing, septic or electrical work.
 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.

call for pick up- 797-0455

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT _____ DATE: _____ PHONE: _____

ADDRESS: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

PERMIT ISSUED

Permit Issued: **NOV 12 1997**

CITY OF PORTLAND

Zone: **CBL: 214 D-3**

Zoning Approval: *OK 11/12/97*

Special Zone or Reviews:

Shoreland
 Wetland
 Flood Zone
 Subdivision
 Site Plan maj minor mm

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: *11/12/97*

CEO DISTRICT

7

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 1352 Forest Ave
 Owner: Andrzej Pospiech
 Phone: 797-0455
 Business Name:
 Address: 346 Palmer Ave
 Phone: 797-0455
 Permit No: 971213
 PERMIT ISSUED
 Permit Issued: NOV 12 1997
 CITY OF PORTLAND
 Zone: CBL-294-D-3
 Zoning Approval: OK [Signature] 11/7/97
 Special Zone or Reviews:
 Shoreland
 Wetland
 Flood Zone
 Subdivision
 Site Plan maj minor mm

Proposed Use: same w/ addition of sun room
 COST OF WORK: \$ 8500
 PERMIT FEE: \$ 65.00
 FIRE DEPT. Approved Denied
 INSPECTION: Use Group: Type:
 Signature: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)
 Action: Approved Approved with Conditions Denied
 Signature: Date: October 31, 1997
 Permit Taken By: Meg Hall
 Date Applied For: October 31, 1997

Proposed Project Description:
 construction of sun room (20' x 18')
 Signature: Date:
 1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
 2. Building permits do not include plumbing, septic or electrical work.
 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.
 call for pick up- 797-0455
PERMIT ISSUED WITH REQUIREMENTS
CERTIFICATION
 I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit
 SIGNATURE OF APPLICANT: [Signature] 346 PALMER AVE 10-30-97 878-2672
 ADDRESS: DATE: PHONE:
 RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: PHONE:
 White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector
 CEO DISTRICT 7
 [Signature]

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review
 Action:
 Approved
 Approved with Conditions
 Denied
 Date: 11/3/97
 [Signature]



CITY OF PORTLAND
STOP WORK NOTICE

June 29, 2000

Andrzej Pospiech
1352 Forest Ave.
Portland, ME 04103

RE: 1352 Forest Ave.
CBL: 294-D-003

HAND DELIVER

Dear Mr. Pospiech:

On June 9th, During an inspection of your property located at 1352 Forest Ave., the following violations of the National Electrical Code were found. These violations are also direct violations of Article III of the City of Portland's Building Ordinance.

This is a **STOP WORK ORDER** pursuant to Section 6-71 of the City Electrical Code. All construction activity must **stop** immediately.

The following issues must be corrected by a Maine licensed electrician and pass inspection by July 9, 2000. If work is found to be non-compliant power will be removed from the dwelling.

- NEC 230-70a, Main Distribution Panel to be located at the closest point of entry to the service conductors. A Main disconnect outside of building would also be acceptable.
- NEC 300-4: Proper installation of service entrance conductors to main breaker panel. (Box connector needed).
- ART.III, Div. I, Sec 6-34b, System must be grounded and bonded to the street side of water meter.
- Art. III, Div. I, Sec. 6-69, It is unlawful for any person to cover or conceal any wiring prior to being inspected. The walls with new wiring must be opened for inspection.


294-D-003

Pg. 2 of 2

- Art. III, Div. I, Sec. 6-52, para. 3, Work done within the main electrical panel must be performed by or approved by a licensed electrician.

Failure to comply will result in this office referring the matter to the City of Portland Corporation Counsel for legal action and possible civil penalties, as provided for in Section 1-15 of the Code and in Title 30-A M.R.S.A. Ss 4452. This constitutes an appealable decision pursuant to Section 121.5 of the Code. Please feel free to contact me at 874-8715, if you wish to discuss the matter or have any questions.

Sincerely,



Jeanie Bourke

Code Enforcement Officer

Cc: Central File
Joseph Gray

**City Of Portland
Inspection Services
RETURN OF SERVICE**

On the 29th day of June, 2000, I made service of the Stop Work Notice
upon, 1352 Forest Ave, at 825 Forest Ave.

By delivering a copy in hand.

By leaving copies at the individual's dwelling house or usual place of abode with a person of suitable age or discretion who resides therein and whose name is _____.

By delivering a copy to an agent authorized to receive service of process, and whose name is Bogumila Pawlaczyk

By (describe other manner of service) _____.

DATED: 6/29/00

Jeanie Bourke
Signature of Person Making Service

C.E.O
Title

I have received the above referenced documents

Bogumila Pawlaczyk
Person Receiving Service

_____ Refused to sign

Applicant: Thomas Paulaczyk

Date: 11/7/97

Address: 1352 Forest Ave

C-B-L: 294-D-3

CHECK-LIST AGAINST ZONING ORDINANCE

Date - Existing 1960

Zone Location - R-5

Interior or corner lot -

Proposed Use/Work - 10'x20' construction of sun room -

Sewage Disposal -

to remain
1 family

Lot Street Frontage -

Front Yard - 25' req - N/A

Rear Yard - 25' req - 25' shown

Side Yard - 9' req - 9' shown

Projections -

Width of Lot -

Height - 1 Story shown

Lot Area - 6000^{sq} req 9947^{sq} shown

Lot Coverage/ Impervious Surface - 20% or 1989.4^{sq} MAX

Area per Family -

Off-street Parking -

Loading Bays -

Site Plan - N/A

Shoreland Zoning/ Stream Protection - N/A

Flood Plains - N/A

24' x 46' = 1104
10' x 20' = 360

1464^{sq}

COMMENTS

1/20/98 - Proceed for Backfill (insp) - Never Called For

Foundation or Backfill (insp) - Framing ok BUT could

not confirm Max Set back at 25' - only measured 24'5" &

Max fence - Max Clearing property Set back beyond fence but not

stakes out - No way to verify - Measure "Stop order" cuts

Revised D

1/22/98 - Eva King Zoning Admin - only 20' max Setback Regs.

Vertical - ok - Rough Framing ok - ok to allow D

3/3/98 All checks ok - Elected fence to be done & lot

cleared up D

11-3-99 Exterior finished and lot clear AS

Noted PT Rim for future deck - spoke with owner - deck to

be built next summer - Advised to obtain permit at that time

and setbacks can be determined

Inspection Record

Type

Date

Foundation: _____

Framing: _____

Plumbing: _____

Final: _____

Other: _____

BUILDING PERMIT REPORT


DATE: 12 Nov. 97 ADDRESS: 1352 Forest Ave
REASON FOR PERMIT: To Construct Sunroom
BUILDING OWNER: Andrey Pospiech
CONTRACTOR: Darlaczkyk.
PERMIT APPLICANT: A APPROVAL: *1, *2, *3, *8, *9, *10, *25, *28, *29, *30
USE GROUP R-3 BOCA 1996 CONSTRUCTION TYPE 5B

CONDITION(S) OF APPROVAL


1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Precaution must be taken to protect concrete from freezing.
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993).
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
9. Headroom in habitable space is a minimum of 7'6".
10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")
12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms

• In each story within a dwelling unit, including basements
In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)


- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. **No construction or demolition work shall begin until you have obtained permits for dumpsters or containers. A work Stop Order shall be issued if this requirement is not met.**
- 22. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 23. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 24. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- 25. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.
- 26. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
- 27. All requirements must be met before a final Certificate of Occupancy is issued.
- 28. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 29. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).
- 30. The proposed 2x6 rafter 16" o.c. with a span over 10' does not meet the city's building code. A minimum of 2x8 must be used @ 16" o.c.
- 31. _____
- 32. _____
- 33. _____
- 34. _____


P. Symiel Hollies, Code Enforcement


cc: Lt. McDougall, PFD
Marge Schumuckal



LEFT ELEVATION





REAR ELEVATION




RIGHT ELEVATION

- ① - 32" x 62" WINDOW
- ② - 5 1/2" x 6'8" SLIDING DOOR
- ③ - 2 x 6 G 16'CC RAFTERS
- ④ - 2 x 6 G 16'CC NAILS
- ⑤ - 1' x 2 FOOTING
- ⑥ - 2 x 8 RICH
- ⑦ - 12" OVERHANGER
- ⑧ - 30" x 46" SKYLITE
- ⑨ - 2 x 8 G 16" CC
- ⑩ - VINYL SIDING - 1/2 PLYNOOD - INSULATION PAPER - BROWN
- ⑪ - SHINGELS - 1/2 PLYNOOD AND INSULATION
- ⑫ - 24"-30" WINDOW
- ⑬ - 3/4" TG PLYNOOD

FOR INFORMATION ONLY - THIS IS NOT A CONTRACT DOCUMENT




- 1) WALLS 2x8 T&E -
- 2) FLOOR BRIDGE 4x12 x 12 -
- 3) ROOF BRIDGE 2x12 x 12 -
- 4) ASH 2x12 @ 24" -
- 5) JOISTS 2x11 -
- 6) HUD 2x4 -
- 7) BRICKWORK 12" -
- 8) BRICKWORK 8x12 @ 12" -
- 9) 22" di. @ 8'4" -
- 10) 20" di. @ 8'4" -
- 11) 18" di. @ 8'4" -
- 12) 16" di. @ 8'4" -



RECEIVED

Front Steps
are heated
for ice



Washer
and
Dryer
provisions
in the
cellar

**1352 FOREST AVENUE
PORTLAND**

Seller: ERNEST WARD										Area: 01	
Directions: OUTER FOREST AVE. ABOUT 1/4 MILE PAST WARREN AVE. ON LEFT.											
Style	Rms	Bdrms	Bths	Fr	Fpl	Garage	Age	Lot Size	Foundation		
RANCH	5	3	1		2	1 CAR ATT.	1960	9947+/-	24X46		
Room	1ST	BSMT	Taxes \$ 1865.58				Siding SHINGLE		Refrigerator <input checked="" type="checkbox"/>		
LR	X		Tax Yr 95-96				Color BROWN		Stove <input checked="" type="checkbox"/>		
DR	AREA		Book # 3178				Con/Asso fee		Dishwasher <input type="checkbox"/>		
Kit	X		Page # 324				Amps 60		Disposal <input checked="" type="checkbox"/>		
Bdrm	XXX		Zone R-5				High S PORTLAND		Hood <input checked="" type="checkbox"/>		
Bth	X		Rd Frt 70+/-				Jr. High "		Fan <input checked="" type="checkbox"/>		
FR		POTENTIAL W/FPL	Wtr Frt				Elem "		Microwave <input type="checkbox"/>		
			Drive Surf PAVED				Poss TBA		Compactor <input type="checkbox"/>		
			Basement FULL				Sub Agent 3.5		Thermal <input checked="" type="checkbox"/>		
			Heat HOT WATER				Buyer Agent 3.5		Storms <input type="checkbox"/>		
			Hot Water GAS						Screens <input checked="" type="checkbox"/>		
Add'l Pers. Prop. Included: REFRIGERATOR, STOVE (OVEN NOT WORKING)											
Pers. Prop. Excluded: N/A											

EXCELLENT STARTER OR RETIREMENT HOME. LARGE SUNNY ROOMS WITH OAK FLOORS, FIREPLACE IN LIVING ROOM AND ONE IN THE BASEMENT WITH POTENTIAL THERE FOR A FAMILY ROOM. NEWER FURNACE AND NEW WINDOWS.

OFFERED AT \$74,500
 BROKER: BRUCE MOORE
 OFFICE PHONE: (207) 773-1990 RES: (207) 799-4053

List # 6896

Mark Stimson **REALTORS®**

Mark Stimson Associates as the agency listing this property, is the agent of the seller and as such has a fiduciary duty to disclose to the seller information which is material to the sale acquired from the buyer or from any other source. This same duty applies to all selling Brokers cooperating with this agency in the sales of this property unless they have been hired by the buyer to be the buyer's agent.

PROPERTY INFORMATION AND SELLERS DISCLOSURE FORM

RES. #10 CONDO #11 MOB. #12 SEA. #13

Water Source: Dug Driven Point
 Public Drilled Unknown
 Problem w/ present system (pump, supply, quality): Yes No
 Installed by: _____ When: _____
 How do you know what type of system you have?
 Has there been a water test? Yes No When: _____
 Results: Satisfactory Sat. w/ notation Unsatisfactory
 Is a filter system used and/or needed on present water supply?
 Yes No Explain: _____
 # of people presently using this water supply: 1

Heating System - Type: FHW Age: 3 Rented Owned
 # Zones 1 Fuel: Gas Dealer: Northem Util.
 Date Last Serviced: Newer Hot Water: Gas
 Annual Cost: _____ Rented? Yes No
 Alternate Heat Source: Coal Monitor Solar Wood

Waste Disposal: Public Quasi-Public Private Unknown
 If Public, Have you ever experienced any system or line malfunction? Yes No
 If Private: Type of system: _____
 Type of tank: _____ Tank Size: _____
 Tank Location: _____ Date installed: _____
 Malfunctions of tank? _____
 Leach Field Location: _____ Date installed: _____
 Malfunctions of leach field? _____
 System serviced by: _____ Date: _____
 # of people presently using system: 1
 If system is located in a shoreland zone, has it malfunctioned in last 180 days? Yes No Unknown

Insulation: Yes No Unknown If YES, type
 Attic or Cap Cellulose
 Crawl space _____
 Exterior walls Fiberglass

Roof: Age of Structure: 36 Age of Shingles: Unknown
 Moisture/Leakage: No
 Other Problems: No

Basement/Foundation:
 Full Partial Slab Other
 Moisture/Leakage: Once 20yrs ago. Fixed


Hazardous Material
 Asbestos: Is there now or has there been Asbestos on the heating plant, pipes, ductwork, exterior siding or elsewhere?
 Yes No Unknown
 Radon: Has this home been tested for Radon Gas?
 Air: Yes No Unknown Results: _____
 Water: Yes No Unknown Results: _____
 Lead Based Paint: Is there now or has there been lead based paint on the property? Yes No Unknown
 Are you aware of any cracking, peeling or flaking lead based paint?
 Yes No Unknown
 Underground Storage Tanks: Are there now or have there been any underground storage tanks on the property?
 Yes No Unknown

Chimneys: # 1 # of Flues 3
 Lined? Yes No Unknown

Are there any structural defects or needed repairs? Yes No
 explain: _____

Special Status: Is the land registered as:
 Farmland or Open Space Yes No
 Tree growth Yes No
 Are you receiving a tax exemption for this property for any reason?
 Yes No

Is this the correct legal description? Yes No
 Tax Map # 294 D Lot # 3
 Are there any easements, encroachments or restrictions?
 Yes No Explain: _____



Explanations & Additional Information:

Kitchen oven doesn't work. Broiler broken.



READ SELLER'S STATEMENT CAREFULLY BEFORE SIGNING

I am the owner of the property described herein. I have supplied all the information which is contained on this form. I know the information will be communicated to prospective buyers and will be relied upon by them in their decision to purchase the property. I have read the above data sheet and the information contained thereon, and I hereby represent that all statements and information are correct. The electrical system, plumbing system, waste disposal system and included appliances are adequate and in good working order to the best of my knowledge, except as noted above. There are no defects or hazardous conditions known to me on the property, except as described above.

SELLER: Ernest G. Ward SELLER: _____ AGENT: Bruce V. Moore DATE: 6/19/96


The information on this sheet is provided by the seller. The broker believes the information to be accurate but does not warrant the statement made here. The buyer should seek information from professionals regarding any specific issue or concern pertaining to hazardous material or other aspects of the property. I do do not wish to purchase a Home Warranty at closing.

BUYER: _____ DATE: _____ BUYER: _____ DATE: _____



FOREST AVE


ANDRZEY POSPIECH
 1352 FOREST AVE
 PORTLAND ME 04103
 TEL 797-0455



DEPT. OF BUILDING INSPECTION
CITY OF PORTLAND, ME
OCT 31 1997
RECEIVED

Handwritten notes at the bottom of the page, including the date 'OCT 31 1997' and other illegible text.

ANDRZEJ POSPIECH 1352 FOREST AVE PORTLAND ME




- ① - CONCRETE WALLS 8"th
- ② - CONCRETE FOOTING 2'x2'
- ③ - 2x8 @ 16 CC
- ④ - 2x6 PT WITH INSULATION

DEPT OF BUILDING INSPECTION
CITY OF PORTLAND
APR 10 1988

INDEXED PROPERTY 1575 AUSTIN, 8th FLOOR, ME

EXISTING
FRAME



- 1 - CONCRETE WALL 4"
- 2 - CONCRETE SLAB 5" x 8"
- 3 - 2" x 4" x 16' OC
- 4 - 2" x 4" x 16' OC

DEPT. OF BUILDING INSPECTION
CITY OF PORTLAND, ME

RECEIVED

OCT 3 1 1997