KEYED NOTES – LIGHTING & ELECTRICAL

SEE ELECTRICAL LIGHTING DRAWING FOR SPECIFICATIONS AND ADDITIONAL INFORMATION. (THESE NOTES ARE SPECIFIC TO THIS SHEET ONLY)

1. PROVIDE NEW HIGH OUTPUT T5, 6-BULB, 2' X 4' LIGHTING AS SHOWN IN THE IN-SHOP AREA. THESE LIGHT FIXTURES TO BE CHAIN MOUNT AT 15'-0" A.F.F.
2. PROVIDE LAY-IN 3-BULB 2'X4' FLUORESCENT LIGHT FIXTURES IN SUSPENDED CEILING AT LOCATIONS SHOWN.
3. PROVIDE ACOUSTIC SUSPENDED CEILING GRID AND TILES IN ROOMS AS SHOWN. SEE "WAREHOUSE INTERIOR FINISH NOTES", SHEET A-2

KEYED NOTES – ELECTRICAL

SEE ELECTRICAL DRAWING, FOR SPECIFICATIONS AND ADDITIONAL INFORMATION. (THESE NOTES ARE SPECIFIC TO THIS SHEET ONLY)

1. PROVIDE ONE FOUR-PLEX ELECTRICAL OUTLETS AT 44" A.F.F. FOR IN-SHOP BENCHES.
2. AIR COMPRESSOR AND AIR HOSE REELS SHALL BE PROVIDED BY SAFELITE AND INSTALLED BY CONTRACTOR. CONSULT SAFELITE CONSTRUCTION REPRESENTATIVE FOR EXACT LOCATION. 47MZ9, 115/60, 2 HP, VERTICAL FLOOR MOUNTED COMPRESSOR TO BE "SPEEDAIRE" MODEL NUMBER "REELCRAFT" MODEL NUMBER SP603 WITH 50 PROVIDED. AIR HOSE REELS ARE WALL MOUNT HOSE WITH UNION CONNECTION POINT SHALL BE WITH MANUAL DRAIN VALVE. ALSO, A FLEXIBLE FOOT SPRING RETURN.
3. INSTALL NEW WALL MOUNTED FAN, SWITCH, AND ELECTRICAL RECEPTACLE AT LOCATIONS SHOWN PROVIDED BY SAFELITE, INSTALLED BY CONTRACTOR. SWITCH IS TO BE INSTALLED AT 54" A.F.F. TO CENTERLINE. FAN AND RECEPTACLE IS TO BE INSTALLED AT 120" A.F.F. FAN IS "CLO HANDLING SYSTEM" ITEM NUMBER HACU-30-WO.
4. INSTALL NEW ELECTRICAL CORD REELS WHERE SHOWN. NEW PROVIDED BY SAFELITE, INSTALLED BY CONTRACTOR. REELS TO BE "LUMAPRO" BY BY GRAINGER #4XP67.
5. PROVIDE NEW DUPLEX ELECTRICAL RECEPTACLE AT 84" A.F.F. FOR TV WHERE SHOWN.
6. PROVIDE NEW DUPLEX ELECTRICAL RECEPTACLE AT 44" A.F.F. OVER COFFEE CABINET WHERE SHOWN.
7. PROVIDE NEW DUPLEX ELECTRICAL RECEPTACLE AT 24" A.F.F. FOR CANNED BEVERAGE CENTER WHERE SHOWN.
8. PROVIDE REQUIRED ELECTRICAL TO A HAND DRYER MOUNTED ON WALL IN BOTH RESTROOMS WHERE SHOWN. HAND DRYER IS A CHROME XLERATOR MODEL XL-C-11N AND MOUNT PER MANUFACTURERS RECOMMENDATIONS. BOTTOM OF UNIT TO BE AT 37" A.F.F.
9. PROVIDE NEW DUPLEX ELECTRICAL RECEPTACLE AT 44" A.F.F. FOR REFRIGERATOR WHERE SHOWN.
10. PROVIDE NEW DUPLEX ELECTRICAL RECEPTACLE AT 44" A.F.F. FOR ICE MAKER WHERE SHOWN.
11. PROVIDE NEW DUPLEX ELECTRICAL RECEPTACLE AT 18" A.F.F. WHERE SHOWN.
12. PROVIDE NEW DUPLEX ELECTRICAL RECEPTACLE AT 44" A.F.F. FOR AIR COMPRESSOR WHERE SHOWN.
13. PROVIDE NEW FOUR-PLEX ELECTRICAL RECEPTACLE AT 18" A.F.F. FOR PRINTER AND BELOW CSR COUNTER WHERE SHOWN.
14. PROVIDE NEW WATER HEATER ON SHELF ABOVE TUB SINK IN JANITOR'S CLOSET WHERE SHOWN.
15. PROVIDE REQUIRED ELECTRICAL AND SWITCH FOR DISHWASHER AS SHOWN.
16. PROVIDE REQUIRED ELECTRICAL AND SWITCH FOR DISPOSAL AS SHOWN.
17. PROVIDE NEW ELECTRIC OVERHEAD DOOR OPERATORS AT LOCATIONS SHOWN.

Reflected Ceiling Plan Key

- 2', x 4', 3-BULB FLUORESCENT LIGHT FIXTURE RECESSED INTO SUSPENDED CEILING.
- 4' LONG SURFACE-MOUNT 2-LAMP FLUORESCENT LIGHT FIXTURE WITH WRAP-AROUND LENSE
- 6-LAMP, 2x4 CHAIN MOUNT, T-5 FLUORESCENT LIGHT FIXTURE.
- BATHROOM EXHAUST FAN FLUSH MOUNT IN CEILING
- LED COMBO EXIT FIXTURE

Floor Plan Key

- EXISTING EXTERIOR TILT-WALL
- EXISTING INTERIOR WALLS TO REMAIN
- NEW METAL FRAMED PARTITION WALLS
- NEW METAL FRAMED PARTITION WALLS TO DECK
- EXISTING DOORS TO REMAIN
- NEW DOORS TO PROVIDE AND INSTALL

THIS DRAWING IS THE PROPERTY AND INSTRUMENT OF SHERIDAN CORPORATION FOR USE WITH THE PROJECT IDENTIFIED BELOW. NO REPRODUCTIONS OF CONTENTS MAY BE MADE TO ANY PERSON NOT ON SITE AND NO USE MAY BE MADE OF THIS DRAWING WITHOUT THE EXPRESS WRITTEN PERMISSION OF SHERIDAN CORPORATION. ANY NON-CONTRACTING USE OF THIS DRAWING WITHOUT THE EXPRESS WRITTEN PERMISSION OF SHERIDAN CORPORATION IS WRONGFUL AND IS AT THE USER'S RISK. SHERIDAN DISCLAIMS ANY AND ALL LIABILITY FOR SUCH USE.

DATE	REVISION

DRAWING STATUS

ENGINEERING DESIGNS FOR

Sofelite Auto Glass
421 Warren Avenue
Portland, Maine

JOB NO. 16-1003

ENGINEERING DWG. NO. A-3.2

TITLE: Reflected Ceiling Plan

EST. NO	
SIZE	
TYPE	
DRAWN BY	KAJP
REVIEWED BY	DS
SCALE	AS NOTED
DATE	04/22/2016

DESIGN BUILDER

Sheridan
www.sheridancorp.com

STATE OF MAINE
DAVID C. MARTIN
LICENSED
PROFESSIONAL ENGINEER
No. 3107

04-22-2016

FAIRFIELD
PORTLAND
MAINE