



PRIMARY AND ROOF BRACING PLAN

Bracing Part Schedule

Part	Qty	Length	Detail
03RT1706	2	17'-6"	BR02K1, BR02H1
03RS2101	4	21'-1"	BR02H1
03RS2406	2	24'-6"	BR02H1
03RS1805	2	18'-5"	BR02H1
04RS2101	2	21'-1"	BR02H1
04RS1711	2	17'-11"	BR02H1

2 1'-0"
1 6"

Dimension Key

Shape Name = Shipping Addition

PERMIT SET- For Building Dept. Approval

1. USE 1/2 X 1 1/2 A325-N BOLT (49080) AND NUT (47120) W/O WASHERS. SNUG TIGHTEN BOLTS FOR ALL SECONDARY CONNECTIONS, SECONDARY CLIP CONNECTIONS, AND FLANGE BRACE CONNECTIONS, UNLESS NOTED OTHERWISE.
2. SLOT REINFORCEMENT PLATES NEED NOT BE LOCATED ON THE SAME SIDE OF THE WEB AS THE HILLSIDE WASHER.

THE BUTLER MFG. ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF BUTLER MFG. AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY BUTLER. THE BUTLER MFG. ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY BUTLER EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY BUTLER.

THIS DRAWING, INCLUDING THE INFORMATION HEREON, REMAINS THE PROPERTY OF BUTLER MFG. IT IS PROVIDED SOLELY FOR ERECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF BUTLER MFG.

THE GENERAL CONTRACTOR AND/OR ERECTOR IS SOLELY RESPONSIBLE FOR ACCURATE GOOD QUALITY WORKMANSHIP IN ERECTING THIS BUILDING IN ACCORDANCE WITH THIS DRAWING, DETAILS REFERENCED IN THIS DRAWING, ALL APPLICABLE BUTLER MFG. ERECTION GUIDES, AND INDUSTRY STANDARDS PERTAINING TO PROPER ERECTION, INCLUDING THE CORRECT USE OF TEMPORARY BRACING.

BUTLER MANUFACTURING 1540 GENESSEE ST. KANSAS CITY, MO 64102			
REV.	DATE	BY	DESCRIPTION
DRAWING SCALE: NTS			

PRIMARY AND ROOF BRACING PLAN		BUTLER	
BUILDER: Sheridan	CUSTOMER: Safelite	JOB #: 16-008746-01	DATE: 4/29/2016
LOCATION: Portland, Maine	PROJECT: Safelite Auto	DRAWN/CHECK: LC	PAGE: 6
BUILDER'S PO#: 161003	VPC VERSION: 2015.2d	a division of BlueScope Buildings North America, Inc.	