Location of Construction:	04101 Tel: (207) 874-870. Owner Name:		Owner Address:		Phone	002001
314 Warren Ave	Baker Dwight	P	336 Warren Ave	TY OF POR	TLAN 207 797.	-3150
Business Name:	Contractor Nam	e:	Contractor Address		Phone	
n/a	J.M.H. Constr	ruction and Design	Long Wharf Port		2074155	783
Lessee/Buyer's Name	Phone:		Permit Type:			Zone:
n/a	n/a		Alterations - Co	mmercial		B-4
Past Use:	Proposed Use:		Permit Fee:	Cost of Work:	CEO District:	
		Retail; Replace	\$138.00 \$18,600.0			
		tion of rear wall; will	FIRE DEPT:		SPECTION:	
		ing irregular offsets in	L L	Denied Use	e Group: M	Туре:
	existing wall,	Call Contractor when	L	Denied		1
		I dan I b		19	ACCENTION A	1991
Proposed Project Descriptio					PERMURINOPO	ENES
Replace Crumbling Rear wall; To include Removing irregular o			Signature:		TH BIOLERENIENTS	
	Additio	in the			ICT (P.A.D.)	
	Πααι μου φ		Action: Approved Approved w/Conditions			
			Action: 🗍 Appro	ved Approved	d w/Conditions	Y Denied
				ved Approved		Y Denied
Permit Taken Ry	Doto Applied Free		Signature:		d w/Conditions	Y Denied
-	Date Applied For:		Signature:	Approved Approved		Y _{Denied}
cih	04/12/2001	Special Zone or Pavian	Signature: Zoning	g Approval	Date:	
cih 1. This permit applica	04/12/2001 tion does not preclude the	Special Zone or Review	Signature: Zoning			
1. This permit applica	04/12/2001	Special Zone or Review	Signature: Zoning	g Approval	Date:	servation
cih 1. This permit applica Applicant(s) from r Federal Rules.	04/12/2001 tion does not preclude the neeting applicable State and	Shoreland NAA	Signature: Zoning ws Zoni	g Approval	Date: Historic Pres	servation ict or Landmark
cih 1. This permit applica Applicant(s) from r Federal Rules.	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing,	1/4	Signature: Zoning ws Zoni	g Approval	Date: Historic Pres	servation
 cih This permit applicat Applicant(s) from r Federal Rules. Building permits do septic or electrical 	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing, work.	Shoreland NAA	Signature: Zoning vs Zoni Variance Miscell	g Approval ing Appeal ce aneous	Date: Historic Pres	servation ict or Landmark equire Review
 cih This permit applicat Applicant(s) from r Federal Rules. Building permits do septic or electrical v Building permits ar within six (6) month 	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing, work. e void if work is not started hs of the date of issuance.	Shoreland HA	Signature: Zoning vs Zoni Variance Miscell	g Approval	Date: Historic Pres	servation ict or Landmark equire Review
 cih This permit applica Applicant(s) from r Federal Rules. Building permits do septic or electrical v Building permits ar within six (6) month False information r 	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing, work. e void if work is not started hs of the date of issuance. nay invalidate a building	Shoreland HA	Signature: Zoning ws Zoni Variance Miscell Conditi	g Approval ing Appeal se aneous onal Use	Date: Historic Pres	servation ict or Landmark equire Review
 cih This permit applicat Applicant(s) from r Federal Rules. Building permits do septic or electrical v Building permits ar within six (6) month 	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing, work. e void if work is not started hs of the date of issuance. nay invalidate a building	Shoreland Ketland Flood Zone	Signature: Zoning vs Zoni Variance Miscell	g Approval ing Appeal se aneous onal Use	Date: Historic Pres	servation ict or Landmark equire Review
 cih This permit applicat Applicant(s) from r Federal Rules. Building permits do septic or electrical v Building permits ar within six (6) month False information r 	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing, work. e void if work is not started hs of the date of issuance. nay invalidate a building	Shoreland Ketland Flood Zone	Signature: Zoning ws Zoni Variance Miscell Conditi	g Approval ing Appeal aneous onal Use tation	Date: Historic Pres	servation ict or Landmark equire Review view
 cih This permit applicat Applicant(s) from r Federal Rules. Building permits do septic or electrical v Building permits ar within six (6) month False information r 	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing, work. e void if work is not started hs of the date of issuance. nay invalidate a building	 Shoreland AAA Wetland Flood Zone Subdivision 	Signature: Zoning ws Zoni Variand Miscell Conditi Interpre	g Approval ing Appeal aneous onal Use tation	Date: Historic Pres	servation ict or Landmark equire Review view
 cih This permit applicat Applicant(s) from r Federal Rules. Building permits do septic or electrical v Building permits ar within six (6) month False information r 	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing, work. e void if work is not started hs of the date of issuance. nay invalidate a building	 Shoreland AAA Wetland Flood Zone Subdivision 	Signature: Zoning ws Zoni Variand Miscell Conditi Interpre	g Approval ing Appeal aneous onal Use tation	Date: Historic Pres	servation ict or Landmark equire Review view
 cih This permit applicat Applicant(s) from r Federal Rules. Building permits do septic or electrical v Building permits ar within six (6) month False information r 	04/12/2001 tion does not preclude the neeting applicable State and o not include plumbing, work. e void if work is not started hs of the date of issuance. nay invalidate a building	 Shoreland AAA Wetland Flood Zone Subdivision Site Plan Sole of the second sole of	Signature: Zoning ws Zoni Variance Miscell Conditi Interprese Approve	g Approval ing Appeal aneous onal Use tation	Date: Historic Pres	servation ict or Landmark equire Review view

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
RESPONSIBLE DERCON DUCILADOR OF WORK THE			
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		DATE	DUONE

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Minor/Minor Site Review for New Detached Single Family Dwelling, All Purpose Building Permit Application

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 314 Warren Auc
Total Square Footage of Proposed StructureSquare Footage of Lot415 32. Ft.
Tax Assessor's Chart, Block & LotOwner:Telephone#:Number CBL# 303 JobDuright BakerTelephone#:Chart#29bBlock#Lot#Duright Baker797-3159
Lessee/Buyer's Name (If Applicable) Owner's/Purchaser/Lessee Address: Cost Of Work: Fee:
Current use: <u>Retail Rental</u> Proposed 23X15 JOGOF 10' ADDITION
To replace crumbling section of rear wall with new Project description: wall that will also replace irregular offsets in existing rear wall from old additions. Schold from
Contractor's Name, Address & Telephone J.M.H. Construction and Design, Long Whar F. Portland 415-5783 Cell
<u>A ''minor/minor'' site plan review is required for New Single Family Homes Only. The</u> Site/Plot plan must be prepared and sealed by a registered land surveyor. The following
must be submitted: 4 copies of the site/plot plan 1 copy of the building/construction plan on 32" x 48"
1 copy of the building/construction plan on 32" x 48" 1 copy of the site plan/plot plan and construction/building plan on paper no larger than 11" x 17"

On all commercial/Minor & Major projects must submit the following:

1 copy of the site/plot plan

2 copy of the building/construction plan on 32" x 48"

1 copy of the site/plot and construction /building plan on paper no larger than 11" X 17"

<u>Please note that single family additions and alterations may be hand drawn on regular paper and only</u> <u>ONE copy of the below details will still need to be submitted.</u>

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

A PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing

Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicanf Date:

Minor/Minor Site Review Fee: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

<u>ONE SET</u> OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

CBL# 303-J-003

APPLICATION FOR EXEMPTION FROM SITE PLAN REVIEW

. .

\mathbf{N}		2-2/01
Duight '		3-01-01
Applicant/ Warren Ave	Aj	pplication Date NY Worren AUR
Applicant's Mailing Address		oject Name/Description
415-5783		1.0%
Consultant/Agent/Phone Number	Address of Proposed	d Site
Description of Proposed Development:	3/4 Wark	Approval 20
the the second second second		
Ġ		
Please Attach Sketch/Plan of Proposal/Development	Applicant's Assessment (Yes, No, N/A)	Planning Office Use Only
Criteria for Exemptions:		
See Section 14-523 (4)		
a) Within Existing Structures; No New Buildings, Demolitions or Additions		
Demontions of Additions		
b) Footprint Increase Less Than 500 Sq. Ft.		
	· · · · · · · · · · · · · · · · · · ·	
c) No New Curb Cuts, Driveways, Parking Areas		
c) no new curb cuts, priveways, r anning meas	· ·	
d) Curbs and Sidewalks in Sound Condition/		
Comply with ADA		-
		•
e) No Additional Parking / No Traffic Increase		
f) No Stormwater Problems		
g) Sufficient Property Screening	· · · · · · · · · · · · · · · · · · ·	
h) Adequate Utilities		
	· · · · · · · · · · · · · · · · · · ·	

Planning Office Use Only:

Dwa

untion Mas

÷.

Dortial Examplian

/

BUILDING PERMIT REPORT

:

	BUILDING PERMIT REPORT
	ATE: 17 APril 360 ADDRESS: 314 Warren Ave. CBL: 296-D-402
RI	EASON FOR PERMIT: Repair Fean wall
BI	JILDING OWNER: D.P. Baker
	RMIT APPLICANT: (CONTRACTOR J.M.H. GasT, O'DOSIG,
US	SE GROUP: M CONSTRUCTION TYPE: <u>2</u> CONSTRUCTION COST: <u>(8,00,4)</u> PERMIT FEES: <u>#13870</u>
	e City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) e City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
Th 	is permit is being issued with the understanding that the following conditions shall be met: $\frac{1}{2}$, $\frac{1}$
☆1.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A
•	24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
• 3.	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10
	percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not
	less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain
	tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations
	shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
Xa.	Foundations anchors shall be a minimum of ¹ / ₂ " in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a
•	maximum 6' O.C. between bolts. Section 2305.17
× 5.	Waterproofing and dampproofing shall be done in accordance with <u>Section 1813.0</u> of the building code.
¥6. 7.	Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the
	proper setbacks are maintained.
8.	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior
	spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch
	gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical
10	Code/1993). Chapter 12 & NFPA 211
	Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the
	purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In
	occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid
	material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have
	a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an
	outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section
10	1014.7) Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
	Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 ³/₄" maximum rise.</u> All other Use Group minimum 11" tread,
	7" maximum rise. (Section 1014.0)
	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
	The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36". Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door
10.	approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools.
	Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All
	egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum
17.	net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4) Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly
	from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
18.	All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's.
	(Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

.

The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements.

21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)

- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- **3.** The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. <u>No closing in of walls until all</u> <u>electrical</u> (min. 72 hours notice) <u>and plumbing inspections have been done</u>.
- (29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 4 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
 - 32. Please read and implement the attached Land Use Zoning report requirements.
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- **34.** Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- **36.** All flashing shall comply with Section 1406.3.10.
- 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999). 38. The proposed Steel beam will require a destron statement From a professional engineeth

Building Inspector affses . McDougall, PFD Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager


PSH 10/1/00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.


***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)


****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00



-







BLOCK WALL WILL BE REINFORCED WITH RE-BAR AT CORNERS And EVERY 4PT. AFTER RE-BAG WILL BE MORTOREd IN BLOCK BOND BEAM TO BE USED ON TOP

EXISTING MASONARY PROPOSER MASONANY

DEU FLAShing 2×12 300 8" BLOCK


BLOCK WALL WILL BE REINFORCED WITH RE-BAR AT CORNERS And Every 4105. AFTER RE-BAR WILL BE MORTOREd IN BLOCK BOND BEAM TO BE USED ON TOP propes of mason any t EXISTING MASONARY REIN FORCED WITH RE-BAR And MORTOPER HEADER -16" LINTEL BLOCK (SEISSOR DESIGN) New ORLE TYPICAL OVER HEAD DOOR HEADER





STERL I BEAM GIRDER, SIZE According TO MACHURE + JOK STERL I BEAM GIRDER, SIZE According TO MACHURE + JOK BLAN WILL BLAN JUSIAN YUM. F. enally


SCALE 1/4"=1ET



148 ADDRIDW SLOCK proposed 3 Ž 30010 MIL: 5

BACK URW "SOUTH"

i



A LES UR C A LE
CITY OF PORTLAND, MAINE Department of Building Inspection
4/12 20 01
Received from Sunmister tinting a fee
of Ohehumuri Huty-Ave/100 Dollars \$ 135-
for permit to alter building addition
at 31 demolish Rest. Cost \$
296-0-002-
ct 1013 Per Marz
THIS IS NOT A PERMIT
No work is to be started until PERMIT CARD is actually posted

upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Auditors Copy