


City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 47 Belfort St		Owner: Richard Bellafiore/Caroline Wagner		Phone: 797-2874 ^{WR} 791-6251	Permit No: 981064	
Owner Address: SAA 04103		Lessee/Buyer's Name:		Phone:	BusinessName:	
Contractor Name:		Address:		Phone:		
Past Use: 1-fam		Proposed Use:		COST OF WORK: \$ 1,142.00	PERMIT FEE: \$ 25.00	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: Type:	
Proposed Project Description: Erect Storage Shed (8 x 10)		Signature:		Signature:		
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zoning Approval:		
		Action: Approved <input type="checkbox"/>		Special Zone or Reviews:		
		Approved with Conditions: <input type="checkbox"/>		<input type="checkbox"/> Shoreland		
		Denied <input type="checkbox"/>		<input type="checkbox"/> Wetland		
		Signature: Date:		<input type="checkbox"/> Flood Zone		
Permit Taken By: SP		Date Applied For: 10 Sept 98				<input type="checkbox"/> Subdivision
						<input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>



Zone: CBL: 299-D-017

Special Zone or Reviews:

Shoreland

Wetland

Flood Zone

Subdivision

Site Plan maj minor mm

Zoning Appeal

Variance

Miscellaneous

Conditional Use

Interpretation

Approved

Denied

Historic Preservation

Not in District or Landmark

Does Not Require Review

Requires Review

Action:

Approved

Approved with Conditions

Denied

Date: 9

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

11 Sept 98

SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

CEO DISTRICT

COMMENTS

9/24/98 Called left message requesting copy of mortgage survey

11/15/99 Completed.

AMR

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

BUILDING PERMIT REPORT

DATE: 21 Sept. 98 ADDRESS: 417 Belfort ST. 299-D-017
 REASON FOR PERMIT: shed 8x10
 BUILDING OWNER: BellaFiorone/Wayne
 CONTRACTOR: SAA
 PERMIT APPLICANT: IT
 USE GROUP U BOCA 1996 CONSTRUCTION TYPE 5B

CONDITION(S) OF APPROVAL

This Permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: *1, *2, *26

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approval from ~~the Development Review Coordinator and Inspection Services~~ must be obtained. (A 24 hour notice is required prior to inspection)
- 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 2.6 Foundations anchors shall be a minimum of 1 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6'o.c. between bolts. (Section 2305.17)
- 3. Precaution must be taken to protect concrete from freezing. Section 1903.0
- 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
- 8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42" , except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0)
- 9. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4
- 12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height

not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1

14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0

15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1

16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0

18. The Fire Alarm System shall be maintained to NFPA #72 Standard.

19. The Sprinkler System shall maintained to NFPA #13 Standard.

20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)

21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)

24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.


25. All requirements must be met before a final Certificate of Occupancy is issued.

26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).

27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)

28. Please read and implement the attached Land Use-Zoning report requirements.

- 29. _____
- 30. _____
- 31. _____
- 32. _____


Samuel Hofizer, Building Inspector


cc: Lt. McDougall, PFD
Marge Schmuckal, Zoning Administrator

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction: <u>47 BELFORT ST. PORTLAND ME. 04103</u>			
Tax Assessor's Chart, Block & Lot Number Chart# <u>299</u> Block# <u>D</u> Lot# <u>017</u>		Owner: <u>RICHARD F. BELLAFFIONE</u> <u>CAROLINE M. WAGNER</u>	
Telephone#: <u>797-2894</u>			
Owner's Address: <u>47 BELFORT ST. PORTLAND ME 04103</u>		Lessee/Buyer's Name (If Applicable)	Cost Of Work: <u>\$ 1142</u>
			Fee: <u>\$ 25.⁰⁰</u>
Proposed Project Description:(Please be as specific as possible) <u>PINE</u> <u>8X10 WOOD STORAGE SHED - (NO FOUNDATION) CAN BE MOVED</u>			
Contractor's Name, Address & Telephone <u>OWNER</u>		Rec'd By: 	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)


If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.




Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <u>Richard F. Bellafione</u>	Date: <u>9-11-98</u>
--	----------------------

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5/00 per \$1,000.00 construction cost thereafter.



**10' x 16' SCREEN HOUSE
WITH OPTIONAL
ADD ON ROOF SHAKES**

FREE

Arrangement of doors & windows.

Delivery and set up.

2 vents.

1 door.

2 windows/screens on sizes 8' x 12' and larger.

* 1 window/screen on sizes smaller.

Drip edge on rakes and eaves.

20 year shingles.

3/4" CDX plywood deck.

1/2" CDX roof sheathing /H-clips.

Kiln dried lumber.

6 cement blocks.

Shutters.

EXTRAS

Door up to 4' \$79.95 - 4' to 6' \$96.96

Ramp 4' treated \$79.95 - 6' \$96.95

Windows each \$52.95

3' x 8' loft \$49.95 - 3' x 10' \$65.95

All Sheds are set on P.T. 4" x 4".

Play Houses set on 2" x 4" P.T.

Delivery is considered to be to driveway only.

As long as property owner assumes responsibility, we will place your shed where you want it.


Built on sight, in some cases may be an extra charge. If we have to move rocks, rubbish or any other items to have a safe work area we have to charge a minimum of \$25.00.

Limited Warranty

With proper maintenance, Family Enterprises warranties your building to maintain structural integrity for at least ten years and expects your building to last a full lifetime and longer. This warranty does not include doors and windows (for obvious reasons) or any building that has been altered in any way. The roof shingles are warranted for 15 years against leakage, natural disaster, but accidents and neglect are excluded. Family Enterprises gives no other guarantee expressed or implied.

FAMILY ENTERPRISES


**FOR ALL YOUR
LAWN AND GARDEN
STRUCTURES**



**12' x 16'
CUPOLA & SHUTTERS**


**ROUTE 35 • STANDISH, MAINE
(207) 892-5408**

Mailing Address:
1042 Chadborne Road
Standish, Maine 04084




8' x 12' REGULAR STYLE

Size	Regular Shed & Screen House
6' x 8'	\$ 699.00
6' x 10'	\$ 840.00
6' x 12'	\$1192.00
6' x 14'	\$1255.00
6' x 16'	\$1397.00
8' x 8'	\$1053.00
8' x 10'	\$1142.00
8' x 12'	\$1283.00
8' x 14'	\$1417.00
8' x 16'	\$1671.00
10' x 10'	\$1575.00
10' x 12'	\$1798.00
10' x 14'	\$1811.00
10' x 16'	\$1929.00
12' x 12'	\$2246.00
12' x 14'	\$2311.00
12' x 16'	\$2553.00
14' x 14'	\$2753.00
14' x 16'	\$2819.00




12' x 16' EXTRA HIGH GAMBREL

Size	Extra High Gambrel
8' x 10'	\$1292.00
8' x 12'	\$1433.00
8' x 14'	\$1567.00
8' x 16'	\$1821.00
10' x 10'	\$1725.00
10' x 12'	\$1948.00
10' x 14'	\$1961.00
10' x 16'	\$2079.00
12' x 12'	\$2446.00
12' x 14'	\$2511.00
12' x 16'	\$2753.00
14' x 14'	\$2953.00
14' x 16'	\$3019.00




8' x 12' GAMBREL

Size	Barn / Gambrel
6' x 8'	\$ 762.00
6' x 10'	\$ 890.00
6' x 12'	\$1142.00
6' x 14'	\$1295.00
6' x 16'	\$1367.00
8' x 8'	\$1053.00
8' x 10'	\$1192.00
8' x 12'	\$1293.00
8' x 14'	\$1406.00
8' x 16'	\$1621.00



7' x 8' PLAY HOUSE





AMBREL

Barn / Gambrel

- \$ 762.00
- \$ 890.00
- \$ 1142.00
- \$ 1295.00
- \$ 1367.00
- \$ 1053.00
- \$ 1192.00
- \$ 1293.00
- \$ 1406.00
- \$ 1621.00

ATT:

RICHARD

DRAFT

<< Interrupted Transmission >>

R-3 Zone Allows A shed
100# or less to be within
5' of rear & side lot lines



THIS IS NOT A BOUNDARY SURVEY

MORTGAGE LOAN INSPECTION PLAN

47 BELFORT STREET
PORTLAND, ME.

No. 739-53


TO THE LENDING INSTITUTION AND ITS TITLE INSURER —
I hereby certify that the location of the dwelling shown
on this plan did conform with the local zoning
laws in effect at the time of construction. The property
does not fall within a special flood hazard zone.

BOOK _____ PAGE _____ COUNTY CUMBERLAND


BUYERS: RICHARD F. BELLAFIORE
CAROLINE M. WAGNER

PLAN BOOK 14 PAGE 7 LOTS 294, 295, 296

SELLER: ESTATE OF ANASTASIA C.
PAPPACONSTANTINE AND
JOHN P. CONSTANTINE,
PERSONAL REPRESENTATIVE



APPR. SIZED LOCATION
BASED ON
INFO RECEIVED
BY PROPERTY OWNER



(H) 797-2894
→ (W) 791-6251
CALL HERE

BELFORT STREET
(BITUMINOUS)

THIS IS NOT A BOUNDARY SURVEY. This plan is based
strictly on information provided by others and
does not take into consideration any conflicts
which abutting descriptions may contain.
This plan was not made from an instrument survey.
The certifications are for mortgage purposes only.
This plan applies only to conditions existing as of
the date shown hereon. This plan is not for recording.

Date 05-13-94 Scale 1" = 30'