DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT



This is to certify that

BENNETT JOHN H

Located at

3 NEWCOMB ST

PERMIT ID: 2017-00573

ISSUE DATE: 05/04/2017

CBL: 303 C001001

has permission to Repair wiring issues & re-sheetrock all walls due to fire damage.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

Fire Department

/s/ Jason Grant

/s/ Brian Stephens

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

.... ED

single-family and auto repair garage

Use Group: F-1 Type: 5B

Automobile Repair w/ Accessory Office

Occupancy = 15 Non-Sprinkled First Floor Garage

MUBEC/IBC-2009

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703

or email: buildinginspections@portlandmaine.gov

Check the Status of Permit or Schedule an Inspection at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit.
- Permits expire in 6 months if the project is not started or ceases for 6 months.
- If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.

REQUIRED INSPECTIONS:

Electrical Close-in

Final - Commercial

Final - Fire

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

Permit No: Date Applied For: CBL: City of Portland, Maine - Building or Use Permit 04/24/2017 2017-00573 303 C001001 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 Proposed Use: **Proposed Project Description:** Single family with auto repair shop Repair wiring issues & re-sheetrock all walls due to fire damage. **Dept:** Zoning **Status:** Approved w/Conditions **Reviewer:** Christina Stacey **Approval Date:** 04/26/2017

Ok to Issue:

Conditions:

Note:

- 1) This property shall remain a single family dwelling and an auto repair garage. Any change of use or addition of new uses shall require a separate permit application for review and approval.
- 2) This permit is not approving any lot coverage or setback requirements for the existing structure. It is approving work within the existing footprint and shell only.
- 3) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

 Dept:
 Building Inspecti Status:
 Approved w/Conditions
 Reviewer:
 Brian Stephens
 Approval Date:
 05/04/2017

 Note:
 Ok to Issue:
 ✓

Conditions:

- 1) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 2) Draftstopping and Fireblocking in combustible concealed spaces and locations shall be in accordance with IBC Sec. 717 or IRC Sec. R302.11 & 302.12
- 3) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.

Dept: Engineering DPS **Status:** Not Applicable **Reviewer:** Rachel Smith **Approval Date:** 04/25/2017 **Note:** Ok to Issue: ✓

Conditions:

1) This approval is non-applicable to Engineering DPW as it relates to approval for Grease Control Equipment for the Fats, Oil, and Grease Program. If approval is needed for this project by the Engineering Department of Public Works for any other reason than FOG, please contact 207-874-8801.

Dept: Fire **Status:** Approved w/Conditions **Reviewer:** Jason Grant **Approval Date:** 05/02/2017 **Note:** Ok to Issue: ✓

Conditions:

- 1) New sheetrock shall not provide less protection than sheet rock that is being replaced (meaning existing 5/8 inch sheetrock could not be replaced with new ½ inch sheetrock).
- 2) All construction shall comply with City Code, Chapter 10.
 - All construction shall comply with 2009 NFPA 101 Life Safety Code, Chapter # 43
 - All construction shall comply with 2009 NFPA 1, Fire Code.
 - This review and approval by the AHJ shall not relieve the applicant of the responsibility of compliance with this Code. NFPA 1 (section 1.14.4).

All means of egress to remain accessible at all times.

PERMIT ID: 2017-00573 **Located at:** 3 NEWCOMB ST **CBL:** 303 C001001