

- KEYED NOTES:**
- 1 CAP EXISTING PIPING AS REQUIRED.
 - 2 PROVIDE 1/2" CA DROP WITH SHOT-OFF VALVE, DRIP LEG, AND CONNECTION TO EQUIPMENT PER MFR'S RECOMMENDATIONS.


REMOVE (E) 1-1/2" PIPING AFTER BFP & REPLACE WITH 2" PIPING

6" VERTICAL CONCENTRIC VENT KIT UP THROUGH (E) BOILER BREACHING OPENING IN ROOF

TRAP PRIMER TO FD
GAS SHUT-OFF

160 Veranda Street
Portland, Maine 04103
T: 207.221.2266
F: 207.221.2266
Web: www.allied-eng.com

Allied Engineering
Structural Mechanical Electrical Commissioning



REVISIONS		DESCRIPTION
NUMBER	DATE	BY

Date: 03/20/2013
Drawn By: SCL
Checked By: IAM
Project Mgr: IAM
Project No: 13001
Cad File: 13001M.DWG
Graphic Scale: 0

**PLUMBING KITCHEN PART PLAN
DOMESTIC PIPING**

CITY OF PORTLAND
PORTLAND PUBLIC SCHOOLS - CENTRAL KITCHEN
92 WALDRON WAY, PORTLAND, MAINE

PL-103

N:\Projects\2013\13001 - Portland Public Schools - Central Kitchen\03 Drawing Files\13001P.dwg Mar 19, 2013 - 3:56pm

A1 PLUMBING KITCHEN PART PLAN ~ DOMESTIC PIPING
1/4" = 1'-0"