

Modine Manufacturing Company  
 1221 Magnolia Ave., Buena Vista, VA 24416  
 Phone: 800-828-4328

MODEL NUMBER NUMERO DE MODELE		PDP 75AE0185		MIN. INPUT BTU/HR DEBIT CALORIFIQUE MIN. BTU/HEURE		
SERIAL NUMBER NUMERO DE SERIE		39011013306—8295		MIN. INLET PRESS. FOR PURPOSE OF INPUT ADJUSTMENT / PRESSION D'ALIMENTATION EN GAZ MIN. ADMISE		
TYPE OF GAS TYPE OF GAZ		Propane		MANIFOLD PRESSURE PRESSION A LA TUBERIE D'ALIMENTATION		
				MAXIMUM EXTERNAL STATIC PRESSURE PRESSION STATIQUE EXTERIEUR MAXIMUM 0.		
				MINIMUM CLEARANCE TO COMBUSTIBLE MATERIAL DEGAGEMENT MINIMUM POUR MATIERES COMBUSTIBLES		
		0 TO 3500 FT. 0 ET 813 M.	(IN CANADA) 2000 TO 4500 FT. 610 ET 1370 M.	TOP HAUT	6 IN PO	RIGHT SIDE COTE DROIT
INPUT BTU/HR DEBIT CALORIFIQUE BTU/HEURE		75000	67500			
OUTPUT BTU/HR RECHHEMENT BTU/HEURE		60000	54000	BOTTOM BAS	12 IN PO	VENT CONNECTOR CONNECTEUR TO B-ASSEMBLY
INFLUE SIDE COTE DE L'INJECTION		39	42	LEFT SIDE COTE GAUCHE	1 IN PO	TEMPERATURE UNIT TEMPERATURE UNITE DEL CON



