

PERMIT ISSUED

City of Portland, Maine - Building or Use Permit Application
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 01-0648 JUN 19 2001 Issue Date: CBL: 308 A056001

Location of Construction: 233 Lane Ave	Owner Name: Batchelder Brian D &	Owner Address: 233 Lane Ave	Phone: 207-878-0590
Business Name: n/a	Contractor Name: no contractor/self	Contractor Address: n/a n/a	Phone
Lessee/Buyer's Name	Phone:	Permit Type: Additions - Dwellings	Zone: R-3

Past Use: single family	Proposed Use: single family w/840 s.f. mud room/garage. Call Brian @ 878-0590	Permit Fee: \$186.00	Cost of Work: \$27,000.00	CEO District: 1
Proposed Project Description: erect a 840 s.f. mud room/garage		FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: PERMIT ISSUED WITH REQUIREMENTS 5/3 7/10/01	

Signature:	Signature:
PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied	
Signature:	Date:

Permit Taken By: jodinea	Date Applied For: 06/04/2001	Zoning Approval	
-----------------------------	---------------------------------	------------------------	--

<ol style="list-style-type: none"> This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. Building permits do not include plumbing, septic or electrical work. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.. 	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input checked="" type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Date: 07/10/01	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date: 07/10/01	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date:
	<i>to remain a single family</i>		

07/June/01 called Contractor will bring in plans & photo
 15 June/01 received plans & photo
PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT ADDRESS DATE PHONE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE DATE PHONE

01-0648

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

All Purpose Building Permit Application



If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 233 LANE AVE. PORTLAND ME. 04103

Total Square Footage of Proposed Structure: 840' Square Footage of Lot: 10,800'

Tax Assessor's Chart, Block & Lot Number: Chart# 308 Block# A Lot# 56 Owner: BRIAN + FRANCINE BATCHELDER Telephone#: (207) 878-0590

Lessee/Buyer's Name (If Applicable): Owner's/Purchaser/Lessee Address: 233 LANE AVE. PORTLAND ME. Cost Of Work: \$ 27,000 Fee: \$ 186.00

Current use: PERSONAL HOME. If the location is currently vacant, what was prior use: Approximately how long has it been vacant: Proposed use: Project description: MUD ROOM + GARAGE. Price would be higher but homeowner is doing alot of work.

Contractor's Name, Address & Telephone: SELF, BRIAN D. BATCHELDER 233 LANE AVE PORTLAND ME 04103

Applicants Name, Address & Telephone: SAME AS ABOVE

Who should we contact when the permit is ready: B. BATCHELDER Telephone: (207) 878-0590

If you would like the permit mailed, what mailing address should we use: Rec'd By: [Signature]

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches; a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
 - Floor Plans & Elevations
 - Window and door schedules
 - Foundation plans with required drainage and damp proofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

Minor/Minor Site Review Fee for New Single Family homes: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:

Bruce D. [Signature]

Date:

6-3-2004

BUILDING PERMIT REPORT

DATE: 6 June 2001 ADDRESS: 233 Lane Ave. CBL: 308-A-056

REASON FOR PERMIT: mudroom & private garage

BUILDING OWNER: Brian & Francine Batchelder

PERMIT APPLICANT: _____ /CONTRACTOR SAO

USE GROUP: R-3 CONSTRUCTION TYPE: 53 CONSTRUCTION COST: 27000.0 PERMIT FEES: 18609

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1, *2 *8 *21 *11
*16, *20, *22, *28, *30, *33, *34, *35 *38 #32

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- *2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- *4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- *8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- *10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- *11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- *13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
- *16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

1/14

- *20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- *27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- *28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. **No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.**
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- *30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements. *To remain a single family - no addi-
Ritchens to be added.*
- *33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- *34. Bridging shall comply with Section 2305.16.
- *35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 36. All flashing shall comply with Section 1406.3.10.
- 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).
- *38. *Your plan shows a steel beam. This will require a design by a professional Arch. or structural engineer - The design shall be submitted to this office for approval before work is started. The name, signature and no. of the professional shall be on the plan.*


 Samuel Hoffses, Building Inspector
 Lt. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**

108'

PL

PL

R-3 Zone

considered 2 story
can reduce one side down to 8'

side 14' req. - allow
8' ± 20' req
8'3" ± 36'6" ok






PL rear: 25' req - 32' shown

front: 25' req - 30' shown

100'


~~10' x 8'~~ 10' x 24'
DECK
EXISTING

24' x 32'
EXISTING
HOUSE





PL
SIDE WALK

BRIAN BATCHELDER 233 LANE AVE.



1 BUILDING SECTION 2/2 - 1/2"



2 OF 3


BATCHELDER 233 LANE AVE PORTLAND ME 04103

6-15-201 8:28AM

FROM EMS, INC.

12078561757


P. 1




ION PLAN


30F3

BATCHELDER 233 LANE AVE. PORTLAND ME 04103




1 FOUNDATION PLAN
1/4" = 1'-0"





GENERAL NOTES:

THE TREES AND CONTOURS SHOWN ON THIS PLAN ARE BASED UPON AERIAL PHOTOGRAPHY PROVIDED BY THE CITY OF PORTLAND. SPOT ELEVATIONS AND THE BUILDING LOCATION OF 233 LANE AVE. ARE THE RESULT OF AN ON THE GROUND FIELD SURVEY ON MAY 8, 2001. ELEVATIONS ARE BASED UPON CITY OF PORTLAND DATUM N.G.V.D 1929. THE PROPERTY LINE SHOWN IS BASED UPON MONUMENTATION FOUND AND SHOULD NOT BE USED AS BASIS FOR DEEDS OR CONVEYANCE OF PROPERTY. HORIZONTAL COORDINATES ARE BASED UPON THE MAINE STATE GRID, WEST ZONE N.A.D. 1983



ROBERT T. GREENLAW, PLS.
REGISTRATION # 2303


DATE: MAY 8, 2001

EXISTING CONDITIONS PLAN
OF 233 LANE AVE. PORTLAND, MAINE


FOR: BRIAN BATCHELDER

DRAWN BY: RTG	CHECKED BY: SBB
SCALE: 1" = 40'	DATE: MAY 8, 2001
JOB NUMBER: 200123-P	SHEET: 1 OF 1

PREPARED BY:
BACK BAY BOUNDARY, INC.
PROFESSIONAL LAND SURVEYING
65A NEWBURY STREET
PORTLAND, MAINE
207-774-2855 FAX 207-774-4669



PRELIMINARY



EXISTING NEW GARAGE
 & PORCH

FRONT ELEVATION
SCALE: 1/4" = 1'-0"

PORT CITY
DESIGN

55 STROUDWATER RD
PORTLAND, ME 04101
PHONE: 207.671.4110
FAX: 207.761.2010
WELD29@AOL.COM

© COPYRIGHT
Reuse or reproduction
of the contents of this
document is not permitted
without written permission
of PORT CITY DESIGN


BRAS 876-0590

BATCHELDER RESIDENCE
233 LANE AVENUE
PORTLAND Maine 04101

JOB: 01016

ISSUE DATE
May 14, 2001

FRONT
ELEVATION
A-1




SIDE ELEVATION
 SCALE: 1/4" = 1'-0"

**PORT
CITY**

DESIGN

55 STROUDWATER RD
 PORTLAND, ME 04101
 PHONE: 207.671.4110
 FAX: 207.761.2010
 WELD29@AOL.COM

© COPYRIGHT
 Reuse or reproduction
 of the contents of this
 document is not permitted
 without written permission
 of PORT CITY DESIGN

BATCHELDER RESIDENCE
233 LANE AVENUE
PORTLAND Maine 04101

JOB: 0106

ISSUE DATE
 May 14, 2001

SIDE
 ELEVATION
A-2


BATCHELDER RESIDENCE
233 LANE AVENUE
PORTLAND Maine 04101


Reuse or reproduction of the contents of this document is not permitted without written permission of PORT CITY DESIGN
© COPYRIGHT

55 STROUDWATER RD
PORTLAND, ME 04101
PHONE: 207.671.4110
FAX: 207.761.2010
WELD29@AOL.COM

DESIGN

PORT CITY





ENLARGED MUD ROOM FLOOR PLAN
 SCALE: 1/2" = 1'-0"

PORT
CITY

DESIGN

55 STROUDWATER RD
 PORTLAND, ME 04101
 PHONE: 207.671.4110
 FAX: 207.761.2010
 WELD29@AOL.COM

© COPYRIGHT
 Reuse or reproduction
 of the contents of this
 document is not permitted
 without written permission
 of PORT CITY DESIGN

BATCHELDER RESIDENCE
 233 LANE AVENUE
 PORTLAND Maine 04101

JOB: 01016

ISSUE DATE
 May 14, 2001

ENLARGED MUD
 ROOM FLR PLAN

A-4


PORT
CITY

DESIGN

55 STROUDWATER RD
PORTLAND, ME 04101
PHONE: 207.671.4110
FAX: 207.761.2010
WELD29@AOL.COM

© COPYRIGHT

Reuse or reproduction
of the contents of this
document is not permitted
without written permission
of PORT CITY DESIGN



SECTION VIEW @ MUD ROOM
SCALE: 1/4" = 1'-0"

BATCHELDER RESIDENCE
233 LANE AVENUE
PORTLAND Maine 04101

JOB: 01016

ISSUE DATE
May 14, 2001

SECTION VIEW
• MUD ROOM

A-5


PORT
CITY

DESIGN

55 STROUDWATER RD
PORTLAND, ME 04101
PHONE: 207.671.4110
FAX: 207.761.2010
WELD29@AOL.COM

© COPYRIGHT

Reuse or reproduction
of the contents of this
document is not permitted
without written permission
of PORT CITY DESIGN



SECTION VIEW @ GARAGE
A6 A6 0 4' SCALE: 1/4" = 1'-0"

BATCHELDER RESIDENCE
233 LANE AVENUE
PORTLAND Maine 04101

JOB: 01016

ISSUE DATE
May 14, 2001

SECTION VIEW
@ GARAGE

A-6

7/23/01 - Pre Con w/ owner/GC - Asked
that Elevation keep aisle open on rear to rear
Corner so we can get accurate measure to rear
& right side - Slung out pins, - determined trees/
Risers / head room, Goodhead rails etc. - He may
change steel beam to std. lumber - will submit
Chg order to PSH. - next call for footing PD

9/14/01 Setback inspection. Met w/ owner on site. Strings and stakes set
up. Setbacks OK. JR

9/16/01 Footing inspection, owner on site w/ contractor. Checked
conditions according to approved plans. OK. to proceed. Homeowner
will call for close-in JR

12/3/01 for Close In - Landing, step down, 8 1/2' - Steps up
to Mud Room 8" - Need Revised ^{DARE C} plans for
Chg of size & spec for Lam Beam. No Close in pin PD

12/18 for Close In Risers fixed - Revised plans
& Lam Beam Specs deliv'd to D. Caddell for review PD



CITY OF PORTLAND, MAINE

Department of Building Inspection

6/4 2001

Received from B. Batchelder a fee

of One hundred eighty six /100 Dollars \$ 186.⁰⁰

for permit to install
erect
alter build Attached Deck

at move
demolish 233 Lane Ave. Est. Cost \$ 27,000.⁰⁰

CB# 308-A-056

CK# 3015

Inspector of buildings
Per CH

THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy
YELLOW - Office Copy
PINK - Auditors Copy