

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716.

Location of Construction: 19 Wyndham St		Owner: Fern A Oates		Phone: 791-3000 X3142		Permit No: 960610	
Owner Address: 19 Wyndham St - Portland ME 04103		Leasee/Buyer's Name:		Phone:		BusinessName:	
Contractor Name: Forrest Pelletier		Address:		Phone:		Permit Issued: JUN 28 1996	
Past Use: 1-fam dwlg w dormer		Proposed Use: 1-fam w dormer		COST OF WORK: \$ 1800		PERMIT FEE: \$ 30	
Proposed Project Description: XXXXXXXXXXXXXXXXXXXX enlarge existing dormer		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group <i>A3</i> Type: <i>5B</i> <i>BOCA 9301</i>		Signature: <i>Noffali</i>	
		Signature:		Signature:		Signature:	
XXXXXXXXXXXXXXXXXXXX enlarge existing dormer		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Zoning Approval: <i>11,491 #</i> <i>OK 6/26/95</i>	
		Signature:		Date:		Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: L Chase		Date Applied For: 6/24/96		Zone: <i>R-3</i>		CBI: <i>309-E-36 to 39</i>	

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: *Fern A Oates* ADDRESS: _____ DATE: *6/24/96* PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied

Date: *6/25/95*

Johanne Anderson

CEO DISTRICT 7

D. Jordan

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 19 Myndham St		Owner: Fern A Gates		Phone: 791-3000 x3152	
Owner Address: 19 Myndham St - Ptld ME 04103		Leasee/Buyer's Name:		Phone:	
Contractor Name: Forrest Pelletier		Address:		Business Name:	
Past Use: 1-fam dwlg w dormer		Proposed Use: enlarge 1-fam w dormer		COST OF WORK: \$ 1800	
				PERMIT FEE: \$ 30	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	
				INSPECTION: Use Group: Type:	
Proposed Project Description: enlarge existing dormer				Signature:	
				Signature:	
				Signature:	
				Signature:	
				Signature:	
				Signature:	
Permit Taken By: L Chase		Date Applied For: 6/24/95			

Permit No: **960610**

PERMIT ISSUED

Permit Issued:
JUN 28 1996

CITY OF PORTLAND

Zone: **R-3** CBL: **309-C-261.39**

Zoning Approval: *[Signature]*

Special Zone or Reviews:

Shoreland
 Wetland
 Flood Zone
 Subdivision
 Site Plan maj minor mm

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: 6/25/95

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT _____ ADDRESS: _____ DATE: _____ PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT

7

COMMENTS

2-25-96 - looks completed (no notifications)
3/12/98 OK A.R.

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

CONTRACTOR SALE
 WICKES LUMBER
 PORTLAND, ME 04103

LOAD TALLY
 DELIVERY TRANS: 67720
 TAX JURISDICTION: 018
 TAX EXEMPT NO:

WICKES PO#:
 PH# 207 772 2884 CUSTOMER PO#:
 SALESPERSON
 NO

LANE 17
 06-17-96 15:59

DELIVER TO:
 CASH CONTRACTOR

ME 04103

2 -316 499
 ACCOUNT NO. 1-1

SKU OR GEN LED	QTY ORDERED	DESCRIPTION	QTY SHIP	UNIT RETAIL	EXTEND RETAIL
1014398	12 PC	2X8-8 SPF/WW NO.2 AND BTR DRY	LOAD	PC	*****
1014414	2 PC	2X8-12 SPF/WW NO.2 AND BTR DRY	LOAD	PC	*****
1016310	30 PC	2X6 96 PET SPF/WW STUD DRY	LOAD	PC	*****
1014240	16 PC	2X4 96 PET SPF/WW STUD DRY	LOAD	PC	*****
1060078	10 PC	FURRING 1X3-12 SPF/WW S4S	LOAD	PC	*****
4628384	1 BOX	SCREWS DRYWALL CRSE 1-1/4" BOX 5LB	LOAD	BOX	*****
2395887	3 PC	DRIP EDGE GALV 10' F5 56-015	LOAD	PC	*****
2140598	2 ROL	INSUL R19 15X39'2" KFT 48.99F K61	LOAD	ROL	*****
2140275	2 PKG	INSUL R30 16X48 KFT 53.339F C05	LOAD	PKG	*****
4628152	1 BOX	NAILS ROOFING HG 1-1/2" BOX 5LB	LOAD	BOX	*****
1241116	8 SHT	PLYWOOD CDX 5YP 15/32 4X8 4PLY 32/16	LOAD	SHT	*****
2210508	12 SHT	GYP BD REGULAR TE 1/2 4X8	LOAD	SHT	*****
2011757	1 ROL	RFG UNDERLAY 400 SOFT MIN 34 LBS	LOAD	ROL	*****
2390243	50 PC	FLASHING SHINGLE ALUM 5"X7" 68-800	LOAD	PC	*****
2010080	6 BDL	WINDSEAL 80 BLACK BLEND 3 SQ	LOAD	BDL	*****
2402998	2 SQ	SIDING VINYL ECONO-PLUS DBL 4.5 WHT	LOAD	SQ	*****
2212504	1 ROL	GYPSUM TAPE JOINT 250 ROLL PN250	LOAD	ROL	*****
2212116	1 EA	GYP US6 R/M ALL PURP 62LB PAIL	LOAD	EA	*****
1065952	28 LFT	COM 1X5 FINISH EAST WHIT PINE S4S	LOAD	LFT	*****
1065978	28 LFT	COM 1X8 FINISH EAST WHIT PINE S4S	LOAD	LFT	*****
2408300	4 PC	SIDING VINYL J-CHANNEL 3/4" WH 12'6"	LOAD	PC	*****

- CONTINUE -

RECEIVED

LOADED BY

CHECKED BY

CUSTOMER SIGNATURE



CONTRACTOR SALE
 WICKES LUMBER
 PORTLAND, ME 04103

LOAD TALLY
 DELIVERY TRANS: 67720
 TAX JURISDICTION: 018
 TAX EXEMPT NO:

WICKES PO#:
 PH# 207 772 2884 CUSTOMER PO#:
 SALESPERSON
 NO

LANE 17
 06-17-96 15:59

DELIVER TO:
 CASH CONTRACTOR

ME 04103

2 -316 499
 ACCOUNT NO. 1-1

SKU OR GEN LED	QTY ORDERED	DESCRIPTION	QTY SHIP	UNIT RETAIL	EXTEND RETAIL
2408326	2 PC	SIDING VINYL 0/5 POST 3/4"X4" WH 10'	LOAD	PC	*****



744.95


Tax 44.70

789.65





PLANNING
7/15/00
STATE OF MICHIGAN
DEPT. OF COMMUNITY DEVELOPMENT






DEPT. OF BUILDING INSPECTION
CITY OF PORTLAND, ME
JUN 24 1996
RECEIVED








DEPT. OF BUILDING INSPECTION
CITY OF PORTLAND, ME
JUN 24 1996
RECEIVED

DEPT. OF BUILDING INSPECTION
CITY OF PORTLAND, ME
JUN 24 1996
RECEIVED



BUILDING PERMIT REPORT

DATE: 26 June/96 ADDRESS: 19 Wyndham ST
 REASON FOR PERMIT: To enlarge dormer
 BUILDING OWNER: OATES
 CONTRACTOR: Forrest Pelletier APPROVED: _____
 PERMIT APPLICANT: _____ DENIED: _____

CONDITION OF APPROVAL OR DENIAL

1. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
2. Precaution must be taken to protect concrete from freezing.
3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4. All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
5. Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
6. The boiler shall be protected by enclosing with one(1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 sq. feet per sprinkler.
7. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue, they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508 mm), and a minimum net clear opening of 5.7 sq. feet.
8. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
9. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, section 19, 919.3.2(BOCA National Building Code/1993), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

1. In the immediate vicinity of bedrooms
2. In all bedrooms
3. In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted.

10. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1993)
11. Guardrail & Handrails-A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
12. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1993)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 9" tread and 8-1/4" maximum rise. ~~All other Use Group minimum 11" tread, 7" maximum rise.~~
- *14. Headroom in habitable space is a minimum of 7'6". — 7'0" bathrooms
15. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
16. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
17. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
18. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
19. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.


P. Samuel Hoffses, Chief of Inspection Services

/el 3/16/95