



Job No: *Berna, 112 Euclid*

*Carver Contracting
PO Box 2106
Woodward, NE 68062*

ONE AND TWO FAMILY Soil type/Presumptive Load Value (Table R401.4.1)	PLAN REVIEW Submitted Plan	CHECKLIST Findings/Revisions/Dates
STRUCTURAL Footing Dimensions/Depth (Table R403.1 & R403.1(1), Section R403.1 & R403.1.4.1)	<i>EXIST'g Single Fram.</i>	
Foundation Drainage, Fabric, Damp proofing (Section R405 & R406)	<i>N/A</i>	
Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY	<i>EXIST'g Gable vents w/ Soffit vents</i>	
Anchor Bolts/Straps, spacing (Section R403.1.6)	<i>N/A</i>	
Lally Column Type (Section R407)	<i>N/A</i>	
Girder & Header Spans (Table R502.5(2))	<i>N/A</i>	
Built-Up Wood Center Girder Dimension/Type	<i>N/A</i>	
Sill/Band Joist Type & Dimensions First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))	<i>2x8 16" O.C.</i>	
Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))	<i>2x8 16" O.C.</i>	
Attic or additional Floor Joist Species Dimensions and Spacing (Table R802.4(1) and R802.4(2))	<i>N/A</i>	

Pitch, Span, Spacing & Dimension (Table R802.5.1(1) - R 802.5.1(8))	9/12 FROST	
Roof Rafter; Framing & Connections (Section R802.3 & R802.3.1)	2.45/12 PER	
Sheathing; Floor, Wall and Roof (Table R503.2.1.1(1))	Roof 5/8 T+G Adhesive Floor 3/4" T+G Adhesive	WALLS 1/2" OSB
Fastener Schedule (Table R602.3(1) & (2))	N/A	
Private Garage (Section R302.5) Living Space (Above or beside)?		
Table R302.6		
Fire separation (Section R302.6)		
Opening Protection (Section R302.5.1)		
Emergency Escape and Rescue Openings (Section R310)		
Roof Covering (Section R905)		
Safety Glazing (Section R308)		
Attic Access (Section R807)		
Chimney Clearances/Fire Blocking (Chap. 10)		
Header Schedule (Tables R502.5(1) & (2))		
Energy Efficiency IECC, 2009 R-Factors of Walls, Floors, Ceilings, Building Envelope, U-Factor Fenestration Ventilation of Space per ASRAE 62.2, 2007		

Job No:

Type of Heating System	F/H/W	
Means of Egress (Sec R311 & R312) Basement	Bulk Means - Existing	
Number of Stairways	2 - Existing Outside	
Interior	Use Are Not Changing	
Exterior		
Treads and Risers (Section R311.5.3)		
Width (Section R311.5.1)		
Headroom (Section R311.7.2)		
Guardrails and Handrails (Section R312 & R311.5.6 - R311.5.6.3)		
Carbon Monoxide Alarms (R315) Smoke Alarms (Section R314) Location and Interconnected		
Dwelling Unit Separation (Section R302.3)		
Deck Construction (Section R502.2)		