

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 245 Riverside Street		Owner: The Home Depot		Phone: 761-0600		Permit No: 010057	
Owner Address: 245 Riverside Street		Lessee/Buyer's Name:		Phone:		BusinessName:	
Contractor Name: Burr Signs		Address: 10 Buttonwood Street, So. Portland, ME 04106		Phone: 799-1183		Permit Issued: x 101	
Past Use: Commercial		Proposed Use: Commercial		COST OF WORK: \$30 sf		PERMIT FEE: \$36.00	
Proposed Project Description: Install 3' x 10' sf wallmount sign				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: <i>Signature</i> Use Group: Type:	
				Signature:		Signature: <i>Signature</i>	
Permit Taken By: Jina				Date Applied For: January 19, 2001 gg			

Zone: B-4 **CBL:** 315-B-001

Zoning Approval: *Signature* 1/22/01

Special Zone or Reviews:

Shoreland
 Wetland
 Flood Zone
 Subdivision
 Site Plan maj minor mm

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

*** Mail to Burr Signs

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

January 22, 2001

SIGNATURE OF APPLICANT _____ ADDRESS: _____ DATE: _____ PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: _____

PERMIT ISSUED WITH REQUIREMENTS CEO DISTRICT

3

THD

INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

1. Certificate of Liability listing the City as additional insured. ✓
2. Letter of permission from the owner ✓
3. A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see attached) ✓
4. Indicate on the plan all existing and proposed signs ✓
5. Computation of the following:
 - A) Sign area of each existing and proposed building sign ✓
 - B) Sign area height and setback of each existing and proposed freestanding sign
6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
7. Certificate of flammability required for awning/canopy at time of application.
8. UL # required for lighted signs at the time of Final Inspection. Failure to provide this information will invalidate the Sign Permit.

Fee for permit - \$30.00 plus \$0.20 per square foot

Fee for awning based on cost of work - \$30.00 for the first \$1,000.00, \$6.00 for each additional \$1,000.00.

NOTE: Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.

SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 245 RIVERSIDE ST. ZONE: B-4

OWNER: THE HOME DEPOT

APPLICANT: BURR SIGNS - 10 BUTTERNWOOD ST. SO. PORTLAND 04106

ASSESSOR NO. _____

SINGLE TENANT LOT? YES X NO _____

MULTI TENANT LOT? YES _____ NO X

FREESTANDING SIGN? YES _____ NO X DIMENSIONS _____

(ex. pole sign. . .)

MORE THAN ONE SIGN? YES _____ NO _____ DIMENSIONS _____

BLDG. WALL SIGN? YES X NO _____ DIMENSIONS _____

(attached to bldg)

MORE THAN ONE SIGN? YES _____ NO _____ DIMENSIONS 3'x10'

ONLY This sign is approved with this permit

LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: SEE ATTACHED

LOT FRONTAGE (FEET): SEE ATTACHED

BLDG FRONTAGE (FEET): SEE ATTACHED

AWNING YES _____ NO X IS AWNING BACKLIT? YES _____ NO _____

HEIGHT OF AWNING: _____

IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR SYMBOL ON IT? _____

*** TENANT BLDG. FRONTAGE (IN FEET) _____

*** REQUIRED INFORMATION

AREA FOR COMPUTATION

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: [Signature]

DATE: 01/14/01

SIGN PERMITS

The provisions of Section 3102.0 of the City's Building Code "The BOCA National Building Code/1999" shall govern the construction, alteration, repair and maintenance of outdoor signs together with the associated appurtenant and auxiliary devices in respect to structural and fire safety.

Section 3102.4.4 construction documents and owner's consent:

"Before any permit is issued for the erection of a sign, Construction Documents shall be filled with the code official showing the dimensions, materials and required details of construction, including loads, stresses, and anchorage. The applications shall be accompanied by the written contract of the owner or lessee of the premises upon which the sign is to be erected."

NO PERMIT CAN OR WILL BE ISSUED UNLESS THIS INFORMATION IS SUBMITTED AND APPROVED BY THIS OFFICE.

BUILDING PERMIT REPORT

DATE: 22 January 2001 ADDRESS: 245 Riverside St. CBL: 315-B-061

REASON FOR PERMIT: To hang 3' x 10' wall mount sign.

BUILDING OWNER: The Home Depot

PERMIT APPLICANT: _____ (CONTRACTOR Burr Signs)

USE GROUP: M CONSTRUCTION TYPE: _____ CONSTRUCTION COST: _____ PERMIT FEES: \$36100

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1, *36, #31

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements. *only the Tool Rental sign 3'x10' is being approved*
32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
33. Bridging shall comply with Section 2305.16.
34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
35. All flashing shall comply with Section 1406.3.10.
36. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

[Signature]
 P. Samuels, Building Inspector
 cc: Lt. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager


PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**




- 5'-0" Channel Letters (290 Total Sq. Ft.)
- returns and backs to be black
 - black Jewelite trim
 - #2119 orange Lexan faces
 - internally illuminated


- 3'-0" Single Face Tagline (174 Total Sq. Ft.)
- cabinet and retainers to be black
 - Panaflex faces
 - background to match 363044 orange, copy white with black outline
 - internally illuminated



- 2'-0" Individual Channel Letters (29.33 Total Sq. Ft.)
- returns and backs to be black
 - black Jewelite trim
 - #2119 orange Lexan faces
 - internally illuminated
 - raceway mounted



2'-0" Flat Aluminum Panel with vinyl graphics, single faced (51 Total Sq. Ft.)



- 3'-0" Single Face Box Sign (30 Total Sq. Ft.)
- cabinet and retainers to be black
 - Panaflex faces
 - background 3630-44orange, copy white with black outline
 - internally illuminated

COLLINS SIGNS




4255 Napier Field Road
Dothan, Alabama 36303
334.983-8000 Telephone
334.983-1379 Fax



The Home Depot #2401
Portland, ME

1001.CDR JS
Created: 02/22/2000
Revised: 07/21/2000
Revised: 08/23/2000 GR
Revised: 01/04/2001 AAA

This is an original unpublished drawing created by Collins Signs, Inc. It is submitted for your personal use, in connection with a project being planned for you. It is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion without written consent of Collins Signs, Inc. This proposal remains the exclusive property of Collins Signs, Inc. until approved and accepted thru purchase by the client named above.



- 5'-0" Channel Letters (290 Total Sq. Ft.)
- returns and backs to be black
 - black Jewelite trim
 - #2119 orange Lexan faces
 - internally illuminated

COLLINS SIGNS




4255 Napier Field Road
Dothan, Alabama 36303
334.983-8000 Telephone
334.983-1379 Fax



The Home Depot #2401
Portland, ME

1001.CDR JS
Created: 02/22/2000
Revised: 07/21/2000
Revised: 08/23/2000 GR
Revised: 01/04/2001 AAA

This is an original unpublished drawing created by Collins Signs, Inc. It is submitted for your personal use, in connection with a project being planned for you. It is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion without written consent of Collins Signs, Inc. This proposal remains the exclusive property of Collins Signs, Inc. until approved and accepted thru purchase by the client named above.



- 100 square feet total
- Fabricated cabinet with 4" aluminum retainers, framed with 2" x 2" tube steel, double faced 945 Panaflex material with scotchcal overlay. Internally illuminated with fluorescent lamps. Cabinet to be black, face background to be 3630-44 orange scotchcal, copy to be white with black outline.
- Electrical Requirements: 277 volts

COLLINS SIGNS



4255 Napier Field Road
Dothan, Alabama 36303
334.983-8000 Telephone
334.983-1379 Fax




The Home Depot #2401
Portland, ME

1001.CDR JS
Created: 02/22/2000
Revised: 07/21/2000
Revised: 08/23/2000 GR
Revised: 01/04/2001 AAA



This is an original unpublished drawing created by Collins Signs, Inc. It is submitted for your personal use, in connection with a project being planned for you. It is not to be shown to anyone outside your organization, nor is it to be used, reproduced, copied or exhibited in any fashion without written consent of Collins Signs, Inc. This proposal remains the exclusive property of Collins Signs, Inc. until approved and accepted thru purchase by the client named above.

ECN #	REV #	REVISIONS	DATE	BY
	1	MODIFIED PANNED DETAIL	8/25/99	RICK S.
276	2	CHANGED WIREWAY DETAIL	10/4/99	SEE
314	3	TOGGLE SWITCH HORIZONTAL	10/6/99	SEC

APPROVED
**** 1st RUN ONLY ****
 DATE 8/19/99



- 4" ROUND VENT
- THIS SIDE RETAINER REMOVABLE FOR SERVICE
- WIRE HARNESS TOGGLE SWITCH
- PANNED & EMBOSSED PCB. FACE



- PANNED & EMBOSSED DETAIL NTS FOR ILLUSTRATION ONLY
- (A) PAN DROP STD. 3/4"
 - (B) PAN HEIGHT STD. 2 1/4"
 - (C) EMBOSSEMENT HEIGHT STD. 1/2"
 - (D) RETAINER WIDTH 1 1/2"
 - (E) EXPOSED FLANGE AREA (STANDARD 1")
 - (F) MATERIAL THICKNESS .177 CLEAR PCB
- PCB ACRYLIC ACRYSTEEL

ELECTRICAL NOTE-Actual # of circuits to be determined by a Licensed Electrical Contractor.
 TOTAL AMPS- 3.8
 # OF CKTS- 1 20 AMP(RECOMMENDED)
 VOLTS- 120
 ALL SIGNAGE WILL BE (U.L.) LISTED, (U.L.) 2161 COMPLIANT AND CARRY (U.L.) LABELS.

COLOR NOTES:
 CLEAR PCB W/ GRAPHICS PROCESSED 2ND SURFACE
 CABINET: - BLACK
 BACKGROUND: -165C ORANGE
 COPY:- WHITE
 COPY OUTLINE:- OPAQUE BLACK
 RETAINER: - BLACK

BOXED SQUARE FOOTAGE: 30
 ESTIMATED SIGN WEIGHT: 500 LBS.

NO.	PART NO.	PART DESCRIPTION	QTY
		COLLINS SIGNS 4255 NAPIER FIELD RD DOTHAN, AL 36303 PHONE: (334) 983-8000 FAX: (334) 983-1379	
		THE HOME DEPOT	
		S/F WALL SIGN	
		3'-0" X 10'-0"	
ENGINEER	R. SIMS	LOCATION	DATE
ACCOUNT REP.		VARIOUS	8/18/99
PROTOTYPE		SCALE	DRAWN BY
		3/4"=1'-0"	WALTON
1st RUN	8/19/99	SHEET	
PRODUCTION		1 OF 5	
		WIND LOAD	
		HD028101	
			HD028101

MARSH USA INC.		CERTIFICATE OF INSURANCE			CERTIFICATE NUMBER AT-000147857-00	
PRODUCER MARSH USA INC. 3475 P EDVONT ROAD, N.E. SUITE 1200 ATLANTA, GA 30305 ATTN: MARGARET MIDDIONE PH. 404/985-2742, FAX. 404/985-2743 2414 -GLVVC-IHE- 2401		THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER OTHER THAN THOSE PROVIDED IN THE POLICY. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICE SUBSCRIBED HEREIN.				
INSURED THE HOME DEPOT, INC. HOME DEPOT U.S.A. INC. STORE SUPPORT CENTER 245E PACES FERRY ROAD NW BUILDING C-8 ATLANTA, GA 30328		COMPANIES AFFORDING COVERAGE COMPANY A AMERICAN HOME ASSURANCE CO COMPANY B INSURANCE CO. STATE OF PENN. COMPANY C NATIONAL UNION FIRE INSURANCE CO. OF PENN COMPANY D ILLINOIS NATIONAL INS CO				
THIS IS TO CERTIFY THAT POLICIES OF INSURANCE DESCRIBED HEREIN HAVE BEEN ISSUED TO THE INSURED AS SET FORTH FOR THE POLICY PERIOD INDICATED HEREIN AND ANY REQUIREMENTS, TERMS OR CONDITIONS OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THE CERTIFICATE MAY BE REFERRED OR MAY BE APPLICABLE ARE CONTAINED BY THE POLICE DESCRIBED HEREIN SUBJECT TO ALL THE TERMS, CONDITIONS AND EXCLUSIONS OF SUCH POLICE AS SET FORTH IN THE POLICE.						
CO TR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
A	<input checked="" type="checkbox"/> GENERAL LIABILITY <input type="checkbox"/> PRODUCTS AND COMPLETED OPERATIONS <input checked="" type="checkbox"/> CLAIMS MADE <input type="checkbox"/> CONTRACTOR DEFECT NOTE: POLICY CONTAINS ABSOLUTE POLLUTION	RMDL6122862	02/01/00	02/01/01	GENERAL AGGREGATE	\$ 4,000,000
					PRODUCTS COMPLETED OPERATIONS	\$ 2,000,000
					PERSONAL AND ADVERTISING	\$ 1,000,000
					PRODUCTS DEFECTS	\$ 1,000,000
					FIRE DAMAGE (Any one fire)	\$ 1,000,000
					MED EXP (Any one person)	\$
	AUTOMOBILE LIABILITY ANY AUTO ALL OWNED AUTOS SOLELY OWNED AUTOS HIRED AUTOS NON-OWNED AUTOS				OWNERS SINGLE LIMIT	\$
					BODILY INJURY (Per person)	\$
					BODILY INJURY (Per accident)	\$
					PROPERTY DAMAGE	\$
	BARBOUR LIABILITY ANY AUTO				ALLIANCE - EXCLUDED	\$
					OTHER THAN AUTO ONLY	\$
					EACH ACCIDENT	\$
					AGGREGATE	\$
	EXCESS LIABILITY 1 YEAR 1 A 100M OTHER THAN 1 YEAR 1 A 100M				EACH EXCESS DEFECT	\$
					AGGREGATE	\$
C	WORKERS COMPENSATION AND EMPLOYERS LIABILITY THE PROPRIETOR/ PARTNER/SELF EMPLOYED OFFICERS ONLY	RWWC3473150 WIS RWWC3473154 OSI RWWC3473149 AOS RWWC3590174 NY	02/01/00	02/01/01	<input checked="" type="checkbox"/> WORKERS COMPENSATION <input type="checkbox"/> EMPLOYERS LIABILITY	EACH ACCIDENT \$ 1,000,000 EACH EMPLOYEE - \$ 1 \$ 1,000,000 EACH EMPLOYEE - \$ 1 \$ 1,000,000
A						
B						
D						
	OTHER LIMITS OF POLICY ARE EXCESS OF \$100,000 PER OCC					
DESCRIPTION OF OPERATIONS/LOCATION/SPECIAL RISKS/SPECIAL ITEMS (LIMITS MAY BE SUBJECT TO DEDUCTIONS OR RETENTIONS): STORE #2401 - 245 PACES FERRY ROAD, PORTLAND, MAINE CERTIFICATE HOLDER IS AN ADDITIONAL INSURED AS REQUIRED BY WRITTEN CONTRACT BUT ONLY AS RESPECT OPERATIONS OF THE NAMED INSURED.						
CITY OF PORTLAND 389 CONGRESS STREET PORTLAND, ME 04101			CANCELLATION SHOULD ANY OF THE POLICES DESCRIBED HEREIN BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF THE INSURER AFFORDING COVERAGE WILL endeavor to mail _____ 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER BY REGISTERED MAIL WITH RETURN RECEIPT OF THE POLICY NUMBER AND DATE OF CANCELLATION.			
			MARSH USA INC. BY: Patti Sue Hurton <i>Patti S Hurton</i>			