



NOTE: F.P. INDICATES STRUCTURAL MEMBER TO BE FIREPROOFED. SEE BRACING ELEVATIONS (S1.8) AND COL SCHEDULE (S1.9) FOR ADDITIONAL MEMBERS TO BE INCLUDED. SEE SPECIFICATIONS FOR ADDITIONAL INFO.

NOTE: SELECTIVE DEMO MAY BE REQD AT EXIST CORNICE/ELEVATOR OVERRUN. G.C. VERIFY & NOTIFY ARCHITECT PRIOR TO DEMO

HATCH INDICATES EXTENT OF CONG SLAB

**PENTHOUSE ROOF FRAMING PLAN**  
1/4"=1'-0"

- NOTES:
1. TOP OF STEEL EL 120'-10 1/4" U.N.O.
  2. BF-1 - INDICATES BRACING. SEE BRACING ELEVATIONS DWG S1.8.
  3. ———— INDICATES DECK SPAN DIRECTION OF 3N18 PAINTED STEEL ROOF DECK (3 SPAN MIN).
  4. ———— INDICATES 6 1/2" CONCRETE SLAB ON 3VL1 18GA GALVANIZED METAL DECK, (3 1/2" CONCRETE FILL OVER 3" DECK), W/6x6-W2.1xW2.1 W.W.F.

DRAWING NUMBER	DRAWING TITLE		DATE	REVISIONS	PROJECT	CONSULTANTS	
	S1.7	PENTHOUSE ROOF FRAMING PLAN				MAINE HISTORICAL SOCIETY 489 CONGRESS ST. PORTLAND, MAINE	SCHWARTZ / SILVER ARCHITECTS INC. 75 Kneeland Street Boston, Massachusetts 02111 Telephone 617/549-6869 Fax 617/551-0779
NOTED	Scale	DATE	NUMBER	DESCRIPTION	A.P.P.	SEP 2006	SEP 2006
		05/01/07		60% CD SET	Drawn By	SEP 2006	SEP 2006
		07/16/07		100% CD SET	Reviewed By	SEP 2006	SEP 2006
					D.S.B.	SEP 2006	SEP 2006
					Approved By		