PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

This USG System Detail must
without a complete evaluation
professional to verify the suitab
your specific application.

RESURGAM CITY OF PORTLAND, MAINE
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 07/18/13

Construction Solution Details: Steel Frame Assembly

System Performance

1 HR Fire
UL Design No. U465
or GA-WP-1081
49 STC Sound
USG-960709

System Description

Steel Stud Partition (Non-loadbearing)

- 5/8" SHEETROCK Brand FIRECODE Core Gypsum Panel
  or SHEETROCK Brand FIRECODE Core Abuse-Resistant Gypsum Panel
- 3-5/8" 25 gauge steel stud 24" o.c.
- 3" mineral wool insulation
- 5/8" SHEETROCK Brand FIRECODE Core Gypsum Panel
  or SHEETROCK Brand FIRECODE Core Abuse-Resistant Gypsum Panel

USG Corporation
550 West Adams Street
Chicago, IL 60661-3676

Architectural and Technical Solutions
800-874-4968

Drawn by:	T.R.	**Date:**	05.28.04
Approved:		**Date:**	
Revision:		**Change:**	
Scale:	N.T.S.	**Project:**	
		File:	093300073

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT