

OWNER AND REVIEWED BY ARCHITECT. 2. PROVIDE TOOL FREE ACCESS PANELS TO ASSOCIATED INDIRECT DRAINS

3. CONTROLS AND OPERATING MECHANISMS ALONG ACCESSIBLE ROUTES SHALL COMPLY WITH ADAAG REQUIREMENTS.

IN ALL CABINETS WITH EQUIPMENT RELATED TO INDIRECT DRAINS.

4. FOOD SERVICE LINES SHALL HAVE A MINIMUM OF 36" CLEAR. SELF SERVICE SHELVES AND DISPENSING DEVICES FOR TABLEWARE, DISHWARE, CONDIMENTS, FOOD AND BEVERAGE SHALL BE INSTALLED TO COMPLY WITH ADAAG. FRONT APPROACH ITEMS SHALL BE NO HIGHER THAN 48" AND NO LOWER THAN 15" FROM FLOOR LEVEL. SIDE APPROACH ITEMS SHALL BE NO HIGHER THAN 54" AND NO LOWER THAN 9" FROM FLOOR LEVEL.

5. BEVERAGE DISPENSER TO HAVE PUSH-BUTTON ACTUATION.

6. EQUIPMENT MOUNTIING INSTALLTION REQUIREMENTS: ALL COUNTER MOUNTED EQUIPMENT WEIGHING OVER 30 LBS SHALL BE SEALED TO THE COUNTER OR BE PROVIDED WITH 6" LEGS. ALL FLOOR MOUNTED EQUIPMENT SHALL BE SEALED TO THE FLOOR, BE PROVIDED WITH 6" LEGS OR SHALL HAVE CASTERS.

PLAN NOTES:

- 1) PROVIDE SOAP AND PAPER TOWEL DISPENSER AT HAND SINK
- 2 PROVIDE MOP HOLDER
- 3 PROVIDE ADA SIGNAGE. SEE DETAIL THIS SHEET

EQUIPMENT PLAN

1/4" = 1'-0"

KIMBERLY-CLARK KIMCARE KC109608. PROVIDED BY OWNER, INSTALLED BY G.C.						
B 42" LONG X 1-1/4" DIA. GRAB WITH PEENED SURFACE	BAR					
BOBRICK: B-6806x42 18" LONG X 1-1/4" DIA. GRAB WITH PEENED SURFACE	BAR C 36" LONG X 1-1/4" DIA. GRAB BAR WITH PEENED SURFACE	D CHANNEL FRAMED MIRROR BOBRICK: B-165	E ELECTRIC HAND DRYER, SURFACE MOUNTED WORLD DRYER	F HAND SOAP DISPENSER, SURFACE MOUNTED KIMBERLY-CLARK KIMCARE	G PAPER TOWEL DISPENSER, SURFACE MOUNTED KIMBERLY-CLARK KIMCARE	H MOP HOLDER BOBRICK: B-223x24
BOBRICK: B-6806x18	BOBRICK: B-6806x36	2436 SERIES	A SERIES	KC192144. PROVIDED BY OWNER, INSTALLED BY G.C.	KC109767. PROVIDED BY OWNER, INSTALLED BY G.C.	
12" 42" 42" 42" 42" 42" 42" 42" 42" 42" 4	6" 36" 04	34" 34"	45"	installed by 6.c.	THISTALLED BY G.C.	
SIDE	FRONT		`	`	`	
NOTE: DIMENSIONS APPLY TO WALL HUNG, FLOOR MOUNTED AND TANK TYPE WATER CLOSETS	TOILET	LAVATORY			ACCESSORI	ES

A DUAL TOILET TISSUE DISPENSER

1/4" = 1'-0"

ACCESSIBLE TOILET ROOM LEGEND

TOILET ROOM GENERAL NOTES:

- 1. PROVIDE FIRE RETARDANT TREATED (F.R.T.) WOOD BLOCKING IN WALLS @ TOILET PARTITIONS, GRAB BARS, ETC. AS REQUIRED PER MANUFACTURER'S RECOMMENDATIONS.
- 2. COORDINATE PLUMBING FIXTURE TYPES, FLOOR DRAINS (F.D.) AND INSTALLATION PROCEDURES WITH APPROVED PLUMBING DWGS AND MANUFACTURER'S RECOMMENDATIONS.
- 3. A.D.A. COMPLIANT TOILET FIXTURES AND INSTALLATION SHALL CONFORM TO O.B.C. & A.D.A. ACCESSIBILITY GUIDELINES. WATER CLOSET FLUSH CONTROLS MUST BE MOUNTED ON OPEN SIDE OF TOILET AREA.
- 4. A.D.A. COMPLIANT LAVATORIES SHALL HAVE INSULATED DRAIN PIPES & HOT WATER PIPES PER A.D.A.A.G. 4.22.6
- 5. A.D.A. COMPLIANT FAUCETS SHALL BE OPERABLE WITH 1 HAND AND NOT TIGHT-GRASPING PER A.D.A.A.G. 4.22.6


ADA SIGNAGE DETAIL



ADA SIGN 1/4" THICK SIGNS GRADE 2 BRAILLE

<u>NOTES</u>

- 1. CHARACTERS AND SYMBOLS SHALL CONTRAST WITH THEIR BACKGROUND.
- 2. IDENTIFICATION SYMBOLS ARE TO BE MOUNTED AT 60" ABOVE FLOOR ON LATCH SIDE OF DOOR.
- 3. LETTERS & NUMBERS ON SIGNS SHALL BE RAISED 1/32" MIN., SHALL BE A MIN.OF 5/8" HIGH & SHALL BE SANS-SERIF UPPERCASE CHARACTERS ACCOMPANIED BY GRADE 2 BRAILLE.



Revisions:		

Project:

keting For: Mari Renovation

#7017 Store

arkinetics Project #:

Drawing Title

EQUIPMENT PLAN

Date of Issue: 08/28/12 Plan Review

© arkinetics

Sheet #: