

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 400 RIVERSIDE INDUSTRIAL PARK		Owner: APPLICATORS SALES		Phone: 797-7950		Permit No: 03-04	
Owner Address: 400 WARREN AVE., PORTLAND, ME 04103		Lessee/Buyer's Name:		Phone:		BusinessName:	
Contractor Name: *** BAILEY SIGN CO.		Address: <i>Rodney Bern...</i> 9 THOMAS DRIVE, WESTBROOK, ME 04092		Phone: 774-2843		Permit Issued: JAN 12 2001	
Past Use: COMMERCIAL		Proposed Use: COMMERCIAL		COST OF WORK: \$ (206SF)		PERMIT FEE: \$ 71.20	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: 319799 Use Group: Type: 00CA99	
Proposed Project Description: INSTALL NEW SIGN ON BUILDING & FREESTANDING SIGN		Signature:		Signature: <i>[Signature]</i>		Zone: CBL: 320-A-002 I-M	
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Zoning Approval: OK Per Re-submittal Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> Drm <input type="checkbox"/>	
Permit Taken By: GAYLE		Date Applied For: JANUARY 5, 2001		Signature:		Date:	

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

JANUARY 8, 2001

SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Appoved
 Approved with Conditions
 Denied

Date: *[Signature]*

PERMIT ISSUED WITH REQUIREMENTS

CEO DISTRICT

1

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED


**Sign Permit Pre-Application
Attached Single Family Dwellings/Two-Family Dwelling
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <i>400 Riverside Industrial Park</i>			
Total Square Footage of Proposed Structure <i>205.68</i>		Square Footage of Lot <i>234,220.0</i>	
Tax Assessor's Chart, Block & Lot Number Chart# <i>320</i> Block# <i>A</i> Lot# <i>002</i>		Owner: <i>Applicators Sales</i>	Telephone#: <i>797-7950</i>
Owner's Address: <i>400 Warren Ave Portland ME 04103</i>		Lessee/Buyer's Name (If Applicable) <i>N/A</i>	Total Sq. Ft. of Sign Fee <i>2060</i> <i>\$1.20</i>
Proposed Project Description: (Please be as specific as possible) <i>install new sign on building and a freestanding sign see attached drawings</i>			
Contractor's Name, Address & Telephone <i>Riley Sign Co. 9 Thomas Drive Westbrook ME 04092</i>		<i>774-2943</i>	Rec'd By
Current Use: <i>N/A</i>		Proposed Use: <i>Retail/manufacturing</i>	
Signature of applicant: <i>Rodney L. Baum</i>		Date: <i>1-5-2001</i>	

Signage Permit Fee: \$30.00 plus .20 per square foot of signage



BUILDING PERMIT REPORT

DATE: 8 January 2001 ADDRESS: 400 Riverside Ind Park CBL: 320-A-562

REASON FOR PERMIT: Signage

BUILDING OWNER: Applicators Sales

PERMIT APPLICANT: _____ /CONTRACTOR Barley Sign Co.

USE GROUP: _____ CONSTRUCTION TYPE: _____ CONSTRUCTION COST: _____ PERMIT FEES: \$ 71.20

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: x1, x36, x31

- x1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993), Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
33. Bridging shall comply with Section 2305.16.
34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
35. All flashing shall comply with Section 1406.3.10.
36. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

The free standing sign shall be set back five (5) feet from the front property line.

[Signature]
 E. Samuel Hoffses, Building Inspector
 cc: W. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**

SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 400 Riverside Industrial Park ZONE: I-M Zone

OWNER: Applicator Sales

APPLICANT: Barley Sign Company, 9 Thomas Drive Westbrook ME 04092

ASSESSOR NO. _____

SINGLE TENANT LOT? YES NO

MULTI TENANT LOT? YES NO

FREESTANDING SIGN? YES NO

(ex. pole sign. . .)

DIMENSIONS 3'3" X 10'9"
 $3.25 \times 10.75 = 34.9375$ #

MORE THAN ONE SIGN? YES NO DIMENSIONS _____

BLDG. WALL SIGN? YES NO DIMENSIONS 6'10" X 25'

(attached to bldg)

$6.75 \times 25 = 168.75$ #
 $6.83 \times 25 = 170.75$ #

MORE THAN ONE SIGN? YES NO DIMENSIONS _____

LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: new business
no existing signage

LOT FRONTAGE (FEET): See Attached Plot plan 478'

BLDG FRONTAGE (FEET): 3618'

AWNING YES NO IS AWNING BACKLIT? YES NO

HEIGHT OF AWNING: _____

6% of wall area

IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR SYMBOL ON IT? _____

*** TENANT BLDG. FRONTAGE (IN FEET) N/A

*** REQUIRED INFORMATION

Single tenant Bldg
Free Standing Sign
Allowed 35'
10' high
5' setback
Show: 34.9375'
4.25' high
no setback Show
shall be a req.

AREA FOR COMPUTATION

Bldg Sign
6% of wall area allowed

$201 \times 17.5 \text{ high?} = 3517.5 \times 6\% = 211.05$
 $3045 \times 6\% = 182.7$

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: Rodney L Beman

DATE: 1-5-2001



www.baileysign.com

FAX TRANSMITTAL

Date: 1/8/01

Number Of Pages Including Cover Sheet: _____

To: Marge Schmuckel From: Rodney Benn
 Company: Portland Codes Dept Location: _____
 Phone: _____ Project No.: _____
 Fax: _____
 CC: _____ CC: _____


Remarks

Urgent For Your Review Reply ASAP Please Comment

Marge, the buildings roof raises up 12'.
 That section is back from the front edge.
 See attached blue print.
 I measured the wall area in front and
 it was 17.5' x 201' = 3517.5 sq ft

If you have problems with this FAX transmission, please call us.

PHONE: 207-774-2813 1-800-539-SIGN FAX: 207-774-1193 E-MAIL: newsign@baileysign.com



Paradigm

*Test
29.5'
17.5'*

ALUMINUM STOREFRONT SYSTEM WITH 1" LOW "E" GLAZING

20' HOLLOW METAL DOOR UNIT


REMOVE EXISTING ALUMINUM STOREFRONT SYSTEM. INFILL EXISTING BRICK VENEER AND CMU BLOCK WALL ASSEMBLY. MATCH EXISTING BRICK.

EXISTING

*12
17.5
29.5*

*received
1/8/01*


Plot Plan
Turnpike



WRITTEN CONSENT AND AGREEMENT RELATING TO A CERTAIN SIGN PROPOSED TO BE
 ERECTED ON A BUILDING AT 400 Riverside Industrial Park
 IN PORTLAND, MAINE Applicators Sales being the owner of the premises
 at 400 Riverside Ind Park in Portland, Maine hereby gives consent to the
 erection of a certain sign owned by Applicators Sales over the
 public sidewalk or on the building from said premises as described in
 application to the Division of Inspection Services of Portland, Maine for a
 permit to cover erection of said sign;

And in consideration of the issuance of said permit Applicators Sales
 owner of said premises, in event said sign shall cease to serve the purpose
 for which it was erected or shall become dangerous and in event the owner of
 said sign shall fail to remove said sign or make it permanently safe in case
 the sign still serves the purpose for which it was erected, hereby agrees
 for himself or itself, for his heirs, its successors, and his or its
 assigns, to completely remove said sign within ten days of notice from said
 Inspector of Buildings that said sign is in such condition and of order from
 him to remove it.


In Witness whereof, the owner of said premises has signed this consent and
 agreement this 22 day of December 2000



Richard Kobina

03/25/87

U.L.# BH050198



3' X 52' CANOPY FACIA.
MUST BE CONFIRMED - COPY IS NOT TO DESCEND BELOW CANOPY

O.A. COPY AREA 6'-10" x 25'-0"

CONCEPT DRAWING
(1) SET OF CHANNEL NEON LETTERS

CHANNEL NEON LETTERS: FACES: CLEAR WITH GERBER TRANS. PLUM PURPLE & RED VINYL. ____" TRIM: WHITE ____" RETURNS: WHITE
BOTH SETS ARE MOUNTED TO RACEWAYS: CANOPY ENTRANCE APPROX. 2'-6" X 25'-0" X ____" RACEWAY COLOR: ____ TO MATCH B/G
SQUARE FOOTAGE 6.83 x 25 = 170.75

CANOPY ENTRANCE PHOTO PLOT - N.T.S.



*1/8/01
A lower canopy
per contractor,
Rodney Beam
to phone in the
height of the
main bldg*



PERMIT PRINT

NOTES:

DESIGN STATUS:

PRESENTATION PRINT	DATE:
PROGRESS PRINT #.:	
CONSTRUCTION/MOUNTING:	DATE:
PERMIT/SITE PLAN:	DATE:
APPROVED MANUFACTURING:	
DATE:	
VOLTAGE:	
REVISIONS:	11/20/00 LIFT CANOPY SET / RACEWAYS 12/12/00 OMIT SET @ PARKING LOT ENTRANCE

Bailey Sign INCORPORATED
 9 Thomas Drive
 Col. Westbrook Executive Park
 Westbrook, ME 04092
 207-774-2843 / 1-800-539-SIGN
 Fax: 774-1193
 E-Mail: newsign@baileysign.com
 © COPYRIGHT 2001

PLEASE NOTE:
 THIS IS A PROGRESS PRINT - FIELD MEASUREMENTS MAY OR MAY NOT NEED TO BE VERIFIED.
 THIS DESIGN IS THE EXCLUSIVE PROPERTY OF BAILEY SIGN INCORPORATED AND ALL RIGHTS TO ITS USE OR REPRODUCTION ARE RESERVED.
 COLORS SHOWN HERE ARE FOR DISTRIBUTION ONLY COLOR MATCH NUMBERS WILL BE NEEDED
 IF AN ELECTRIC SIGN, THEN INSTALLATION MUST BE ACCOMPLISHED IN TOTAL COMPLIANCE WITH THE NATIONAL ELECTRIC CODE, THE REQUIREMENTS OF UNDERWRITERS LABORATORY, CANADIAN STANDARDS ASSOCIATION, AND APPLICABLE LOCAL CODES.

CUSTOMER:
 PARADIGM / APPLICATOR SALES
 LOCATION:
 RIVERSIDE INDUSTRIAL PARK
 PORTLAND, MAINE

SALESPERSON: R.B. DRAWN BY: L.W.M.

ACCEPTANCE SIGNATURE DATE: _____
 CLIENT _____

PS. #	D-794	W.O. #	
SCALE	3/16"=1'	DATE	11/7/00

DRAWING NO: 04477 A R2
 SHEET ____ / ____

U.L. # BH050199

NOTES:

DESIGN STATUS:

CONCEPT DRAWING
 (1) D.F. 3'-3" X 10'-9" X _____ " INTERNALLY ILLUMINATED PYLON

CABINET, REVEAL & WRAP TO MATCH BUILDING _____

WRAP: MATTE BLACK

COPY: JIGGED OUT & BACKED UP W/ ACRYLIC
 VINYL TO BEST MATCH PMS 260 & PMS 185

COPY: JIGGED OUT & BACKED UP W/ ACRYLIC
 VINYL TO BEST MATCH PMS 260 & PMS 185
 GERBER TRANS. PLUM PURPLE & RED

SQUARE FOOTAGE 3.25 x 10.75 = 34.93

PRESENTATION PRINT DATE:

PROGRESS PRINT #.:

CONSTRUCTION/MOUNTING: DATE:

PERMIT/SITE PLAN: DATE:

APPROVED MANUFACTURING:

DATE:

VOLTAGE:

REVISIONS: 11/20/00 REVISE WRAP



Bailey Sign Incorporated
 9 Thomas Drive
 Col. Westbrook Executive Park
 Westbrook, ME 04092
 207-774-2843 / 1-800-539-SIGN
 Fax: 774-1193
 E-Mail: newsign@baileysign.com
 © COPYRIGHT 2001

PLEASE NOTE:
 THIS IS A PROGRESS PRINT - FIELD MEASUREMENTS MAY OR MAY NOT NEED TO BE VERIFIED.
 THIS DESIGN IS THE EXCLUSIVE PROPERTY OF BAILEY SIGN INCORPORATED AND ALL RIGHTS TO ITS USE OR REPRODUCTION ARE RESERVED.
 COLORS SHOWN HERE ARE FOR DISTRIBUTION ONLY COLOR MATCH NUMBERS WILL BE NEEDED
 IF AN ELECTRIC SIGN, THEN INSTALLATION MUST BE ACCOMPLISHED IN TOTAL COMPLIANCE WITH THE NATIONAL ELECTRIC CODE, THE REQUIREMENTS OF UNDERWRITERS LABORATORY, CANADIAN STANDARDS ASSOCIATION, AND APPLICABLE LOCAL CODES.

CUSTOMER:
PARADIGM / APPLICATOR SALES
 LOCATION:
**RIVERSIDE INDUSTRIAL PARK
 PORTLAND, MAINE**


SALESPERSON: **R.B.** DRAWN BY: **L.W.M.**

ACCEPTANCE SIGNATURE DATE: _____
 CLIENT _____


PS. # **D-794** W.O. # _____

SCALE **3/16" = 1'** DATE **11/7/00**

DRAWING NO: **04477 B R1**
 SHEET _____



PERMIT PRINT



PERMIT PRINT



SPECIAL INFORMATION

THIS DRAWING IS THE PROPERTY OF BAILEY SIGN AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. ANY UNAUTHORIZED REPRODUCTION OR TRANSMISSION IS STRICTLY PROHIBITED. THE USER OF THIS DRAWING AGREES TO HOLD BAILEY SIGN HARMLESS FROM ANY AND ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, THAT MAY BE ASSERTED AGAINST BAILEY SIGN AS A RESULT OF SUCH REPRODUCTION OR TRANSMISSION.

Bailey Sign
 9 Thomas Drive
 Col. Westbrook Executive Park
 Westbrook, ME 04092
 207-774-2843 / 1-800-539-SIGN
 © COPYRIGHT 1998

CUSTOMER: **SHAW'S**
 LOCATION: **TYPICAL BUILDING STOREFRONT SIGNAGE**

SALESPERSON: **B. BAILEY**

DRAWN BY: **L.W. MERRIFIELD**

ACCEPTANCE SIGNATURE _____ DATE _____

SALES CLIENT _____


PS. #	D-452	W.O. #	
SCALE	N.T.S.	DATE	7/19/95

REVISIONS:	8/9/95 LT & RACEWAY DEPTHS
	8/14/95 RACEWAY COLORS/ADD STEEL BAR
	9/14/95 RACEWAY COLOR

DRAWING NO: **03152 G R3**
 SHEET _____

NOTES:

DESIGN STATUS:



SPREAD FOOTING DRAWING for SINGLE POLE SIGN BASE

SIGN CABINET 3'3" HT. X 10'9" LENGTH X 10" DEPTH
 SIGN CABINET SQ. FOOTAGE = 34.93

POLE: 5" SQ. TUBE
 FOOTING: 6'-0" LENGTH X 4'-0" DEPTH X 4'-0" WIDTH

PRESENTATION PRINT	DATE:
PROGRESS PRINT #.:	
CONSTRUCTION/MOUNTING:	DATE:
PERMIT/SITE PLAN:	DATE:
APPROVED MANUFACTURING:	
DATE:	
VOLTAGE:	
REVISIONS:	

Bailey Sign
 9 Thomas Drive
 Col. Westbrook Executive Park
 Westbrook, ME 04092
 207-774-2843 / 1-800-539-SIGN
 Fax: 774-1193
 E-Mail: newsign@baileysign.com
 © COPYRIGHT 2000

PLEASE NOTE:
 THIS IS A PROGRESS PRINT - FIELD MEASUREMENTS MAY OR MAY NOT NEED TO BE VERIFIED.
 THIS DESIGN IS THE EXCLUSIVE PROPERTY OF BAILEY SIGN INCORPORATED AND ALL RIGHTS TO ITS USE OR REPRODUCTION ARE RESERVED.
 COLORS SHOWN HERE ARE FOR DISTRIBUTION ONLY COLOR MATCH NUMBERS WILL BE NEEDED
 IF AN ELECTRIC SIGN, THEN INSTALLATION MUST BE ACCOMPLISHED IN TOTAL COMPLIANCE WITH THE NATIONAL ELECTRIC CODE, THE REQUIREMENTS OF UNDERWRITERS LABORATORY, CANADIAN STANDARDS ASSOCIATION, AND APPLICABLE LOCAL CODES.

CUSTOMER:
 LOCATION:

SALESPERSON: DRAWN BY: L.W.M.

ACCEPTANCE SIGNATURE DATE: _____
 CLIENT _____

PS. #	W.O. #
SCALE <u>N.T.S.</u>	DATE <u>11/29/00</u>

DRAWING NO: 10028
 SHEET 1

PERMIT PRINT

