Location of Construction: 480 Riverside St	Owner: Delta Realty		Phone:		Permit No: 990207
Owner Address:	Lessee/Buyer's Name:	Phone:	Busine	ssName:	PERMIT ISSUED
Contractor Name:	Address: 5 Headow Creek Ln Fals	Phorough, NE 0 10.		-7770	Permit Issued: MAR 2 1999
Past Use:	Proposed Use:	COST OF WOI	RK:	PERMIT FEE: \$ 51.60	
Office (Telephone Co.)	Same	FIRE DEPT. □ Approved □ Denied		INSPECTION: Use Group: Type:	CITY OF PORTLAND
Proposed Project Description:		Signature:		Signature:	Zone: CBL: 321-A-008 Zoning Approval:
Erect Signage - 1) Freestar , 1) Wall		Action:	Approved	ES DISTRICT (P.A.D.) with Conditions:	Special Zone or Reviews: ☐ Shoreland ☐ Wetland ☐ Flood Zone
Permit Taken By:	Date Applied For:	Signature:		Date:	☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐
2. Building permits do not include plumbi	started within six (6) months of the date of iss				☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied Historic Preservation ☐ Not in District or Landmark
			PE WITH	ERMIT ISSUED REQUIREMENTS	□ Does Not Require Review □ Requires Review Action:
authorized by the owner to make this applicatif a permit for work described in the applicat	CERTIFICATION of the named property, or that the proposed wation as his authorized agent and I agree to co ion is issued, I certify that the code official's able hour to enforce the provisions of the code	nform to all applicab authorized representa	le laws of t tive shall h	his jurisdiction. In addition,	□ Denied
		23 October 19	98		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:		PHONE:	

		AT 18	-	a TFE	7
3 4	B 18	/BI T& /	TE.	real'I	

9/15/99 Syn v16 G1	
1/1/1/ 3/1	
	Inspection Record
	Туре

Inspection Recor	rd
Type	Date
Foundation:	
Framing:	
Plumbing:	
Final:	
Other:	

LAND USE - ZONING REPORT BUILDING OWNER: CONDITION(S) OF APPROVAL require a separate approval before starting that work. 7 recurred revised plan 3/11/99

During its existence all aspects of the Horse O During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained. The footprint of the existing _____ shall not be increased during maintenance 3. reconstruction. All the conditions placed on the original, previously approved, permit issued on _____ 4. are still in effect for this amendment. Your present structure is legally nonconforming as to rear and side setbacks. If you were 5. to demolish the building on your own volition, you will not be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the _____ in place and in phases. This property shall remain a single family dwelling. Any change of use shall require a 6. separate permit application for review and approval. Our records indicate that this property has a legal use of _____ units. Any change 7. in this approved use shall require a separate permit application for review and approval. Separate permits shall be required for any signage. 8. Separate permits shall be required for future decks, sheds, pool(s), and/or garage. 9. This is not an approval for an additional dwelling unit. You shall not add any additional 10. kitchen equipment, such as stoves, microwaves, refrigerators, or kitchen sinks, etc. without special approvals. Other requirements of condition_ Marge Schmuckal, Zoning Administrator

	BUILDING PERMIT REPORT					
DATI	e: 11 March 1999 Address: 480 Riverside ST. CBL 321-A-BOE SON FOR PERMIT: SIGNAGE (Free STanding - 1 Wall) Joing OWNER: Delta Realty					
REASON FOR PERMIT: SIgnage (Free STanding - 1 Wall)						
BUIL	BUILDING OWNER: DeLTa RealTy					
CON	CONTRACTOR: (,)					
PERM						
USE	USE GROUP SIGNIQUE BOCA 1996 CONSTRUCTION TYPE					
	CONDITION(S) OF APPROVAL					
This !	Permit is being issued with the understanding that the following conditions are met:					
Appr	roved with the following conditions: $\frac{1}{2}$					
1 .	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be					
۷.	obtained (A 24 hour notice is required prior to inspection)					
2.5	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside					
	edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the					
	floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with					

- of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of 2.6 foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)
- Precaution must be taken to protect concrete from freezing. Section 1908.0 3.

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to 4.

an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6"

verify that the proper setbacks are maintained.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from 5. adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National

Mechanical Code/1993). Chapter 12 & NFPA 211

Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's 7.

building code.

6.

Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking 8. surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)

Headroom in habitable space is a minimum of 7'6". (Section 1204.0) 9.

- Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 10. 11" tread. 7" maximum rise.(Section 1014.0)
- The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4 11.
- Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or 12. exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special

knowledge or separate tools. Where windows are provided as <u>means of egress or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1

14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0

15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1

- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms

• In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)

21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
 - 25. All requirements must be met before a final Certificate of Occupancy is issued.
 - 26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
 - 27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- ★28. Please read and implement the attached Land Use-Zoning report requirements.
- Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building code.
- 30. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
- X31. This permit is being issued with the understand That The existing poll sign be removed prior to crecting the proposed poll, 8190, X32. Wall signs shall be installed as per Section 3102.9 of the blag code,
- A33. Ground Sign Shall be installed as per section 310217 of the City's blog. Code. (The DOCA NATIONAL Building Code /1996/).

P. Samuel Hoffses, Building Inspector

cc: Lt. McDougall, PFD
Marge Schmuckal, Zoning Administrator

PSH 8-1-98

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Loc	cation/Addressof Construction (include Portion of Building): 480 L. Versiclo St.
Tot	al Square Footage of Proposed Structure 94/39 Square Footage of Lot
	Assessor's Chart, Block & Lot Number Owner: Delta Realty Telephone#: Art# 321 Block# A Lot# 008
Ow	Ther's Address: Lessee/Buyer's Name (If Applicable) Cost Of Work: 1334 Fee NE Communications \$ 10,000 \$ 51,60
Pro	posed Project Description: (Please be as specific as possible) Free Standing 5197 Wall 5191
- Cor	ntractor's Name, Address & Telephone I CS Meadow Creek kne 04105 Rec'd By
Cur	rrent Use: None Proposed Use: Te le pro rei Office / Cum
You	Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation. All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code. •All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. •In must Include the following with you application: 1) ACopy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available 3) A Plot Plan/Site Plan aro or Major site plan review will be required for the above proposed projects. The attached cklist outlines the minimum standards for a site plan.
	4) Building Plans Unless exempted by State Law construction documents must be designed by a result of the state of the sta
A co	Unless exempted by State Law, construction documents must be designed by a registered design professional. complete set of construction drawings showing all of the following elements of construction:
•	Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
•	Floor Plans & Elevations
•	Window and door schedules
•	Foundation plans with required drainage and dampproofing
	Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to

equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.


enforce the provisions of the codes applicable to this permit.


Signature of applicant:

| Date: 10/21/78

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum





BIDG FRONTAGE 114'

Total Square Ft. 39

SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS
ADDRESS: 480 Piverside St ZONE: I-M
OWNER: N.E. Communications
APPLICANT: I.C.S. St. Small
ASSESSOR NO
SINGLE TENANT LOT? SINGLE TENANT LOT? FREESTANDING SIGN? (x, Pole Sign) YES NO DIMENSIONS 6 X 5 HEIGHT MORE THAN ONE SIGN? YES NO DIMENSIONS 4 X 6 HEIGHT SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS 18" X 7 6 7 5 9 4 1
*** TENANT BLDG. FRONTAGE (IN FEET): 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
AREA FOR COMPUTATION WHY PO HALL PROVIDE: AREA FOR COMPUTATION Blog MAT SITE SKETCH AND PHILL DING SKETCH SHOWING EXACTLY WHERE
YOU SHALL PROVIDE: A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES
AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.
SIGNATURE OF APPLICANT.

INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

- 1. Proof of insurance
- 2. Letter of permission from the owner
- 3. A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see attached)
- 4. Indicate on the plan all existing and proposed signs
- 5. Computation of the following:
 - A) Sign area of each existing and proposed building sign
 - B) Sign area height and setback of each existing and proposed freestanding sign
- 6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
- 7. Certificate of flammability required for awning/canopy at time of application.
- 8. UL # required for lighted signs at the time of application.

Fee for permit - \$25.00 plus \$0.20 per square foot

Fee for awning based on cost of work - \$25.00 for the first \$1,000.00, \$5.00 for each additional \$1,000.000.


NOTE: Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.

revised Plans received 3/11/99



NEW ENGLAND COMMUNICATIONS

Space for Tennants



480 Riverside Street


15'

- 22"-




integrated Communications Systems,inc.

Post Office Box 1923 Portland, Maine 04104 Tel/Fax: 207.791.7770 69 TOTAL Square Feet



Integrated Communications Systems,Inc.

Post Office Box 1923 Portland, Maine 04104 TeUFax: 207.701.7770 69 TOTAL Square French



	contention of the contention o
E. Delth Realty	les the owner of the promises located at
480 Riversida	
(print property address)	ostland. Maine, hereby give consent to the
erection of a certain sign/moning/	beamer award by NE Communications
over the sidewalk or on building &	
application to the Division of Ins	postion dervisos.
	1
or shall become dangerous and in avenue said sign or make it permane the purpose for which it was erecte	ne of said permit, owner of said premises, serve the purpose for which it was erested wont the enter of said sign shell fail to ently safe in case the sign still serves ed, hereby agrees for himself or itself, his er its Assigns, to odepletely remove
affinal.	
Signature of Property Owner	signature of Levees
/0-1-98 Date	
Date	Date