

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 522 Riverside St.		Owner: **** Bernie's Auto Repair		Phone: ***878-0181		Permit No: 01-0213	
Owner Address:		Lessee/Buyer's Name:		Phone:		BusinessName:	
Contractor Name: General Contracting Services		Address:		Phone:		Permit Issued: MAR 21 2001	
Past Use: Commercial / Service station		Proposed Use: Commercial / Demo		COST OF WORK: \$ 1,000.00		PERMIT FEE: \$ 30.00	
				FIRE DEPT. <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: 51 Type: 5B	
				Signature: <i>[Signature]</i>		Signature: <i>[Signature]</i>	
Proposed Project Description: Demolition of existing building				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zone: CBL: 321-a-002 Zoning Approval: <i>[Signature]</i>	
				Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: Gayle		Date Applied For: February 26, 2001		GG			

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

February 26, 2001

SIGNATURE OF APPLICANT _____ ADDRESS: _____ DATE: _____ PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: *[Signature]*

PERMIT ISSUED WITH REQUIREMENTS

CEO DISTRICT

1

PERMIT ISSUED

City of Portland, Maine - Building or Use Permit Application
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 01-0213	Issue Date: MAR 21 2001	CBL: 321 A002001
-----------------------	-----------------------------------	---------------------

Location of Construction: 522 Riverside St	Owner Name: Bernie's Auto Repair Inc	Owner Address: 522 Riverside St	Phone: 207-878-0181
Business Name: Bernies Auto Repair	Contractor Name: General Contracting Services	Contractor Address: Portland	Phone
Lessee/Buyer's Name n/a	Phone: na/	Permit Type: Demolitions	Zone:

Past Use: Auto repair	Proposed Use: Demolition	Permit Fee: \$0.00	Cost of Work: \$1,000.00
Proposed Project Description: Demolition of existing building		FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: Type:
		Signature:	Signature:

PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)	
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied	Signature: Date:

Permit Taken By: gg	Date Applied For: 03/21/2001	Zoning Approval	
------------------------	---------------------------------	------------------------	--

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. 2. Building permits do not include plumbing, septic or electrical work. 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> Date:	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	Historic Preservation <input type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date:
--	---	---	---

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
------------------------	---------	------	-------

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	DATE	PHONE
---	------	-------

**City of Portland
Inspection Services Division
Demolition Call List**

Site Address: 522 Riverside St. Owner: Bernie's Auto Repair Inc.
 Structure Type: Garage Contractor: _____

<u>UTILITY APPROVALS</u>	<u>NUMBER</u>	<u>CONTACT NAME/DATE</u>
Central Maine Power	1-800-750-4000	<u>Dwyane 3/20/01</u>
NYNEX	878-7000	<u>Port 2745</u>
Northern Utilities	797-8002 X6241	<u>Cathryn Small</u>
Portland Water District	761-8310	<u>Kevin Ishihara</u>
Public Cable Co.	775-3431 X257	<u>see attached</u>
Dig Safe***	1-888-344-7233	<u>Dawn 2007-080-3099 2007-080-3</u>

***(After call, there is a wait of 72 bus hrs before digging can begin) ^{27th 12pm}

<u>CITY APPROVALS</u>	<u>NUMBER</u>	<u>CONTACT NAME/DATE</u>
DPW/Sewer Division(J.DiPaolo)	874-8300 X8467	<u>N/A Todd Merkel</u>
DPW/Traffic Division(K.Doughty)	874-8300 X8437	<u>N/A</u>
DPW/Forestry Division(J.Tarling)	874-8300 X8389	<u>N/A</u>
DPW/Sealed Drain Permit(C.Merritt)	874-8300 X8822	<u>No open drains per July Insp.</u>
Building Inspections(insp required)	874-8300 X8703	<u>Carol</u>
Historic Preservation	874-8300 X8726	<u>N/A</u>
Fire Dispatcher	874-8300 X8676 8749400	<u>McDougal</u>

Written Notice to Adjoining Owners

<u>ASBESTOS</u>	<u>NUMBER</u>	<u>CONTACT NAME/DATE</u>
DEP - Environmental (Augusta)	287-2651 (Ed Antz)	<u>✓ 15yr. old bldg. not applicable Mr. Antz</u>

U.S. EPA Region 1 - No phone call required. Just mail copy of State notification to:
 Demo/Reno Clerk
 US EPA Region I (SEA)
 JFK Federal Building
 Boston, MA 02203

I have contacted all of the necessary companies/departments as indicated above.

SIGNED: [Signature] DATE: 3/19/01

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Minor/Minor Site Review for New Detached Single Family Dwelling,
All Purpose Building Permit Application**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 522 Riverside St. Portland, Me. 04103

Total Square Footage of Proposed Structure to be demolished 625 square feet Square Footage of Lot 1.38 acres

Tax Assessor's Chart, Block & Lot Number
Chart# 321 Block# A Lot# 2
Owner: Bernie's Auto Repair Inc. Telephone#: 878-0181

Lessee/Buyer's Name (If Applicable) Owner's/Purchaser/Lessee Address: Cost Of Work: \$ 1000.00 Fee: \$ 3600

Current use: Service Station Proposed Service Station
use: _____

Project description: Demolition of existing building

Contractor's Name, Address & Telephone
General Contracting Services / Peter Doughty, Camillo Aceto Rec'd By: 2/26
Gay


A "minor/minor" site plan review is required for New Single Family Homes Only. The Site/Plot plan must be prepared and sealed by a registered land surveyor. The following must be submitted:

- 4 copies of the site/plot plan
- 1 copy of the building/construction plan on 32" x 48"
- 1 copy of the site plan/plot plan and construction/building plan on paper no larger than 11" x 17"

On all commercial permits the following must be submitted:

- 1 copy of the site/plot plan
- 2 1 copy of the building/construction plan on 32" x 48"
- 1 copy of the site/plot and construction /building plan on paper no larger than 11" X 17"

Please note that single family additions and alterations may be hand drawn on regular paper, however the below details will still apply.



THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

A PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:


- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
 - Floor Plans & Elevations
 - Window and door schedules
 - Foundation plans with required drainage and damp proofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: 	Date: 2/21/01
---	---------------

Minor/Minor Site Review Fee: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

BUILDING PERMIT REPORT

DATE: 27 February 2001 ADDRESS: 522 Riverside ST. CBL: 321-A-002

REASON FOR PERMIT: Demo of repair garage-

BUILDING OWNER: Bernies Auto Repair

PERMIT APPLICANT: _____ CONTRACTOR General Const. Services

USE GROUP: S-1 CONSTRUCTION TYPE: 53 CONSTRUCTION COST: \$1000.00 PERMIT FEES: \$30.00

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: X1 *37

- X1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
33. Bridging shall comply with Section 2305.16.
34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
35. All flashing shall comply with Section 1406.3.10.
36. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code. (The BOCA National Building Code/1999).
37. All requirement for a demolition shall be complied with Section 114.0 & 3310.0. (Demolition, excavation, Dredging of structures).

P. Samuel Hoises, Building Inspector
 Cc: J. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
 Michael Nugent, Inspection Service Manager

PSH 10/1/00

****This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**



STATE OF MAINE
DEPARTMENT OF ENVIRONMENTAL PROTECTION

ANGUS S. KING, JR.
GOVERNOR

MARTHA KIRKPATRICK
COMMISSIONER

Demolitions and Asbestos

To: Code Enforcement Officers and Municipal Officials
From: Ed Antz, Asbestos/Lead Hazard Prevention Program
Subject: Asbestos Issues During Building Demolitions
Date: September 2000

1) Overview

In Maine, building demolitions happen on a regular basis. Many of the demolitions occur in older buildings that are likely to contain some asbestos products, particularly in or on heating (HVAC), wall, floor, and ceiling systems. These demolition projects may be happening without the proper protection of employees, the general public, and the environment. It is important to remember that state and federal laws require that owners have buildings inspected and have any asbestos products properly removed prior to demolition. The Maine DEP is forwarding this information to municipal officials in an effort to increase awareness of and compliance with applicable rules, resulting in less asbestos exposure to the general public, demolition site personnel, and the environment.

2) What Can Municipalities Do To Help?

Municipalities can greatly assist the people of Maine and the Department by joining with the DEP and the US EPA to ensure that asbestos is properly managed during demolitions. *Specifically, municipalities can hand out appropriate information, issue demolition permits only to persons who can demonstrate that they will properly handle the asbestos, and mail or fax the building demolition (BDF) report form to the Department.* The following check-off list can be used:

- A) _____ Provided "Asbestos Fact Sheet" to Applicant
- B) _____ Had applicant fill out "Building Demolition Form" (BDF)
- C) _____ Did not issue Demolition Permit to Applicant not answering "Yes" to three questions on BDF Form (OPTIONAL BUT SUGGESTED)
- D) _____ Municipality faxed (or mailed) BDF Form to DEP at 287-7826.

3) What Are The Rules?

Simply stated, state and federal asbestos rules and regulations require that buildings be inspected for asbestos products and have them removed prior to demolition. The inspection and removal operations must be performed by DEP-licensed companies under regulated and controlled conditions.

4) Using The Building Demolition Report Form

The purpose of this form is to ensure that an applicant has the correct information to properly remove asbestos from a building prior to demolition. The form asks three questions and records some basic information that the DEP may need during follow-up inquiries. The Form has two parts which need to be filled out by the applicant. The first section on the Form, Pre-Demolition Building Inspection and

AUGUSTA
17 STATE HOUSE STATION
AUGUSTA, MAINE 04333-0017
(207) 287-7688
RAY BLDG., HOSPITAL ST.

BANGOR
106 HOGAN ROAD
BANGOR, MAINE 04401
(207) 941-4370 FAX: (207) 941-4584

PORTLAND
312 CANCO ROAD
PORTLAND, MAINE 04103
(207) 822-6300 FAX: (207) 822-6303

PRESQUE ISLE
1235 CENTRAL DRIVE, SKYWAY BUILDING
PRESQUE ISLE, MAINE 04769-2000
(207) 764-0477 FAX: (207) 764-1507

Abatement Information, is used to ask questions to ensure that the owner has complied with state and federal demolition requirements, namely inspection, notification, and removal. They are:

1. Has the building been inspected by a DEP-licensed asbestos consultant?
2. Was a 10-day notification form sent to the DEP?
3. Was asbestos identified during the inspection removed by a DEP-licensed contractor?

(NOTE: Municipalities are asked to review the answers provided by the applicant and not issue a demolition permit to persons answering "NO" to any one of the questions)

The second section of the form, General Information, records the dates, names, and addresses of the parties that will perform the demolition activities, the location of the building and name of the building owner. This provides general information about the project in case the Department needs to follow-up with the applicant, inspect for compliance, or provide further information.

Once completed, please fax or mail form to DEP:

Fax: 207-287-7826

Mail: Maine DEP, 17 State House Station, Augusta ME 04333-0017



Maine Department of Environmental Protection

Asbestos/Lead Unit

17 State House Station

Augusta, Me 04333-0017

Tel (207) 287-2651 FAX (207) 287-7826

John Bucca



Mike Neugebauer
city code enforcement

Building Demolition Form (BDF)

A) Pre-Demolition Building Inspection and Abatement Information

Important Notice: This Notification is Required by Law

Maine Law requires that buildings be inspected for asbestos and that asbestos-containing materials be removed from any building prior to demolition. Demolition means the tearing down or intentional burning of a building or part of a building. This includes any institutional, commercial, public, industrial, or *residential* building. Inspection and/or removal of more than 3 square feet or 3 linear feet of asbestos-containing materials must be performed by an asbestos firm licensed by the ME DEP.

Municipalities are requested to have applicants for demolition permits complete this form prior to the issuance of a demolition permit. The Department also requests that a demolition permit **Not** be issued to an applicant for a "no" answer to any of the questions below. Please call (207) 287-2651 with any questions.

Please answer all questions:

- yes no Has the building been inspected by a DEP licensed asbestos consultant?
- yes no If asbestos was found, has a 10 day notification sent to DEP?
- yes no n/a Has the asbestos (if any) been removed by a DEP licensed asbestos contractor?

Note: This form constitutes notification to the Department when asbestos is not present in the building being demolished.

B) General Information


property address: 522 Riverside St. Portland, Me. 04103 telephone: 1-(207)-878-0181	asbestos survey performed by: (name & address) telephone:
property owner: (name & address) telephone:	asbestos abatement contractor: (name & address) telephone:
demolition contractor: (name & address) telephone:	demolition start date: 3/1/01 demolition end date: 3/4/01 building type: (commercial, residential, etc.) Commercial

Once filled out, please fax or mail immediately to DEP

Original to DEP

Copy to Municipality

Copy to Owner or Operator



Maine Department of Environmental Protection

Demolition Fact Sheet

Contact: phone (207)-287-2651

This Fact Sheet provides a brief overview of the regulatory requirements pertaining to asbestos demolition activities in Maine. This document addresses the basic requirements. Should you require detailed information or have a specific question, please call (207) 287-2651.

What is Asbestos?

Asbestos is naturally occurring mineral, very strong and heat resistant, which has been made into nearly three thousand products. It is found on heating and domestic water systems (pipes, boilers, gaskets, tanks, elbows and tees), spray-on insulation (fireproofing and acoustical purposes), flooring components (vinyl tiles and linoleum) and drop-in ceiling systems (ceiling tiles). Asbestos-containing materials (ACM) are also found in building materials, such as siding (shingles or sheets) and roofing, used on the outside of buildings.

When do Maine's Asbestos Regulations apply?

Any (single) demolition activity that involves the removal of ACM in quantities greater than 3 square or 3 linear feet is subject to the requirements of 38 M.R.S.A. Title 38 Sections 1271 to 1284 (Maine statute) and Chapter 425, Asbestos Management Regulations (DEP regulation). Demolition means the tearing down or intentional burning of a building or part of a building. This includes any institutional, commercial, public, industrial or residential building. **Be advised that Maine and federal regulations require that all ACM be removed from a building (or affected portions thereof) before it is completely or partially torn down.**

What are Maine's requirements?

Maine regulations require that notification of the demolition activity be sent to the Department 10 days prior to the activity; that companies performing the removal be licensed with the Department; that individuals working for the licensed companies be certified with the Department; that the work be performed under controlled conditions (specific work practices consisting of reduced pressure enclosures and wet methods) by properly protected employees; and that inspection, project design and clearance standards (air testing) be met. Finally Maine regulations require that asbestos be properly stored in fiber-tight containers, be transported by DEP-permitted vehicles, and be disposed in a landfill licensed to accept the type of waste generated (friable or non-friable).

What are the Federal Asbestos requirements?

The federal government under the National Emissions Standards for Hazardous Air Pollutants (NESHAPs) also regulates asbestos demolitions. Specifically, the NESHAPs requires that facilities be inspected thoroughly for asbestos products, that the owner/operator notify the federal government 10 days prior to the project, and that friable asbestos (any loose, crumbly material) be removed prior to demolition. The federal government and the Department have worked out an agreement that allows notification to the Department to constitute notification to the federal government as well. All demolitions, asbestos-containing or not, must be reported, excluding residential units (<5).

Simply, What Can I Do To Be In Compliance?

As soon as possible before demolition, building owners need to hire an asbestos consultant or asbestos contractor (with consulting experience) to inspect and make recommendations about demolition options. An up to date list of asbestos companies is available from the Department as is technical assistance following inspection.



WORK ORDER

SR SPECIAL REQUEST ORDER



118 Johnson Road
Portland, Maine 04102
Business Phones: 775-3431
1-800-833-2253

ACCOUNT NO. 149939-04
NAME ACETO, MIRIAM
PHONE NO.

FOR SERVICE CALL 775-5498 or 1-800-833-2253

401-0144-00230-012

SERVICE ADDRESS: 522 RIVERSIDE ST, FORTLAND, ME 04103-1035
BILLING ADDRESS: FORTLAND, ME 04103-1035

BLDG:
DAC
12:01 2/22/01

If We're Not There On Time, You Get a Credit . . . GUARANTEED!!

WORK DESIRED: CURRENT CHANGE PR AD PR AD
UNIT PRICE MONTHLY CHARGES INSTALLATION CHARGES
NOTES TO INSTALLER: A AERIAL, WIRING METHOD: 089942
PLEASE READ AND INITIAL:
I have received the product brochures & Privacy Notice
I have received the Road Runner starter kit
Picture quality is acceptable on all outlets.
The installer has explained use of cable service.
The installer has explained use of VCR
The installer has explained use of Road Runner Service
I've approved of the routing of my cable.
Yes - I understand that to discontinue all or part of my service, and to stop the monthly billing, it is my responsibility to return to Time Warner Cable any equipment including converter boxes, remote controls or modems.

NO Cable ON BID

*** CONVERTERS ***

- NEW DROP, APT. DROP, ADD OUTLET, BURIED DROP, BASIC, HBO, SHOWTIME, STARZ, LIGHTHOUSE, REMOTE, ETHERNET ADAPTER, CABLE MODEM, RECONNECT, REPL. DROP, RELOCATE, DISCONNECTED, STANDARD, CINEMAX, MOVIE CHANNEL, MUSIC CHOICE, DELUXE, CONVERTER, ROAD RUNNER, RJ45 CABLE, SOFTWARE

TOTAL .00

SCHEDULE APPOINTMENT
DATE 2/23/01 DAY FRIDAY -ATPOLE

OLD ACCOUNT#: 000000000

ACCEPTANCE
Installation: I hereby certify that all work has been performed to my satisfaction and I have read and agree to the service agreement printed on the reverse side.
Disconnection: This receipt is made subject to further inspection for damage and tampering, the cost of repair of which will be borne by the customer.
Service Call: I hereby certify that all work has been performed to my satisfaction and the trouble has been corrected.
Accepted By X
CUSTOMER SIGNATURE
TIME WARNER CABLE REPRESENTATIVE DATE

Table with columns: TO WAREHOUSE (AMT, TYPE), TO CUSTOMER (AMT, TYPE)

BUSINESS PHONE, LANDLORD NO., SALESMAN NO., LOCATOR #, POLE #
CASH RECEIPT: TOTAL PAYMENT \$
RFI DETECTED YES NO, REPAIRED YES NO, LEVELS RECORDED, ATTACHED TO POINT POLE? Y N POLE #, TIME ARRIVED On time Yes No

SPECIAL INSTRUCTIONS
HOME BEING DEMOLISHED ON 2/26/01
CONTACT-ROY CLARK--831.7910--CELL
TAKE LINES DOWN

** LAST 3 VISITS **

COD: .00

*** PLEASE VERIFY PHONE# ***

CUSTOMER COPY

RESOLUTION CO.

— IMPORTANT INFORMATION — PLEASE READ OTHER SIDE —

To: BERNIES AUTO REPAIR
Attn: ROY CLARK
Voice: 207-831-7910
Fax: 207-878-0181

Re: Locating facilities in the area of your excavation

This is an important Safety Message from SPRINT.

We are replying to your request to locate our underground facilities in an area where you are planning excavation work.

The following is the current status of our facility marking in the area specified in your notification.

Ticket number 20010803099 is: Sprint Long Distance facilities are clear from the work area described on this One Call Center ticket.

County:
Place : PORTLAND
Street: 522 RIVERSIDE ST

If you have any questions about these responses to your excavation notification, please call the Sprint LD Call Before You Dig Center at (800) 521-0579.

