

date none

revisions NONE

project name
**Spurwink Services
Kaufman House
Renovation**

project location
899 Riverside Street
Portland, Maine



plan 2014

date March 2, 2015
scale 1/4" = 1'-0"
project # 2014-011
drawing title First Floor Plan
drawing number A101



109	Rating 1HR UL 465 STC 45 Jamb	4'-10" x 3'-10" x 1'-2" 1'-2" x 4 Studs @ 16" OC Type X 1/2" Impact Resistant GWB
105	Rating 1HA UL N/A STC 45 Jamb	4'-10" x 3'-10" x 1'-2" 1/2" Impact Resistant GWB 2 x 4 Studs @ 16" OC SAB 1/2" Impact Resistant GWB
101	Rating 1 HR UL 340 STC Jamb	4'-10" x 3'-10" x 1'-2" Existing 1/2" GWB Existing 2 x 4 Studs @ 16" OC 1x2 Furring @ 16" OC 1/2" Impact Resistant GWB
110	Rating NA UL N/A STC 45 Jamb	4'-10" x 3'-10" x 1'-2" Fiberglass reinforced panels (FRP) 1/2" MR GWB 2 x 4 Studs @ 16" OC SAB 1/2" Impact Resistant GWB
106	Rating NA UL N/A STC 45 Jamb	4'-10" x 3'-10" x 1'-2" 1/2" MR GWB 2 x 4 Studs @ 16" OC SAB 1/2" Impact Resistant GWB
102	Rating NA UL N/A STC 45 Jamb	4'-10" x 3'-10" x 1'-2" Fiberglass reinforced panels (FRP) Existing 1/2" GWB Existing 2 x 4 Studs @ 16" OC Existing 1/2" GWB Fiberglass reinforced panels (FRP)
107	Rating NA UL N/A STC 45 Jamb	4'-10" x 3'-10" x 1'-2" 1/2" GWB 2 x 4 Studs @ 16" OC SAB 1/2" GWB
103	Rating NA UL N/A STC 45 Jamb	4'-10" x 3'-10" x 1'-2" Fiberglass reinforced panels (FRP) Existing 1/2" GWB Existing 2 x 4 Studs @ 16" OC Existing 1/2" GWB
108	Rating NA UL N/A STC 45 Jamb	4'-10" x 3'-10" x 1'-2" 1/2" Impact Resistant GWB 2 x 4 Studs @ 16" OC SAB 1/2" GWB
104	Rating NA UL N/A STC 45 Jamb	4'-10" x 3'-10" x 1'-2" 1/2" GWB 2 x 4 Studs @ 16" OC SAB 1/2" MR GWB Fiberglass reinforced panels (FRP)

LEGEND

- S
- F
- C
- A
- V
- M
- H

FAA - Annunciator
FACP - Fire panel

10 First Floor Plan

