

Permitting and Inspections Department  
Michael A. Russell, MS, Director

## Requirements for Electronic Submissions

In order to ensure the most expedient review of your application, please meet the requirements below for all submissions:

- **All applications must be submitted electronically via e-mail to [permitting@portlandmaine.gov](mailto:permitting@portlandmaine.gov).** Paper applications will not be accepted.
- **Drawings sheets shall be submitted individually-- each PDF file shall contain no more than one drawing sheet.** Only PDF files are acceptable for plan review, and each file shall not exceed 5MB in size.\*
- **Drawing files shall be named based on the drawing sheet number and name.** It is recommended to include a Category/Discipline letter (such as A for Architectural), a sheet number and a descriptive title (e.g., A1 Existing Exterior Elevation).
- **Revised file submissions must use the exact same file name as originally submitted.** The Electronic Plan Review software will recognize this submission as Version 2.
- **Supporting documents shall be submitted as an individual PDF file for each document (these documents may be multi-page PDF files) and named based on the document type** (e.g., "Deed", "Stormwater Report", "Permit Application", etc.). Searchable PDF files are requested for calculations, reports and other supporting documents.
- **A graphic scale or a scale to reference shall be included on each drawing sheet.**
- **Plans prepared by a design professional shall include a Code Analysis sheet,** referencing the Maine Uniform Building and Energy Code and Portland City Code, Chapter 10 – Fire Prevention and Protection, which includes National Fire Protection Association (NFPA) 1, Fire Code and NFPA 101, Life Safety Code. Chapter 10 of the City Code can be viewed at: <http://www.portlandmaine.gov/citycode/chapter010.pdf>.
- **Files shall be submitted via email to [permitting@portlandmaine.gov](mailto:permitting@portlandmaine.gov).** The email subject line shall include the project address and type of permit. Multiple emails may be sent for one project if the files exceed the maximum file size.
- **Submissions should include all required documents and drawings as listed on the appropriate Submission Checklist sheet specific to the type of work being performed.**

For further information and to access PDF versions of this and other forms, visit the Permitting and Inspections Department online at <http://portlandmaine.gov/1728/Permitting-Inspections>.

\*To download a free version of Adobe Acrobat Reader, please visit: <https://get.adobe.com/reader/>



Reviewed for Code Compliance  
Permitting and Inspections  
Department  
05/09/2018

Permitting and Inspections Department  
Michael A. Russell, MS, Director

### Temporary Tent or Stage Permit Application

Please submit all of the following, as applicable:

- Temporary Tent or Stage Permit Application (this form, completed)
- A plot plan or site plan of the property showing complete locations of tents, stage locations, exits and entrances, parking and existing building locations (including dimensions for all).
- Product information and structural details for temporary stage
- If the City is the property owner, a Certificate of Insurance listing the City as additionally insured. Minimum amount of coverage is \$400,000.00.
- Certificate of Flammability in compliance with NFPA 701 or applicable certificate or evidence
- Written notice of approval of owner (If the City is the owner, attach a completed copy of the [Public Parks Space Application](#) from the Parks, Recreation and Facilities Department.
- Contact information of the installation company
- For enclosed tents, the following information shall also be provided:
  - On the plan, indicate a 10' wide area around the tents in which there are no buildings or combustibles stored.
  - If heated explain how, including fuel tank locations.
  - Indicate how power will be provided for exit signs and emergency lights, with battery backup.
  - Show the width of egress openings, aisle widths and exit access travel distance (not to exceed 100').
  - Fire extinguisher locations

Location Address: Industrial way, Portland, Me 04103

Tax Assessor's CBL: \_\_\_\_\_ City owned property?  Yes  No  
Chart # Block # Lot #

Date of Set up/Event: 6/22/18 Date of Breakdown/End of Event: 6/24/18

Owner Name: Rob Ted Phone: (207) 879-5885

Address: 50 Industrial way Portland, Me Email: cmehaypr@allagash.com

Applicant/Lessee Name (if different): \_\_\_\_\_ Phone: ( ) - -

Address: \_\_\_\_\_ Email: \_\_\_\_\_

**Project Description (include number and dimension of tents/stages):**

1-60x6 tent, 1-20x60 tent, 2-20x60 tents, 2 10x10's, 3-12x16 platform stages, 1-30x100 tent, 120x20 tent, 1-50x70 tent,

*I hereby certify that I am the owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.*

Signature: [Signature] Date: 6/30/18

**Review of this application will not begin until the permit payment is received. This is not a permit. Work may not commence until the permit is issued.**



Permitting and Inspections Department  
Michael A. Russell, MS, Director

Reviewed for Code Compliance  
Permitting and Inspections  
Department  
05/09/2018

**Electronic Signature and Fee Payment Confirmation**

This is a legal document and your electronic signature is considered a legal signature per Maine state law. You will receive an e-mailed invoice from our office which signifies that your electronic permit application has been received and is ready for payment. Please pay by one of the following:

- Electronic check or credit card: [portlandmaine.gov/payyourpermit](http://portlandmaine.gov/payyourpermit)
- Over the phone at (207) 874-8703
- Drop off to Room 315, City Hall
- Mail to:

**City of Portland  
Permitting and Inspections Department  
389 Congress Street, Room 315  
Portland, Maine 04101**

By signing below, I understand the review process starts once my payment has been received. After all approvals have been completed, my permit will be issued via e-mail. Work may not commence until permit is issued.

Applicant Signature:  Date: 3/30/18

I have provided electronic copies and sent them on: Date: 4/9/2018

**NOTE:** All electronic paperwork must be delivered to [permitting@portlandmaine.gov](mailto:permitting@portlandmaine.gov) or with a thumb drive to the office.

**If you or the property owner owes taxes or user charges on property within the City, payment arrangements must be made before a permit application is accepted.**



5 Chadwick Avenue Plaistow, NH 03865  
Phone 603-382-3600 Fax 603-382-1571



Reviewed for Code Compliance  
Permitting and Inspections  
Department

05/09/2018

Contact Information:

Whitney Wallace- Office Manager  
603-382-3600 (office)  
978-479-0741 (cell)  
[info@seacoasttents.com](mailto:info@seacoasttents.com)

Dan Lajoie- Foreman  
603-203-6368  
[dan@seacoasttents.com](mailto:dan@seacoasttents.com)

# StageTek™ Staging System

StageTek is a highly flexible design and can be used to accommodate many unique and custom applications. Please contact your Wenger Representative to discuss your needs.






Reviewed for Code Compliance  
Permitting and Inspections Department  
Approved with Conditions

05/09/2018

- 280A200. Rectangular decks are available in the following sizes:

- 3' x 3' (914 x 914 mm): 37 lbs (17 kg)
- 3' x 6' (914 x 1829 mm): 65 lbs (29 kg)
- 3' x 8' (914 x 2438 mm): 87 lbs (39 kg)
- 4' x 4' (1219 x 1219 mm): 59 lbs (27 kg)
- 4' x 6' (1219 x 1829 mm): 85 lbs (39 kg)
- 4' x 8' (1219 x 2438 mm): 107 lbs (49 kg).

- Pie shaped and custom decks are available.
- Five-year warranty.
- Environmental attributes and LEED compliance for this product can be found at [www.wengercorp.com/GREEN](http://www.wengercorp.com/GREEN) or by contacting your Wenger representative.



StageTek Seated Riser Configuration with Pie Shaped Decks and Closure Panels


StageTek Seated Riser Configuration with Guardrails and Closure Panels






- Platform decks are 3/4" (19 mm) thick and constructed of Group I veneer plywood with a protective laminate on both sides.
- Surface options:
  - Black Standard (Cracked Ice Polypropylene): A slip resistant overlay recommended for general multi-purpose.
  - Black Versalite-Match (Moroccan): A slip resistant overlay that will match Wenger Versalite decks.
  - Black Heavy-Duty (Quadripple): An aggressive textured overlay for applications requiring greater slip resistance.
  - Natural Hardboard: A 1/2" (13 mm) plywood bonded between two faces of 1/8" (3 mm) tempered hard-ply.
  - Carpeted: Manufacturer's standard grey carpet over a 5/8" (16 mm) plywood core (contact Wenger for a sample).
  - Carpet Ready: A 5/8" (16 mm) plywood core ready to receive carpet surface.
- StageTek Load Ratings as measured on a 4' x 8' (1219 x 2438 mm) Rectangular Deck:
  - Standard Uniform Load: 125 lbf/ft<sup>2</sup> (6 kN/m<sup>2</sup>).
  - Heavy-Duty Uniform Load: achieved with center leg or smaller decks, 200 lbf/ft<sup>2</sup> (9.6 kN/m<sup>2</sup>).
  - Dynamic Live Load: Side load of 15% of total Uniform Live Load which equals 600 lbf (2.7 kN) side load on a platform under a total Uniform Live Load of 4,000 lbf (17.8 kN).
  - Point Load: 1,500lbf (6.7 kN) applied via 1" (25 mm) diameter pin.
- Standard rectangular decks feature spaces under each platform unobstructed by folding frames or braces allowing for easy storage/stowage space under the system.
- The frame and edging are fabricated from 4" (102 mm) thick aluminum extrusion. The extrusion is designed with a slight recess for hook and loop skirting attachment and also features notches hidden on the inside of the frame to accept accessory attachments.
- An aluminum extrusion center support rail is featured on deck sizes 4' x 8' (1219 x 2438 mm), 4' x 6' (1219 x 1829 mm) and 3' x 8' (914 x 2438 mm).
- The frame is designed for safer, easier handling and features rounded contours ergonomically sized for a secure power grip (closed grip).
- Standard unit-to-unit connectors are 2" (51 mm) wide, heavy-duty hook-and-loop straps with a metal D-Ring. Two straps are provided with each rectangular deck to connect unit legs together.

#### StageTek Typical Staging Unit



#### Leg Options

- Available leg options include Fixed Height, Adjustable Height and Telescopic.
- Standard rectangular decks have four die cast aluminum leg sockets. Legs are quickly secured with the rotation of the knob.
- Standard legs are fabricated from 2-1/2" (64 mm) diameter aluminum extrusions and are finished with non-marring cap. Available in lengths that result in the following deck heights: 8" (203 mm), 16" (406 mm), 24" (610 mm), 32" (813 mm) and 40" (1016 mm).
- Adjustable telescopic legs feature a threaded leveling foot finished with a rubber pad and non-rattling telescopic adjustment secured with a quick-release pin. Available in lengths that result in the following deck heights: 16"-28" (406-711 mm), 24"-40" (610-1016 mm) and 30"-54" (762-1372 mm).
- Custom leg sizes are available.






**Accessories**


**Universal Deck & Rail Cart**

- 113J001 85 lbs (38 kg). Fits through a 32" (813 mm) door.
- Holds six StageTek rectangular decks or six StageTek guardrails.
- Decks and guardrails can be mixed on the same cart.
- Ideal for non-rectangular units such as pie shapes used in seated risers and oversize units.
- Heavy-duty, non-marring locking casters. Ratcheting nylon safety strap.

**Universal Deck & Rail Cart  
loaded with six Rectangular Decks**



**Universal Deck & Rail Cart  
loaded with six Guardrails**




**Stairways – Fixed Height and Adjustable**


Fixed Height Stairways	Adjustable Height Stairways
2-Step: 281A100 55 lbs (25 kg)	3-Step: 281A201 107 lbs (49 kg)
3-Step: 281A101 76 lbs (34 kg)	4-Step: 281A202 122 lbs (55 kg)
4-Step: 281A102 94 lbs (43 kg)	6-Step: 281A203 160 lbs (73 kg)
	8-Step: 281A204 188 lbs (85 kg)

- Adjustable Stairways are ideal for custom-height systems and for systems that are frequently set up at different heights.
- Stairways feature a hook bracket to function with StageTek, Versalite, Trouper and Type-C stage systems from Wenger.
- Stairs feature aluminum extruded treads and include permanent handrails on both sides.

**Fixed Height Stairway  
4-Step Model**



**Adjustable Height Stairway  
4-Step Model**






Reviewed for Code Compliance  
Permitting and Inspections  
Department  
05/09/2018

## Accessories (continued)

### Guardrails

- Guardrails comply with IBC code requirements for loading.
- Guardrails feature two uprights and two cross bars.  
Optional infill panels can be added that complies with the IBC 4" (102 mm) sphere code.  
Guardrails can function as a chair stop.
- Guardrails are 42" (1067 mm) high with a black powder-coat paint finish.
- Guardrails clamp to the stage deck without the need for tools.




Guardrail with  
Optional Infill Panels

### Clamps, Connectors and Braces


- Optional Retention Clips for leg storage mount under the deck to provide retained leg storage.
- A variety of metal leg to leg, leg to deck, overlap and anchor brackets are available.
- Stabilizing braces are recommended for heights 40" (1016 mm) and above.
- Optional deck-to-deck cam locks are built into the deck frame.  
Cams can be locked or opened via a small tool access hole on top of the platform.

### Backdrop and Closure Panels

- Drapery is available in heights to match the staging elevation and in a wide variety of colors.
- 100% fire retardant woven polyester.  
Attaches with hook and loop fastening strips.
- Backdrop frame attaches to guardrails and positions a drapery 8' (2438 mm) above the stage.  
Available in 4' (1219 mm), 6' (1829 mm), and 8' (2438 mm) widths.
- Solid side and front closures are ideal for seated riser systems.  
Constructed of the same material as the deck with the same surface options.  
Edges are finished in a thermofused black edge band.  
Connects to the rail without tools via an extruded PVC clip running the length of the closure.



Closure  
Panels



Backdrop

A Box Step Accessory is available for audience seating applications.

**Wenger**

**JRCLANCY**

**GEARBOSS**

© 2017 Wenger Corporation  
USA/2017-12/W



**WENGER CORPORATION**

Phone 800.4WENGER (493-6437) Worldwide +1.507.455.4100 | Fax 507.455.4258 Worldwide +1.507.774.8576  
Parts & Service 800.887.7145 | Canada Office 800.268.0148 | Web wengercorp.com | 555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448

**JR CLANCY**

Phone 800.836.1885 Worldwide +1.315.451.3440 | Fax 877.836.1885 Worldwide +1.315.451.1766 | Web jrclancy.com  
7041 Interstate Island Road | Syracuse | NY 13209-9713

**GEARBOSS**

Phone 800.493.6437 | email gearboss@wengercorp.com | Web gearboss.com | 555 Park Drive, PO Box 448 | Owatonna | MN 55060-0448



4-20x60



Reviewed for Code Compliance  
Permitting and Inspections  
Department  
05/09/2018

# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

F121.4



ISSUED BY

**ANCHOR INDUSTRIES INC.**  
EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture	3/05/96
Order Number	118517

**This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:**

SEACOAST TENT RENTAL  
276 LAFAYETTE ROAD  
ROUTE 1  
SALISBURY MA 01952

**Certification is hereby made that:**

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code, equal to or exceeds NFPA 701, CPAI 84, ULC 109. The method of the FR chemical application is:

Serial #:	8001800
Description of item certified:	(0001) FI TOP 20W X 30 VL W W

**Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric**

JOHN ROYLE & CO  
STATESVILLE, NC

Name of Applicator of Flame Resistant Finish

Signed: *James R. Brown*  
TENT DEPARTMENT-ANCHOR INDUSTRIES INC.



# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

F121.4



ISSUED BY

**ANCHOR INDUSTRIES INC.**  
EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture 4/04/97	Order Number 152482
--------------------------------	------------------------

**This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:**

SEACOAST TENT RENTAL  
5 CHADWICK AVE

EXETER

NH

03833

**Certification is hereby made that:**

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code, equal to or exceeds NFPA 701, CPAI 84, ULC 109. The method of the FR chemical application is:

Serial #:

8001800

Description of item certified:

FI TOP 20W X 30 VL W W

(0002)

**Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric**

JOHN BOYLE & CO  
STATESVILLE, NC

Name of Applicator of Flame Resistant Finish

Signed: *Lamin R. Brant*  
TENT DEPARTMENT-ANCHOR INDUSTRIES INC.



IMPORTANT DOCUMENT

# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

F121.4



ISSUED BY



EVANSVILLE, INDIANA 47711

Date of Manufacture	6/21/99
Order Number	224513

MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

**This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:**

SEACOAST TENT RENTAL  
5 CHADWICK AVE

PLAISTOW NH 03865

**Certification is hereby made that:  
The articles described on this Certificate have been treated with a flame-retardant approved  
chemical and that the application of said chemical was done in conformance with California Fire  
Marshal Code, equal to exceeds NFPA 701, CPAI 84, ULC 109.  
The method of the FR chemical application is:**

Serial #:	8002140
Description of item certified:	FI TOP 20W X 40 VL G W (0001)

**Flame Retardant Process Used Will Not Be Removed By  
Washing And Is Effective For The Life Of The Fabric**

JOHN BOYLE & CO  
STATESVILLE, NC

Name of Applicator of Flame Resistant Finish

Signed: *James D. Fowler*

TENT DEPARTMENT—ANCHOR INDUSTRIES INC.



# IMPORTANT DOCUMENT

# Certificate of Flame Resistance

REGISTRATION  
APPLICATION  
NUMBER

F121.4

ISSUED BY



EVANSVILLE, INDIANA 47725  
MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

Date of Shipment

04/11/05

Tent Identification

04025585

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

716965  
SEACOAST TENT RENTAL  
5 CHADWICK AVE

PLAISTOW NH 03865

Certification is hereby made that:

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code. All fabric has been tested and passes NFPA 701-99, CPAI 84, ULC 109.

Serial #

8002100 (1)

Description of item certified:

FIESTA TOP 20WX40 WHITE VINYL

**Flame Retardant Process Used Will Not Be Removed By  
Washing And Is Effective For The Life Of The Fabric**

JOHN BOYLE STATESVILLE NC

Signed:

SPECIAL EVENTS DIVISION - ANCHOR INDUSTRIES INC.



Reviewed for Code Compliance  
Permitting and Inspections  
Department

05/09/2018



# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

F121.4



ISSUED BY

**ANCHOR INDUSTRIES INC.**  
EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture

7/17/97

Order Number

166005

**This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:**

SEACOAST TENT RENTAL  
5 CHADWICK AVE

PLAISTOW

NH

03865

**Certification is hereby made that:**

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code, equal to or exceeds NFPA 701, CPAI 84, ULC 109. The method of the FR chemical application is:

Serial #:

8023300

Description of item certified:

FI EXP MID 20W X 10 VL W W

(0002)

**Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric**

JOHN ROYALE & CO  
STATESVILLE, NC

Name of Applicator of Flame Resistant Finish

Signed:

*Louis R. Brauer*

TENT DEPARTMENT-ANCHOR INDUSTRIES INC.



Reviewed for Code Compliance  
Permitting and Inspections  
Department

05/09/2018

IMPORTANT DOCUMENT

# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

F121.4



ISSUED BY



EVANSVILLE, INDIANA 47711

Date of Manufacture  
03/07/00

Order Number  
310662

MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

**This is to certify that the materials described have been flame-retardant treated or are inherently nonflammable) and were supplied to:**

716965

SEACOAST TENT RENTAL  
5 CHADWICK AVE

PLAISTOW NH 03865

**Certification is hereby made that: the articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code, equal to exceeds NFPA 701, CPAI 84, ULC 109. The method of the FR chemical application is:**

Serial #:

8023300 (5)

Description of item certified:

FI EXP MID 20W X 10 VL W W

## Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric

JOHN BOYLE STATESVILLE NC

Name of Applicator of Flame Resistant Finish


Signed:

TENT DEPARTMENT—ANCHOR INDUSTRIES INC.



Reviewed for Code Compliance  
Permitting and Inspections  
Department

05/09/2018



# IMPORTANT DOCUMENT

## Certificate of Flame Resistance

REGISTRATION  
APPLICATION  
NUMBER

F190/191

ISSUED BY



EVANSVILLE, INDIANA 47725  
MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

Date of Shipment 06/24/04
Tent Identification 03873044

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

716965  
SEACOAST TENT RENTAL  
5 CHADWICK AVE

PLAISTOW NH 03865

**Certification is hereby made that:**

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code. All fabric has been tested and passes NFPA 701-99, CPAI 84, ULC 109.

Serial # 8020010C (1)
Description of item certified: FI EXP MID 20WX10 CLEAR VINYL

**Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric**

ROBECO CHEMICALS, NEW YORK, NY

Signed:

SPECIAL EVENTS DIVISION - ANCHOR INDUSTRIES INC.

# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

F121.4



ISSUED BY

**ANCHOR INDUSTRIES INC.**

EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture

3/05/96

Order Number

118517

**This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:**

SEACOAST TENT RENTAL  
276 LAFAYETTE ROAD  
ROUTE 1  
SALISBURY MA 01952

**Certification is hereby made that:**

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code, equal to or exceeds NFPA 701, CPAI 84, ULC 109. The method of the FR chemical application is:

Serial #:

8023300

(0001)

Description of item certified:

FI EXP MID 20W X 10 VL W W

**Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric**

JOHN BOYLE & CO  
STATESVILLE, NC

Name of Applicator of Flame Resistant Finish

Signed:

TENT DEPARTMENT-ANCHOR INDUSTRIES INC.



Reviewed for Code Compliance  
Permitting and Inspections  
Department

05/09/2018



# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

F121.4



ISSUED BY

**ANCHOR INDUSTRIES INC.**

EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

Date of Manufacture

6/16/95

Order Number

096601

**This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:**

SEACOAST TENT RENTAL  
276 LAFAYETTE ROAD  
ROUTE 1

SALISBURY MA 01952

**Certification is hereby made that:**

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code, equal to or exceeds NFPA 701, CPAI 84, ULC 109  
**The method of the FR chemical application is:**

Serial #:

8023300

(0001)

Description of item certified:

FI EXP MID 20W X 10 VL W W

**Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric**

**JOHN ROYLE & CO**  
STATESVILLE, NC

Name of Applicator of Flame Resistant Finish

Signed:

TENT DEPARTMENT-ANCHOR INDUSTRIES INC.



Reviewed for Code Compliance  
Permitting and Inspections  
Department

05/09/2018



30X100

IMPORTANT DOCUMENT

# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

F121.4



ISSUED BY



EVANSVILLE, INDIANA 47711

MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

**This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:**

716965  
SEACOAST TENT RENTAL  
5 CHADWICK AVE  
PLAISTOW NH 03865

**Certification is hereby made that:**  
The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code, equal to exceeds NFPA 701, CPAI 84, ULC 109.  
The method of the FR chemical application is:

Serial #: 8025000 (1)

Description of item certified:

FI EXP TOP 30W X 30 VL W W

**Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric**

JOHN BOYLE STATESVILLE NC  
Name of Applicator of Flame Retardant Finish

Signed: *James D. Brewer*  
TENT DEPARTMENT—ANCHOR INDUSTRIES INC.

Date of Manufacture

03/07/00

Order Number

310662



IMPORTANT DOCUMENT

# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
NUMBER

FI21.4



EVANSVILLE, INDIANA 47711



MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

**This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:**

716965  
SEACOAST TENT RENTAL  
5 CHADWICK AVE  
PLAISTOW NH 03865

**Certification is hereby made that:**  
The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code, equal to exceeds NFPA 701, CPAI 84, ULC 109.  
The method of the FR chemical application is:

Serial #: 8025300 (3)

Description of item certified:

FI EXP MDD 30W X 10 VL W W

**Flame Retardant Process Used Will Not Be Removed By Washing And Is Effective For The Life Of The Fabric**

Signed:

*David D. Thumel*  
TENT DEPARTMENT—ANCHOR INDUSTRIES INC.

JOHN BOYLE STATESVILLE NC  
Name of Applicator of Flame Resistant Finish

Date of Manufacture	03/07/00
Order Number	310662





05/09/2018

# IMPORTANT DOCUMENT

## Certificate of Flame Resistance

REGISTRATION  
APPLICATION  
NUMBER



ISSUED BY  
**ANCHOR**  
INDUSTRIES INC.  
EVANSVILLE, INDIANA 47725  
MANUFACTURERS OF THE FINISHED  
TENT PRODUCTS DESCRIBED HEREIN

Date of Shipment  
07/14/04  
Tent Identification  
03888234

F140.1

This is to certify that the materials described have been flame-retardant treated  
(or are inherently nonflammable) and were supplied to:

716965  
SEACOAST TENT RENTAL  
5 CHADWICK AVE  
PLAISTOW NH 03865

**Certification is hereby made that:**

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshal Code. All fabric has been tested and passes NFPA 701-99, CPAI 84, ULC 109.

Serial #	8020000C (4)
Description of item certified:	FIESTA EXPANDABLE MIDDLE 30x20 SNYDER BO

**Flame Retardant Process Used Will Not Be Removed By  
Washing And Is Effective For The Life Of The Fabric**

SNYDER MFG NEW PHILADELPHIA, OH

Signed: *Donna M. Snel*  
SPECIAL EVENTS DIVISION - ANCHOR INDUSTRIES INC.



IMPORTANT DOCUMENT *2-60x60*  
**Certificate of Flame Resistance**

ISSUED BY



Date of Shipment  
08/26/10



Reviewed for Code Compliance  
Permitting and Inspections  
Department  
05/09/2018

Registration Number  
F140.1

Tent Identification  
14854010

EVANSVILLE, INDIANA 47725

**MANUFACTURERS OF THE FINISHED TENT PRODUCTS DESCRIBED HEREIN**

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

SEACOAST TENT RENTAL  
5 CHADWICK AVE  
PLAISTOW, NH 03865



Certification is hereby made that:

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code. All fabric has been tested and passes NFPA 701, CPAI 84.

Serial #  
8147000C (1)

Description of item certified:  
CENTURY END 60X30 HOLE SNYDER  
WHITE W/MAXI GRIP FLAPS

**Flame Retardant Process Used Will Not Be Removed By  
Washing And Is Effective For The Life Of The Fabric**

SNYDER MFG NEW PHILADELPHIA, OH  
Name of Applicator of Flame Resistant Finish

Signed: *A. Clark*  
ANCHOR INDUSTRIES INC

60x60

**IMPORTANT DOCUMENT**  
*Certificate of Flame Resistance*

ISSUED BY



EVANSVILLE, INDIANA 47725

**MANUFACTURERS OF THE FINISHED TENT PRODUCTS DESCRIBED HEREIN**

Registration Number  
F444.19

Date of Shipment  
07/18/12

Tent Identification  
15066842



Reviewed for Code Compliance  
Permitting and Inspections  
Department  
05/09/2018

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

SEACOAST TENT RENTAL  
5 CHADWICK AVE  
PLAISTOW, NH 03865



Certification is hereby made that:

The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code. All fabric has been tested and passes NFPA 701-04, ULC 109.

Serial #

8147000C (1)

Description of item certified:

CENTURY END 60WX30 HOLE #602  
FERRARI BLOCKOUT #1030515A

**Flame Retardant Process Used Will Not Be Removed By  
Washing And Is Effective For The Life Of The Fabric**

602 FERRARI MFG FRANCE

Name of Applicator of Flame Resistant Finish

Signed:

A handwritten signature in black ink, appearing to read "A. Clark".

ANCHOR INDUSTRIES INC

**IMPORTANT DOCUMENT**  
*Certificate of Flame Resistance*

ISSUED BY



EVANSVILLE, INDIANA 47725

Date of Shipment  
07/18/12



Reviewed for Code Compliance  
Permitting and Inspections  
Department  
05/09/2018

Registration Number  
F444.19

Tent Identification  
15066842

**MANUFACTURERS OF THE FINISHED TENT PRODUCTS DESCRIBED HEREIN**

This is to certify that the materials described have been flame-retardant treated (or are inherently nonflammable) and were supplied to:

SEACOAST TENT RENTAL  
5 CHADWICK AVE  
PLAISTOW, NH 03865



Certification is hereby made that:


The articles described on this Certificate have been treated with a flame-retardant approved chemical and that the application of said chemical was done in conformance with California Fire Marshall Code. All fabric has been tested and passes NFPA 701-04, ULC 109.

Serial #  
8147000C (1)

Description of item certified:  
CENTURY END 60WX30 LOOP #602  
FERRARI BLOCKOUT #1030515A

**Flame Retardant Process Used Will Not Be Removed By  
Washing And Is Effective For The Life Of The Fabric**

602 FERRARI MFG FRANCE  
Name of Applicator of Flame Resistant Finish

Signed:   
ANCHOR INDUSTRIES INC