DOOR SCHEDULE

DOORS										FRAMES					THRESHOLDS		
NO.	TYPE	SIZE (W X H)	THK	INSUL	HDWE	FR	GLASS TYPE	GLASS SIZE	REMARKS	TYPE	FR	PROFILE	DETAILS HEAD	DETAILS JAMB	MATERIAL	DETAILS SILL	DETAILS PIN
101	A	6'-0"X7'-0" PR	1 3/4"	YES	HW-1	NO	T/TIH	FULL		A	NO	T-BREAK	4/A4.1	5/A5.1	ALUM	6/A4.1	-
102	A	6'-0"X7'-0" PR	1 3/4"	YES	HW-1	NO	T/TIH	FULL		A	NO	T-BREAK	4/A4.1	5/A5.1	ALUM	6/A4.1	-
103	A	3'-0"X7'-0"	1 3/4"	YES	HW-2	NO	T/TIH	FULL		B	NO	T-BREAK	4/A4.1	5/A5.1	ALUM	6/A4.1	-
104	D	3'-0"X7'-0"	1 3/4"	NO	HW-3	1 HR	1 HR	24X32		C	1 HR	DW	1/A4.1	1/A4.1	ALUM	2/A4.1	-
~~105~~	~~C~~	~~3'-0"X7'-0"~~	~~1 3/4"~~	~~NO~~	~~HW-4~~	~~NO~~	~~NONE~~	~~NONE~~	NOT USED	~~C~~	~~NO~~	~~DW~~	~~1/A4.1~~	~~1/A4.1~~	~~NONE~~		~~CONC~~
106	C	3'-0"X7'-0"	1 3/4"	NO	HW-5	NO	NONE	NONE		C	NO	DW	1/A4.1	1/A4.1	NONE	-	CONC
107	C	3'-0"X7'-0"	1 3/4"	NO	HW-5	NO	NONE	NONE		C	NO	DW	1/A4.1	1/A4.1	NONE	-	CONC
108	C	3'-0"X7'-0"	1 3/4"	NO	EXISTING *	1 HR	NONE	NONE	* REUSE & REMOVED DOOR	C	1 HR	DW	1/A4.1	1/A4.1	NONE	-	CONC
109	C	3'-0"X7'-0"	1 3/4"	NO	HW-8	NO	NONE	NONE		C	NO	DW	1/A4.1	1/A4.1	NONE	-	-
110	C	3'-0"X7'-0"	1 3/4"	NO	HW-9	1 HR	NONE	NONE		C	1 HR	DW	1/A4.1	1/A4.1	NONE	-	-
201	C	3'-0"X7'-0"	1 3/4"	NO	HW-6	1 HR	NONE	NONE		C	1 HR	DW	1/A4.1	1/A4.1	ALUM	2/A4.1	-
202	C	3'-0"X7'-0"	1 3/4"	NO	HW-7	NO	NONE	NONE		C	NO	DW	1/A4.1	1/A4.1	NONE	-	-
E/R	E	E	E	E	E *	E	E	E	* SEE PLAN	E	E	E	E	E	E	E	E

ABBREVIATIONS

AL	ALUMINUM	T	TEMPERED
ELEC	ELECTRIC	TIH	THERMAL INSULATED
EHO	ELECTRIC HARDWARE HOLD OPENER	VIN	VINYL
GL	GLASS	WD	WOOD
HM	HOLLOW METAL	W/	WITH
INSUL	INSULATED		
SS	STAINLESS STEEL		

HW-1 EXTERIOR PAIR DOORS
- 6 BUTTS
- 2 CLOSERS
- 2 EXIT DEVICES WITH EXTERIOR PULLS & CONCEALED RODS
- 1 THRESHOLD
- 2 DOOR BOTTOMS
- 1 WEATHERSTRIPPING JAMB/HEAD SET

HW-2 EXTERIOR SINGLE DOOR
- 3 BUTTS
- 1 CLOSERS
- 1 EXIT DEVICES WITH EXTERIOR PULL
- 1 THRESHOLD
- 1 DOOR BOTTOM
- 1 WEATHERSTRIPPING JAMB/HEAD SET

HW-3 INTERIOR SINGLE RATED DOOR
- 3 BUTTS
- 1 CLOSERS
- 1 EXIT DEVICES WITH PULL
- 1 THRESHOLD
- 1 DOOR BOTTOM
- 1 WEATHERSTRIPPING JAMB/HEAD SET

HW-4 INTERIOR SINGLE DOOR
- 3 BUTTS
- 1 LEVERLOCKSET - STORE ROOM FUNCTION
- 2 FRAME SILENCERS

HW-5 INTERIOR SINGLE DOOR
- 3 BUTTS
- 1 CLOSER
- 1 PUSH PLATE WITH PULL
- 2 FRAME SILENCERS

HW-6 INTERIOR SINGLE RATED DOOR
- 3 BUTTS
- 1 CLOSER
- 1 LEVER LOCKSET - OFFICE FUNCTION
- 2 FRAME SILENCERS

HW-7 INTERIOR SINGLE DOOR
- 3 BUTTS
- 1 LEVER LOCKSET - OFFICE FUNCTION
- 2 FRAME SILENCERS
- 1 DOOR STOP

HW-8 INTERIOR SINGLE DOOR
- 3 BUTTS
- 1 LEVER LATCHSET - PASSAGE FUNCTION
- 2 FRAME SILENCERS
- 1 DOOR STOP

HW-9 INTERIOR SINGLE RATED DOOR
- 3 BUTTS
- 1 CLOSER
- 1 LEVER LATCHSET - PASSAGE FUNCTION
- 2 FRAME SILENCERS

HARDWARE SETS — NO SCALE

1 1 HR RATED PARTITION - PARTITION TYPE 6 — 3"=1'-0"

2 CORNER DETAIL - PLAN — 3"=1'-0"

PARTITION TYPES	
TAG	DETAIL
1	1/A8.1
2	5/A8.1
3	3/A8.1
4	4/A8.1
5	6/A8.1
6	1/A8.3

SIGNAGE TYPES	
TAG	DETAIL
A	3/A3.2
B	4/A3.2
C	5/A3.2
D	6/A3.2

FIRE SUPPRESSION & LIFE SAFETY SYSTEM NOTES:

1. THE ENTIRE BUILDING HAS AN EXISITNG NFPA 13 FIRE UPPRESSION SPRINKLER SYSTEM. THE EXISTING SPRINKLER SYSTEM SHALL BE MODIFIED BY A CERTIFIED SPRINKLER CONTRACTOR FOR THE PROPOSED PLANS AND SHALL BE REVIEWED AND APPROVED BY THE STATE AND LOCAL AUTHORITY HAVING JURADICTION. THE CONTRACTOR SHALL BEAR SOLE RESPONSIBILITY FOR THE DESIGN AND INSTALLATION OF THE MODIFIED SYSTEM FOR OCCUPANCY.
2. UPGRADE THE EXISTING FIRE ALARM SYSTEM AS REQUIRED FOR COMPLIANCE WITH NFPA 101 LIFE SAFETY CODE. COORDINATE WITH SPRINKLER SYSTEM MODIFICATION. VERIFY LOCATION OF ALARM & NOTIFICATION PANELS WITH THE AUTHORITY HAVING JURISDICTION.

CODE COMPLIANCE FLOOR PLAN
1/2" = 1'-0"

LIFE SAFETY SYMBOLS
- EXIT LIGHT
- FIRE EXTINGUISHER
- FIRE ALARM PULL MANUAL PULL STATION
- FACP — FIRE ALARM PANEL
- EMERGENCY LIGHT
- FIRE ALARM HORN/STROBE UNIT
- FIRE ALARM STROBE UNIT
- S — SMOKE DETECTOR
- SD — SMOKE DETECTOR W/ AUDIBLE ALARM
- "NOT AN EXIT" SIGN
- K — KNOX BOX
- 1 HR RATED PARTITION
- 2 HR RATED PARTITION

NORTH
PLAN

FLOOR PLAN
1/2" = 1'-0"

REPRODUCTION THIS DOCUMENT WITHOUT WRITTEN PERMISSION GRANT H. HAYS PROHIBITED

Reviewed for Code Compliance Inspections Division Approved with Conditions
Date: 05/13/13
Planner: Benjamin Wallace

LICENSED ARCHITECT MICHAEL F. HAYS No. 1724 STATE OF MAINE

REVISIONS

JOB TITLE
NEW ADDITION FOR ALLAGASH BREWING CO.
50 INDUSTRIAL WAY PORTLAND, MAINE

GRANT H. HAYS ASSOCIATES
ARCHITECTURE INTERIOR DESIGN
P.O. BOX 6179 FALMOUTH, MAINE 04105
telephone (207) 871-5900 facsimile (207) 871-9308

DRAWING TITLE
BOILER ENCLOSURE PLAN & DETAILS

SCALE AS NOTED
DATE 29 MAR 13
DRAWN BY SAM/MFH
JOB NO. 120701
DRAWING NO. A8.3