


FRAME LINES: 2 3 4 5 6 7



RIGID FRAME: ANCHOR BOLTS & BASE PLATES

| Frm Line | Col Line | Anc. Bolt Qty | Bolt Dia | Base Plate Width | Base Plate Length | Base Plate Thick (in) | Grout (in) |
|-----------------|----------|---------------|----------|------------------|-------------------|-----------------------|------------|
| 2* | C | 4 | 0.750 | 8.000 | 14.50 | 0.500 | 0.0 |
| 2* | A | 4 | 0.750 | 8.000 | 11.75 | 0.500 | 0.0 |
| 2* Frame lines: | | 2 3 6 7 | | | | | |

RIGID FRAME: ANCHOR BOLTS & BASE PLATES

| Frm Line | Col Line | Anc. Bolt Qty | Bolt Dia | Base Plate Width | Base Plate Length | Base Plate Thick (in) | Grout (in) |
|-----------------|----------|---------------|----------|------------------|-------------------|-----------------------|------------|
| 4* | C | 4 | 0.750 | 8.000 | 14.50 | 0.500 | 0.0 |
| 4* | A | 4 | 0.750 | 8.000 | 11.75 | 0.500 | 0.0 |
| 4* Frame lines: | | 4 5 | | | | | |

RIGID FRAME: BASIC COLUMN REACTIONS (k)

| Frame Line | Column Line | Dead | | Collateral | | Live | | Snow | | Wind_Left1 | | Wind_Right1 | |
|-----------------|-------------|--------------|------|-------------|------|------------|-------|------------|------|--------------|-------|---------------|------|
| | | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert |
| 2* | C | 1.3 | 3.0 | 1.3 | 2.4 | 7.0 | 14.2 | 14.7 | 29.8 | -7.9 | -10.6 | 1.7 | -3.8 |
| 2* | A | -1.3 | 3.3 | -1.3 | 2.9 | -7.0 | 14.4 | -14.7 | 30.2 | 0.1 | -7.6 | 6.3 | -7.7 |
| Frame Line | Column Line | Wind_Left2 | | Wind_Right2 | | Wind_Long1 | | Wind_Long2 | | Seismic_Left | | Seismic_Right | |
| | | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert |
| 2* | C | -7.6 | -6.8 | 2.4 | 0.0 | -2.3 | -10.6 | -1.6 | -6.9 | -2.3 | -1.4 | 2.3 | 1.4 |
| 2* | A | -0.2 | -3.8 | 5.6 | -3.9 | 2.7 | -11.7 | 2.0 | -8.0 | -1.9 | 1.4 | 1.9 | -1.4 |
| Frame Line | Column Line | Seismic_Long | | LWIND1_L2E | | LWIND1_R2E | | LWIND2_L2E | | LWIND2_R2E | | Wind_Left1 | |
| | | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert |
| 2* | C | 0.0 | -5.2 | -0.1 | -1.4 | -0.1 | -0.1 | -0.1 | -1.4 | -0.1 | -0.1 | -0.1 | -0.1 |
| 2* | A | 0.0 | -6.9 | 0.2 | -0.2 | 0.2 | -1.5 | 0.2 | -0.2 | 0.2 | -1.5 | 0.2 | -1.5 |
| Frame Line | Column Line | Dead | | Collateral | | Live | | Snow | | Wind_Left1 | | Wind_Right1 | |
| | | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert |
| 4* | C | 1.3 | 3.0 | 1.1 | 2.1 | 7.0 | 14.2 | 14.7 | 29.8 | -6.7 | -9.9 | 0.5 | -4.5 |
| 4* | A | -1.3 | 3.3 | -1.1 | 2.2 | -7.0 | 14.4 | -14.7 | 30.2 | 1.1 | -8.3 | 5.3 | -7.0 |
| Frame Line | Column Line | Wind_Left2 | | Wind_Right2 | | Wind_Long1 | | Wind_Long2 | | Seismic_Left | | Seismic_Right | |
| | | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert |
| 4* | C | -6.4 | -6.1 | 1.2 | -0.8 | -2.3 | -8.9 | -1.6 | -5.2 | -1.4 | -0.9 | 1.4 | 0.9 |
| 4* | A | 0.8 | -4.6 | 4.6 | -3.2 | 2.7 | -9.3 | 2.0 | -5.5 | -1.2 | 0.9 | 1.2 | -0.9 |
| Frame Line | Column Line | LWIND1_L2E | | LWIND1_R2E | | LWIND2_L2E | | LWIND2_R2E | | Wind_Left1 | | Wind_Right1 | |
| | | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert | Horiz | Vert |
| 4* | C | -0.1 | -1.4 | -0.1 | -0.1 | -0.1 | -1.4 | -0.1 | -0.1 | -0.1 | -0.1 | -0.1 | -0.1 |
| 4* | A | 0.2 | -0.2 | 0.2 | -1.5 | 0.2 | -0.2 | 0.2 | -1.5 | 0.2 | -1.5 | 0.2 | -1.5 |
| 2* Frame lines: | | 2 3 6 7 | | | | | | | | | | | |
| 4* Frame lines: | | 4 5 | | | | | | | | | | | |



ALLAGASH BREWING WAREHOUSE
 55'-0" x 180'-0" x 17'-0" x 21'-7"
 DATE: 7/30/15
 REVISION: 01
 ENG: AJR
 DWN: BJC
 APPD: AJR

F.O. 19026

| REV. | DATE | DESCRIPTION |
|------|---------|-------------|
| 01 | 8-12-15 | SEE 00-01 |

ALLAGASH BREWING WAREHOUSE

DRAWING STATUS
 FOR APPROVAL: THESE DRAWINGS, BEING FOR APPROVAL, ARE BY DEFINITION NOT FINAL, AND ARE FOR CONCEPTUAL REPRESENTATION ONLY. THEIR PURPOSE IS TO CONFIRM PROPER INTERPRETATION OF THE PROJECT DOCUMENTS. ONLY DRAWINGS ISSUED "FOR CONSTRUCTION" CAN BE CONSIDERED AS COMPLETE.
 FOR PERMIT: THESE DRAWINGS, BEING FOR PERMIT, ARE BY DEFINITION NOT FINAL. ONLY DRAWINGS ISSUED "FOR CONSTRUCTION" CAN BE CONSIDERED AS COMPLETE.
 FOR CONSTRUCTION: FINAL DRAWINGS.

