




7 SECTION THRU WALL AT NEW DOOR
SCALE: 3/4"=1'-0"




6 SECTION THRU EXISTING WINDOW
SCALE: 3/4" =1'-0"




1 DRYER PORT DETAIL
SCALE: 1 1/2"=1'-0"




1A FRAMING PLAN AT NEW OPENING
SCALE: 1/2"=1'-0"




2 NEW WALL SECTION
SCALE: 1 1/2"=1'-0"




9 SECTION THRU WALL AT NEW DOOR
SCALE: 3/4"=1'-0"




8 EXISTING PLAN SHOWING WINDOWS
SCALE: 3/4"=1'-0"



3 EXTERIOR DOOR HEAD DETAIL
SCALE: 1 1/2"=1'-0"




4 EXTERIOR DOOR JAMB DETAIL
SCALE: 1 1/2"=1'-0"



5 EXTERIOR DOOR SILL DETAIL
SCALE: 1 1/2"=1'-0"

GENERAL NOTES:
CONTRACTOR TO FIELD VERIFY ALL MEASUREMENTS AND EXISTING CONDITIONS.
CONTRACTOR SHALL PAY FOR ALL FEES AND OBTAIN ALL NECESSARY PERMITS.
THE TERMS "SUPPLY", "FURNISH", "PROVIDE", ARE TO MEAN, SUPPLY AND INSTALL.
THE BIDDER FIND ANY DISCREPANCIES IN OR OMISSIONS FROM THE DRAWINGS OR SHOULD THERE BE ANY DOUBT AS TO THEIR MEANING, BIDDER IS TO NOTIFY THE ARCHITECT IN WRITING A MINIMUM OF 10 DAYS BEFORE SUBMITTING BID. CLARIFICATION AND DRAWINGS SHALL BE ADJUSTED AS THE SITUATION REQUIRES.
FIGURE DIMENSIONS SHALL SUPERSEDE SCALE MEASUREMENTS. LARGE SCALE DETAILS SHALL TAKE PRECEDENCE OVER SMALL AND MEASUREMENTS MUST BE VERIFIED AT THE SITE. THE MORE SPECIFIC DESCRIPTION OF THE WORK TAKES PRECEDENCE OVER THE MORE GENERAL. THE MOST RECENT DRAWING, ADDENDA, OR AGREEMENTS TAKE PRIORITY. NO ALTERATIONS SHALL BE MADE IN THE DRAWINGS EXCEPT BY THE ARCHITECT.
IN CASE OF ANY CONFLICT OR INCONSISTENCY BETWEEN THE DRAWINGS AND OTHER DOCUMENTS, THE ARCHITECT'S INTERPRETATION SHALL GOVERN.
ANY DISCREPANCY BETWEEN FIGURES AND DRAWING SHALL BE SUBMITTED BY THE CONTRACTOR TO THE ARCHITECT AND CALLED OUT ELSEWHERE WILL RESULT IN A COMPLETE THOROUGH, AND FINISHED PROJECT FOR THE USE INTENDED.
WORK SHALL BE CARRIED OUT BY INDIVIDUALS EXPERIENCED IN THE VARIOUS AREAS OF WORK THAT THEY WILL BE PERFORMING.
WORK SHALL BE PERFORMED IN A MANNER THAT IS EQUAL TO INDUSTRY STANDARDS.
CONTRACTORS ARE TO STORE, USE AND INSTALL ALL PRODUCTS, MATERIALS AND ITEMS IN SUCH A WAY THAT FOLLOWS THE VARIOUS MANUFACTURER'S SPECIFICATIONS AND INSTALLATION REQUIREMENTS.
CONTRACTOR TO FURNISH AND INSTALL ALL LABOR MATERIALS, EQUIPMENT, LEGAL DISPOSAL OF ALL DEBRIS, AND ALL RELATED SERVICES INCIDENTAL TO THE RENOVATIONS AND ADDITION DEFINED ON THE PLANS.
REMOVE WORK AS SHOWN ON PLANS PROVIDE ADEQUATE BRACING WHEN WORK INVOLVES STRUCTURAL MODIFICATIONS.
REMOVE WALLS, FRAMING, ETC. TO COMPLETE FINAL LAYOUT AS NOTED ON DRAWINGS.
REMOVE EXCESS MATERIALS FROM SITE AND DISPOSE PROPERLY.
HAZARDOUS MATERIALS TO BE REMOVED BY CONTRACTORS LICENSED TO PERFORM THIS TYPE OF WORK. MATERIAL TO BE DISPOSED OF IN A LEGAL AND SAFE MANNER.
WORK TO INCLUDE, BUT IS NOT LIMITED TO, THE FOLLOWING: DEMOLITION, EXCAVATION, CONCRETE WORK, LANDSCAPING AND GRADING, CARPENTRY, SIDING, ROOFING, INSULATION, DRYWALL, PAINTING, FLOORING, CABINETRY, ELECTRICAL, PLUMBING INCLUDING DESIGN AND MODIFICATION OF THE EXISTING HEATING SYSTEM TO SERVICE THE RENOVATED SPACE.



GTA.2 architects
222 ST JOHN STREET
TOWER X
portland, maine 04102
207-771-5461

ISSUED

revisions
date
SEPTEMBER, 2015

sheet title
**SECTIONS
DETAILS
SCHEDULES**

scale
AS NOTED
drawn by
SMT
project number
1615

sheet number
A-4

ROOM FINISH SCHEDULE

ROOM NO.	ROOM NAME	WALLS				BASE	FLOOR	CEILING		REMARKS
		NORTH	EAST	SOUTH	WEST			CEILING	PAINT	
1ST FLOOR										
BLDG TYPE B										
1	BOILER ROOM	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
2	UNIT X LAUNDRY	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
3	UNIT Y LAUNDRY	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
BLDG TYPE C										
1	BOILER ROOM	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
2	UNIT X LAUNDRY	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
3	UNIT Y LAUNDRY	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
BLDG TYPE D										
1	BOILER ROOM	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
2	UNIT X STORAGE	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
3	UNIT Y STORAGE	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
BLDG TYPE E										
1	BOILER ROOM	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
2	UNIT X LAUNDRY	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					
3	UNIT Y LAUNDRY	5/8" GYP BD	MR GYP BD	1/2" GYP BD	PATCH-REPAIR					

GENERAL NOTES:
METAL DOOR AND FRAME TO BE PRIMED AND PAINTED.
PROVIDE PRIMER PLUS TWO COATS OF RUSTOLEUM GLOSS ALKYD PAINT AT METAL DOOR AND FRAME.
REPAIR ALL DAMAGED DRYWALL SURFACES TO MATCH ADJACENT SURFACES IN TERMS OF MATERIALS AND FINISH- TYPICAL.
SEE PLAN FOR LOCATION OF 1/2" AND 5/8" GB.
ALL WALLS, CLGS, WOOD TRIM TO BE PAINTED ONE PRIMER, 2 FIN COATS TYP.
USE PRIMER PLUS TWO COATS OF SHERWIN WILLIAMS HIGH PERFORMANCE ACRYLIC PAINT AT ALL DRYWALL SURFACES.
PROPERLY PREPARE FLOORS AS REQUIRED TO ACCEPT NEW SURFACE FINISH AS INDICATED.
PRIME PREPARED CONCRETE FLOORS WITH ONE COAT SHERWIN WILLIAMS ALL SURFACE ENAMEL LATEX PRIMER, FINISH WITH TWO COATS SHERWIN WILLIAMS HIGH PERFORMANCE ACRYLIC PAINT AT ALL DRYWALL SURFACES.
PROPERLY PREPARE FLOORS AS REQUIRED TO ACCEPT NEW SURFACE FINISH AS INDICATED.

DOOR SCHEDULE

MARK	LOCATION	TYPE	SIZE	THICKNESS	MATERIAL	MANUFACTURER	FRAME	SILL	TRIM	HARDWARE	FINISH	MFR	MODEL NO.	NOTES
1	FIRST FLOOR BOILER ROOM	SMOOTH FLUSH	3'-0" x 4'-8"	1 3/4"	STEEL	AMWELD UL GA BLE 3048 D3 P B-LABEL	STEEL-AMWELD 400 SERIES U GA 3048 W/4 3/4"X1/2" DEPTH 20 MIN	NATIONAL GUARD/TERTRAL BARRIER THRESHOLD BURPERSEAL MODEL 8455	INTERIOR WOODS PAINTED METAL FRAME	CLASSROOM LOCKSET 15 PR 4.5x4.5 HINGES	424 U524D	SCHLAGE STANLEY	D-SERIES RHODES (420 FBB11)	OUTSWING DOOR DOOR SILL AND WEATHERSTRIP, PAINT COORDINATE W/OOWNER REGARDING KEYS COORDINABILITY REGARDING KEYS DOOR STOP F4434 24D MIN OUTSWING THRESHOLD DUR-O-MATIC SCRO ALUMI FIN CLOSER. USED DOOR STOP F455 4D FIN B-LABEL