



DOORWAY APPROACH CLEARANCES

NOTE: PUL Y=48" MIN IF THE DOOR HAS A CLOSER. 32" MIN

HINGED DOOR

FOLDING DOOR

X=12" IF THE DOOR HAS BOTH A CLOSER AND A LATCH.

NOTE: PL Y=48" MIN IF DOOR HAS BOTH A LATCH AND A CLOSER.

PULL SIDE

PULL SIDE

PULL SIDE

FRONT APPROACHES - SWINGING DOOR

HINGE-SIDE APPROACHES - SWINGING DOOR

LATCH-SIDE APPROACHES - SWINGING DOOR

CLEAR DOORWAY AND DEPTH

1 8

PUSH SIDE

PUSH SIDE

PUSH SIDE

24" MIN

DETAIL

MAXIMUM DOORWAY

18" MIN. 24" PREFERRED

X=36" MIN IF Y=60": X=42" MIN IF Y=54".

Y=54" MIN IF THE

DOOR HAS A CLOSER.

DOWNLD M. BOOM D. BOOM D. M. BOOM D. BOOM D. M. BOOM D. BOOM D

| PORTLAND HOUSING AUTHORITY | PORTLAND, MANE | PHA RIVERTON HEAD START | BUILDING 14, UNITS 102 AND 104 | BID | OKAN DIP | DATE | DESCRIPTION | DWN | APP | DATE | PROJECT NO. | ORANING NO. | ORANIN

PLEASE NOTE: THIS DOCUMENT MAY NOT ACCURATELY REPRESENT THE FINAL DOCUMENT. ONLY AN ENGINEER ARCHITECT OR SIVEYEYOR SIGNED. SEALED AND DATED PAPER COPY. PROVIDED BY THIS OFFICE. MAY BE UTILIZED FOR BIDDING OR CONSTRUCTION PURPOSES.

Colby Company angineering JA York Sheet DA Portland, Moze 64/01 DC Colbycolengmeering.com DM

DATE: 02/28/17 218.021.001
DES BY: GJN
DWN 8Y: GJN
CKO BY: BLB

SHEET
D8 OF 16

A-002