


ONE (1) SET OF 24" S/F INTERNALLY ILLUMINATED WALL SIGNS (SEJ 1300 SERIES).

**ELECTRICAL NOTE:** EXPOSED EXTERIOR 20 AMP WEATHERPROOF ELECTRICAL DISCONNECT REQUIRED WITHIN VISUAL RANGE OF SIGN REQUIRED FOR EVERY 16 AMPS OF SIGNAGE, ACTUAL NUMBER OF CIRCUITS TO BE DETERMINED BY A LICENSED ELECTRICAL CONTRACTOR, ACTUAL LOCATION OF BOX MAY VARY. CIRCUITS AND SWITCH TO BE PROVIDED BY OTHERS. INPUT VOLTAGE - 120V  
ALL SIGNAGE WILL BE (MET) LISTED, (U.L.) 48STD COMPLIANT AND CARRY (MET) LABELS.

5 Front Elevation - SEJ Wall Sign Cabinets - Sign B  
1/2" = 1'-0"

Display Square Footage(Cabinets): 27.5



**NOTE:** FOR COMPLETE INSTALL INSTRUCTIONS, REFER TO ENCLOSED MANUFACTURERS' DOCUMENTS.

6 Side Mounting Detail - Signs B  
NTS



EXISTING CONDITION



PROPOSED SIGNAGE

7 Photo Overlay - Sign B  
1/2" = 1'-0"

**harbinger.**  
sign of the future

5300 Shad Road, Jacksonville, FL 32257 • 904.266.4881  
2301 Ohio Dr. Plano, TX 32257 • 972.905.9450



7-Eleven #32541  
1916 Forest Ave  
Portland, Maine

SVE4868-R2

F:\Customers\7 Eleven\Art  
SVE4868-R2 #32541.cdr

date	by	description	checked
01.27.16	CD	Original Concept	gh
02.02.16	RT	add 3 Section Tategama to storefront	gh
03.16.16	R2	24" Tategama & remove red notes from pylon	gh

Salesperson: rg PM: mn Designer: gh Page: 3

customer approval \_\_\_\_\_ date: \_\_\_\_\_



THE SIGNS ON THESE PAGES HAVE BEEN DESIGNED TO MEET OR EXCEED ALL APPLICABLE CODES OR REQUIREMENTS OF THE NEC-2014 AND OR THE 2010 FBC AND OR THE 2007 SBC