Form # P 04

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

CITY OF PORTLAND

rm or

Please Read Application And Notes, If Any, Attached

WERECTION

327A A012001

PERMIT ISSUED

Permit Number: 070635

epting this permit shall comply with all nances of the City of Portland regulating

uctures, and of the application on file in

JUN 1 3 2007

This is to certify that

HANNAFORD BROS CO /t

tent to be set up in parking ld has permission to

7/22/01 r events

ine and of the P

e of buildings and

ion a

PERM

CITY OF PORTLAND

AT 783 RIVERSIDE ST

provided that the person or persons of the provisions of the Statutes of the construction, maintenance and this department.

Apply to Public Works for street line and grade if nature of work requires such information.

ificatio f inspe on mus n and w en perm on proc re this lding or rt there ed or osed-in JR NO EQUIRED.

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS

Fire Dept. ______

Health Dept.

Appeal Board

Other Department Name

PENALTY FOR REMOVING THIS CARD

City of Portland, Maine	e - Building or Us	e Permit Applicatio	n Per	mit No:	Issue Date:		CBL:	
389 Congress Street, 04101	Tel: (207) 874-87	03, Fax: (207) 874-87	16	07-0635			327A A	012001
Location of Construction:	Owner Name:		Owner Address:			Phone:		
783 RIVERSIDE ST	HANNAFO	RD BROS CO	PO BOX 1000					
Business Name:	Contractor Na	me:	Contractor Address:			Phone		
	n/a		Portland					
Lessee/Buyer's Name	Phone:		Permit	Type:				Zene:
			Tent	S				164
Past Use: Proposed Use:			Permit	Fee:	Cost of Work	: CEC	District:	7
1		/ Hannaford tent to be	1	\$30.00		1	5	
		king lot for events from	FIRE			INSPECTION		
	6/4/07 - 7/22	2/07	1		1 Approved	Use Group:	_	TypeTent
			}	_	Denied	المكر	, QQ.	•
						CAT OF M		
Proposed Project Description:	 _		1				771	
tent to be set up in parking lot	for events from 6/4/0	7 - 7/22/07	Signatu	ire:	Casa	Signature:	במלכולא	
				-	VITIES DISTI		Γ(P.A.D.)	
			1					
			Action	Approv	reu Appr	oved w/Con	nuons	Denied
			Signatu	ıre:		Dat	e:	
Permit Taken By:	Date Applied For:	T	- 	Zoning	Approval			
dmartin	05/30/2007			230111116	, rappro tur	•		
1. This permit application de	oes not preclude the	Special Zone or Revi	ews	Zonir	ng Appeal	I	listoric Pres	servation
Applicant(s) from meeting Federal Rules.	-	Shoreland		☐ Variance		12	Not in District or Landmark	
2. Building permits do not in septic or electrical work.	nclude plumbing,	Wetland		Miscellaneous			Does Not Require Review	
3. Building permits are void within six (6) months of the		Flood Zone	Flood Zone Conditional Use			Requires Review		
False information may in permit and stop all work	_	Subdivision	<u> </u>	Interpret	tation		Approved	
		Site Plan		Approve	ed		Approved w/	Conditions
PERMIT ISS	SUED	Maj Minor MA	30	Denied			Denied	\searrow
		Date: 5/21/0	7	Date:		Date:		
JUN 13 :	2007	1 5/5/FU	/ -	Date.		Date.		
		, ,	•					
105 000	TIAND							
CITY OF POR	(ILANU							
		CERTIFICATI	ION					
I hereby certify that I am the or	wner of record of the			osed work is	s authorized b	ov the own	er of reco	rd and that
I have been authorized by the o								
jurisdiction. In addition, if a pe								
shall have the authority to ente	r all areas covered by	such permit at any reaso	nable ho	our to enforce	e the provis	ion of the	code(s) ap	plicable to
such permit.								
SIGNATURE OF APPLICANT		ADDRES	SS		DATE		РНС	ONE
RESPONSIBLE PERSON IN CHAR	GE OF WORK, TITLE				DATE		РНС)NE

City of Portland, Maine - Buil	ding or Use Permit		Permit No:	Date Applied For:	CRT:
389 Congress Street, 04101 Tel: (2	207) 874-8703, Fax: (207)	874-8716	07-0635	05/30/2007	327A A012001
Location of Construction:	Owner Name:	0	wner Address:		Phone:
783 RIVERSIDE ST	HANNAFORD BROS CO		PO BOX 1000		
Business Name:	Contractor Name:	Co	ontractor Address:		Phone
	n/ a	I	Portland		
Lessee/Buyer's Name	Phone:	Pe	ermit Type:	-	
	_		Γents		
Proposed Use:		Proposed	Project Description:		
Commercial / Hannaford tent to be se from 6/4/07 - 7/22/07	et up in parking lot for events	tent to b	e set up in parkinş	g lot for events from (5/4/07 - 7/22/07
Dept: Zoning Status: A	pproved 1	Reviewer:	Marge Schmuckal	Approval Da	te: 05/31/2007
Note:				•	Ok to Issue: 🗹
Dept: Building Status: A Note: 1) This permit DOES NOT authorize 2) Application approval based upon and approval prior to work.	e any construction activities. T	he tent/stage		l at the end of the eve	Ok to Issue: 🗹
			G . C . G	1 17	06/10/2007
Dept: Fire Status: A Note:	approved 1	keviewer:	Capt Greg Cass	Approval Da	
	11		out. 2128 ams	• •	te: 06/12/2007 Ok to Issue: □

Tent/Canopy or Temporary Event Staging Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Tax Assessor's Chart, Block & Lot Chart# Block# Lot#	Property Owner:	Теlерноле:
Lessee/Buyer's Name (If Applicable)	Applicant name, address & telephone: Melissa Sprague emg3 215 Commercial St Portland ME Office 828-4700	Fee: \$ 30.00
The permit fee, and the following item to receive a permit.	as, must be completed and submitted to th	e Inspections Division
Application to Use City Parks of 3. Company name of installer (cont 4. Plot Plan showing the following: Tent/Canopy or tem entrances of propose temporary staging, y Parks & Recreation	aporary event staging locations, including direct and existing, parking and existing building you will need to include product information for maps of Portland's Parks @ 756-8275). Certificate of Insurance listing the City as a	mensions, exits and g locations. If this is a. (Applicant may call

Please submit all of the information outlined in the Tent/Canopy and Event Staging Permit Application as one package. Failure to do so will result in the automatic denial of your permit.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Me	lissa	Sonac	w	Date:	5/15	/07	
This is NOT a po	rmit;	you may i	not comm	ence ANY wor	k until t	he permi	t is issued.	



May 18, 2007

To Whom It May Concern:

Hannaford Brothers Corp gives emg3, LLC (emg3), limited liability company based in Maine, full permission to execute their Hannaford "Summer Celebrations" Summer Grilling event at the attached list of Hannaford stores. These events will be held in Hannaford store parking lots between June 4th and July 22, 2007.

We have approved emg3 to erect two canopies, have an emcee broadcast over a PA system, and conduct free sweepstakes and food sampling activities.


Also, emg3 is authorized to act on our behalf to obtain the permits necessary to execute their event. They will be responsible for the proper disposal of all refuse and maintaining the property free from litter and nuisance during the total period of operation. Hannaford Brothers Corp has been named an additional insured and loss payee on emg3's general liability and umbrella policies. Accommodations will be made for any municipality seeking to be named an additional insured and emg3 willingly assumes liability for this event.


Sincerely

Evan Harding

Marketing Specialist

Hannaford







215 Commercial St. Portland, ME 04101


207.828.4700 B 207.828.4704 F www.emg3.com All information contained within this document, issued by emg3 for the purposes of bid, proposal and/or build, is the property of emg3. Any distribution of this information or production designs is prohibited withiout prior consent of emg3.

CLIENT Hannaford

PROJECT NAME Summer 2007 ACCT. CONTACT

DRAWN BY RK **DATE DRAWN** 3/27/07

DRAWING NAMEEvent Plan





ZINGERLEMETAL Semi-hexagonal Pavilion

Technical Documentation

Index

CE-Declaration of Conformity	2
Technical Values	
Technical Description	3
Employed Material	3
Standards	3
Permissible Loads	3
Declaration of conformity fire resistant varnish Stufex	4
Technical data sheet counter elements Tilly	5
Declaration of conformity side panels Caledonia	6
Declaration of conformity tissue Giovanardi	

CE-Declaration of Conformity

The company



Zingerlemetal AG

Industriezone 174
I-39040 Natz/Schabs (BZ)
Tel. 0039 0472 412 035
Fax 0039 0472 412 490
www.masterstand.com
www.mastertent.com
www.zingerlemetal.com

declares under its responsibility that the

Semi-hexagonal Pavilion

is in compliance with the essential safety and health requirements and with the requirements concerning the following national laws:

D.M. 26/6/84 L. 10/1997 L. 1150/1942

in addition, it is in compliance with the provincial law D.P.G.P Prov. BZ Nr. 20/1970 Art. 1 und 30.

For the employed materials please refer to the following standards

Fabric

This is to confirm that the employed fabric has been declared in the class 002 according with the tests of reaction to fire CSE RF 1/75/A – CSE 3/77 carried out at the Laboratory LAPI Srl. in Cadenzano (FI) and approved by the Ministry of the Interior.

Lateral Panels

The lateral panels are in compliance with the Ministerial Decree of March 21, 1973

Bench

The bench panels are manufactured according to the Austrian standards **OENORM B3022**.

Serial number	
	The Safety Person in Charge
Schabs,	

I - 39043 Klausen (BZ) - Leitach 33

09/03/06

Technical Values

Octagonal Pavilion (V. 02.01.06)

Zingerlemetal AG Industriezone 174 I-39040 Natz/Schabs (BZ)

Technical Description

Diameter	6,12 m
Gutter height	1,95 m
Ridge height	3,52 m
Bench height	1,0 m
Weight of pavillon	300,7 kg

Employed Material

- Steel S235, galvanized (structure)
- Polypropylene, aluminium (lateral panels)
- Wood (counter elements)
- PVC (roof)

Standards

Eurocode EN 1991-2-4, EN 1993-1-1

Permissible Loads

Static calculations and practical tests carried out:

Description	Admissible Values
Max. wind speed	30 km/h
Maximally permissible load per unit area on the roof	3,5 kg/m²
Max. weight on one bench element	100 kg
Max. weight on a counter extension	50 kg

The technical Dr. Ing. Markus Waldboth

Monhus Waldsolh

ORDINE DEGLI INGEGNERI DELLA PROV. DI BOLZANO

Dr. Ing. MARKUS WALDBOTH

Nr. 1484 INGENIEURKAMMER DER PROVINZ BOZEN

Declaration of conformity fire resistant varnish Stufex







Stabilimento: 32014 PONHE NELLE ALPI (Belluno)

This certificate comprises 3 pages

DECLARATION OF CONFORMITY NO. 106186 (DM 64/03/92)

This certificate was prepared for: ZINGERLE METAL GmbH Industriezone Schabs 103 39040 NATZ/SCHABS (BZ) Convention / Event

Fire-proof coating material

STUFEX R 450 ALKYDHARZ TRANSPARENT

Corresponds to the type-tested prototype according to the type approval mentioned in this certificate

Type Approval No. BL876PVI100003 of October 17, 2000

Year of Production: 2001 Fire-resistance Class: 1 (ONE)

An effective treatment is obtained if the product is applied:

- according to the technical information and amounts indicated in the technical specifications sheet;
- continuously on materials located in a closed space.

The effectiveness of the fire-retardant treatment is good for a maximum period of 5 (FIVE) YEARS according to Ministerial Decree DM of March 6, 1992.

Amount: kg 00325.0

for qm 00691.0

WOOD

The material described above was sold to:

AMONN-COSMA S.p.A. Altmannstraße 12 - 39100 BOZEN (BZ) with Invoice/Delivery Note No. 955 of May, 15, 2001.

FOR IDENTIFICATION OF THE TESTING AUTHORITY

To prevent fraud, this certificate is only valid if the following conditions are satisfied:

- 1) The certificate is prepared on company paper with the stamp "STUFEX" in the colors <u>EG ORANGE</u> or OCHRE YELLOW. The inner surfaces are provided with a <u>GREEN</u> stamp and with the following text: "<u>THIS CERTIFICATE IS VALID ONLY FOR THE PURPOSE AND PERSON STATED THEREIN":</u>
- 2) The certificate is clearly and distinctly provided with the dry stamp "STUFEX" as well as the perforated stamp "STUFEX";
- 3) For stamps in the bottommost part of the certificate, the same product amount is indicated as in the certificate itself;
- 4) This certificate has no modifications or irregularities. If this is the case, or if there is any doubt due to any reason, please contact us immediately.

Ponte Nelle Alpi, on April 11, 2002

STUFEX (Stamp and Signature)

Technical data sheet counter elements Tilly



Technical notice natural wood panels

Natural wood panels are multi-ply solid wood panels with two parallel face plies glued on either side of a middle core layer at 90° (cross-grain veneer effect). The middle core layer is made up of strips butt-jointed and glued together with tight joints. The face plies are made of continuous joint-tight glued individual laminae. The face plies and the core are as a matter of principle made of the same type of wood.

TILLY natural wood panels are manufactured to OENORM B3022 and are tested to OENORM B3024. Production to EURO-CEN standards (prEN 122.2013) has already been introduced.

Product description:

structure (examples):

Wood species: Spruce, ping, larch, Swiss stonepine, maple, birch, aged copper beech, sweet

chestnut, oak, alder, ash, cherry, red alder, robinia, elm.

Panel dimensions: Total thickness, hardwood (in mm):

13, 15, 19, 22, 26, 32, Total thickness, softwood (in mm): 42; other thicknesses

may be possible on request:

Lengths, softwood (excl. Swiss stonepine): Lengths, hardwood (and Swiss stonepine):

4.0; 4.5, 5.0 m 0.60: 0.69: 0.72: 0.95: 125; 1.65; 2.05; 2.30; 2.50; 3.00; 3.50; 4.00 m

Widths, softwood (excl. Swiss stonepine):

1.25; 2.05 m Width, hardwood (and Swiss stonepine): 1.25 m

Dimensions of face ply and core Face ply, softwood (in mm): 3.5; 5.5; 7.2; 9.5

Face ply, hardwood (in mm): 5.5

Core, softwood (in mm): 6.0: 8.0: 9.0: 11.0:

13.0: 15.0: 17.0: 21.0:

5/8

23.0

Core, hardwood (in mm): 9.0: 15.0

Standard panel Softwood panels (in mm): FP + C + FP = total

(FP = face ply. C = core)

3.5 + 6.0 + 3.5 = 13 mm $3.5 + 8.0 + 3.5 = 15 \, \text{mm}$ $5.5 + 8.0 + 5.5 = 19 \, \text{mm}$ 5.5 + 15.0 + 5.5 = 26 mm

 $5.5 + 13.0 + 5.5 = 32 \, \text{mm}$ 9.5 + 23.0 + 9.5 = 42 mm $5.5 + 9.0 + 5.5 = 20 \, \text{mm}$

Hardwood panels 5.5 + 15.0 + 5.5 = 26 mm

special panel constructions may be

possible on request;

Qualities/mix: all qualities can be combined with each other for upper and lower surfaces

of the panels (e.g. upper face ply, quality class A, lower face play, quality class B). With hardwood only A and B can be combined. Special combina-

tions on request. All quality specifications are based on

OENORM B3022 table 1.

Declaration of conformity side panels Caledonia



TECHNICAL DATA SHEET

MICROONDA

DOUBLE WALL POLYPROPYLENE COPOLYMER PLATES

- MICROONDA is a re elaboration of alveolar polyprupylene studied for the sector of graphics, communication and promotion: a careful analysis of the market, a careful selection of base raw materials, and advenced technology of transformation, are the base elements to test super structured Microonda placed at top level quality, of reliability and service.
- MICROONDA is used for the realisation of safety banners and divisors that can meet the following needs:
- great resistance to shocks, even violent
- great stability to thermal differences and atmospheric agents
- · it must be light, but robust and unbreakable at low temperatures
- it must be easy to transport
- MICROONDA is the ideal support for self adhesive letter with immediate sticking and following removable
- MICROONDA is the suitable support on which digital elaborates are laminated on adhesive or pre-sticked
- MICROONDA is suitable for direct digital printing with air-brush equipment (spray jet)

HOW TO USE MICROONDA

The organoleptic structure and detensioning process make Microonda a product particularly stabile and at high mechanical stability.

- Microonda is suitable for screen printing, spray jet and digital printing
- Microonda can be plied, cut, sawed, perforated, cut and dis-cut by equipment used in transformation laboratories
- Microanda can be fixed with nails, screws and it does not need any pre-perforation for medium, small formets

OTHER DATAS

- . The composition of Microonda is in conformity with Italian law for food contact (D.M. of 21.03.1973)
- Microonda is a product biologically inert, chemically non reactive: it is not dangerous in transformation process, following the instruction E.E.C. 67/548 and D.M. 21.05.1981.
- · Microonda does not fear water and it remains unaltered to weather, it does not fear chemical agents and greases

- DATA SHEET 09 / 96

DATA	ASTM METHOD	MEASURE UNIT	VALUE	NOTES
ELASTIC MODULUS	D 790	KG/CM2	12000	AT FLEXING
RESISTANCE TO TRACTION	D 638	KG/CM2	250	ENERVATION LIMIT
ELONGATION AT BREAK	D 638	%	>200	AT 23 °C
IZOD RESILIENCE	D 256	KG CM/CM	10	23°C WITH CUTTING
IZOD RESILIENCE	D 256	KG CM/CM	2,5	- 20°C WITH CUTTING
VICAT POINT	D 1525	°C	140	1 KG/MM2
HOT	D 643	"C	90	WITH 46 N/CM2
WATER ABSORPTION	D 570	1/6	0,05	24 H 23℃
STEAM PERMEABILITY	P 398 / 83	GR/N12/24H	0.20	LYSSY L80-3001
LINEAR DILATION COEFFICIENT	D 696	CM/CM/°C	75X10 6	From -30°C +30°C

INDICATION OF SAFETY RULES DURING TRANSFORMATION

During all process of transformation from resin raw material to laminate, following transformation condition and equipment used, some decomposition products under a steam form, can develop and in high concentration can create mucous membrane irritation.

For this reason, it is necessary a good ventilation and aeration of working areas, installing aeration devices directly on equipment.

Ended the process of hot transformation from resin to laminate, any further hypothesis of exhalation and/or adour and taste has to be excluded; so in working area at room temperature, Microanda cannot show, for the worker health, any prejudicial effect, deriving from the same laminate.

Caledonia

ERMOPLASTIC FOILS AND SHEETS FOR CEFSET SCREEN AND ORGITAL FRYITING
NISLAND - TELL +38,02,95307075 - FAX +39,02,95307084

TECHNICAL DATA SHEET

MICROONDA

DOUBLE WALL POLYPROPYLENE COPOLYMER PLATES

RULES FOR SAFETY AND HEALTH OF WORKER

EEC directive 67/548	DANGER	NULL
D.M. of 21.05.548	DANGER	NULL
D.PR. 303/56	Law sanitary check	Point not included in the table annexed to D.PR.
D.M. 25.07.1987 n.555	Classification and labelling	Not requested
Rules A.C.G.I.H.1987/88	Specific product dust	Not assigned limits
D.M. of 21.03.1973	Food contact	In conformity

BEHAVIOUR LIMITS

SOFTENING TEMPERATURE	108 - 122 °C
TRANSFORMATION TEMPERATURE	140 - 250 °C
STARTING DECOMPOSITION TEMPERATURE	>300 °C
INFLAMMABLE TEMPERATURE	FLASH > 360 °C
SPONTANEOUS COMBUSTION TEMPERATURE	> 420 °C
THERMAL LIMIT	10000 at 103 °C
	10000 at - 20 °C

EMERCENCY INTERVENTION

Loss and expansion

Collect with available manual or mechanical means.

- Elimination of the product that cannot be used:
- In checked dumping ground (the polypropylene is similar to urban solid waste);
- By incinerator;

Fire

The polypropylene can burn even with slow primer; it burns with white smoke and flame; it develops a maximum of 1000 K cal/Kg. The extinguish agents are: water, foam, spray water, chemical dust (Halon) carbon dioxide (CO2).

Declaration of conformity tissue Giovanardi



DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA

AREAV - PROTEZIONE PASSIVA
VISTO il Decreto Ministeriale 26 giugno 1984 concernente "Classificazione di reazione al finoco ed omologazione ai fini della prevenzione incendi";

VISTI il Decreto Ministeriale 03 Settembre 2001, recante "Medifiche ed integrazioni al Decreto 26 giugno 1984 concernente classificazione di reazione al fuoco ed omologazione ai fini della prevenzione incendi "e il Decreto Ministeriale 28 maggio 2002 recante rettifiche al decreto medesimo;

VISTA l'istanza presentata dalla ditta F.I.I.I GIOVANARDI di Giovanardi Carlo & C. S.n.c. sita in Via G. Marconi, 63 - 46039 VILLIMPENTA (MN), produttrice del materiale denominato "STAMOD UNO 5000 FR" per ottenere l'omologazione del materiale stesso ai fini della prevenzione incendi;

VISTO il certificato di reazione al fuoco nº 4460 del 30/05/2002 emesso per il predetto materiale dal LA.P.I. S.r.I. di PRATO;

VISTA la scheda tecnica, allegata al predetto certificato, prodotta dalla ditta F.LLI GIOVANARDI di Giovanardi Carlo & C. S.n.c. di VILLIMPENTA (MN)

SLOMOLOGA

con il numero di codice MN222A70!D200065, il prototipo del materiale denominato "STAMOID UNO 5000 FR" prodotto dalla ditta F.L.I. GIOVANARDI di Giovanardi Carlo & C. S.n.e. di VII.J.MPENTA (MN), ai soli fini della prevenzione incendi, nella CLASSE di REAZIONE al FUOCO 2 (DUE) e se ne AUTORIZZA la riproduzione, ai sensi dei decreti ministeriali citati in premessa, conformemente a tutte le caratteristiche apparenti e non apparenti, nonché a quelle dichiarate dalla predetta ditta nella scheda tecnica parimenti citata in premessa.

Sul marchio o sulla dichiarazione di conformità, da allegarsi ad ogni tipo di fornitura del materiale oggetto della presente omologazione, dovranno essere riportati;

- NOME DEL PRODUTTORE: Ditta F.LLI GIOVANARDI di Giovanardi Carlo & C. S.n.c. (o altro segno distintivo);
- ANNO DI PRODUZIONE: (da indicarsi);
- CLASSE DI REAZIONE AL FUOCO: 2 (DUE);
- CODICE: MN222A70D200065;
- POSA IN OPERA: SOSPESO SUSCETTBILE DI PRENDERE FUOCO SU AMBO LE FACCE;
- IMPLEGO: STPART DRAPPEGGI TENDAGGI;
- MANUTENZIONE: METODO "A" COME DA UNI 9176 (1998).

Si richiamano tutti gli obblighi di legge spettanti al produttoro e a tutti i soggetti comunque interessati, a norma del Codice Civile, del Codice Penale e dei decreti ministeriali 26 giugno 1984 e 3 settembre 2001.

Il presente atto, ad eccezione dei casi di decadenza e revoca dell'omologazione previsti dall'art 9, punti 2 e 3, del D.M. 26/6//84, ha una validità di 5 anni dalla data di rilascio ed è rinnovabile alla sua scadenza.

Roma. 3 MR6. 2004

Fasc. 4190 sort. 212

N.H. IL RRISENTE ATTO DI OMOLOGAZIONE EL MPRODUCIDILE UNICAMENTE NELLA SUA INTEGRALE STESURA IL DIRETTORE GENTRALE (Dott. lug. Roberto BARZI)

Certificate of Flame Resistance



ISSUED BY Gion Raven Custom Fabrics, LLC

Cate treated or

	(Phane)	336/227-6211 (Fex) 336/229-	4-07-2007
		, ,	
		cribed below have been flame-res	ardoni treated (or are inherently nonflammak
FOR	PMC EXHIBIT FABRICATORS DBA SOPTSPACE BE EVERGREEN DRIVE PORTLAND ME 04103		
(enification is hereby made th	tat: (Check "a" or "b")	
	registered by the State Fire N	this Certificate have been upased (araba) and that the application of a and the Rules and Regulations	l with a flame-returdant chemical approved an f said chemical was done in conformance with of the State Fire Marshal.
	Name of chemical used		Chem. Reg. No.
	Method of application		
X (b	The articles described below State Fire Marshal for such u		fabric or material registered and approved by
	Trace name of flame resistar	or fabric or material used	
	88056 FIRESIST HUY CHERRY	RED	Reg. No. F-308.06
T	ne Flame-Retardant P	rocess Used WILL NO	OT Be Removed By Washing
Glen Ra	ven Custom Fabrics, LLC	Rv	Storen L. Ellington
	liceror or Production Superincendent		Canada I for a manufacture I de la company

Control Number <u> 38959</u> Order Number 47374

PO Number <u>07-350</u>

Invoice Number 1387000

Quantity 140.00

игимент.

100/100 🗗

CYNUN

DESGRAPSICA XA3 80:41 7005/80/80



CITY OF PORTLAND, MAINE

Department of Building Inspections

May 30 20 07
Received from Location of Work
Cost of Construction \$
Permit Fee \$
Building (IL) Plumbing (I5) Electrical (I2) Site Plan (U2)
Other TENE
CBL: 307 AA OID
Check #: Total Collected \$

THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$10.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Permit Copy