

Site Number: 10047

Code:

ANSI/TIA-222-G

© 2007 - 2017 by ATC IP LLC. All rights reserved.

Site Name: PORTLAND ME, ME

Engineering Number:

OAA706994\_C3\_01

7/26/2017 2:24:49 PM

Customer: T-MOBILE

Seismic (Reduced DL) 300 deg M1	215.00	0.043	0.0003	0.0140	0.0140
Seismic (Reduced DL) 300 deg M1	230.08	0.050	0.0003	0.0228	0.0228
Seismic (Reduced DL) 300 deg M1	239.58	0.053	0.0003	0.0193	0.0193
Seismic (Reduced DL) 300 deg M1	259.67	0.058	0.0003	0.0044	0.0044
Seismic (Reduced DL) 300 deg M1	270.00	0.058	0.0003	0.0070	0.0070
Seismic (Reduced DL) 300 deg M1	272.17	0.058	0.0003	0.0201	0.0201
Seismic (Reduced DL) 300 deg M2	37.00	0.002	0.0002	0.0044	0.0044
Seismic (Reduced DL) 300 deg M2	99.33	0.005	0.0003	0.0066	0.0066
Seismic (Reduced DL) 300 deg M2	123.00	0.007	0.0003	0.0069	0.0069
Seismic (Reduced DL) 300 deg M2	125.33	0.007	0.0003	0.0086	0.0086
Seismic (Reduced DL) 300 deg M2	143.00	0.010	0.0003	0.0101	0.0102
Seismic (Reduced DL) 300 deg M2	152.33	0.011	0.0003	0.0120	0.0120
Seismic (Reduced DL) 300 deg M2	167.67	0.015	0.0003	0.0168	0.0168
Seismic (Reduced DL) 300 deg M2	170.00	0.015	0.0003	0.0182	0.0182
Seismic (Reduced DL) 300 deg M2	187.67	0.022	0.0003	0.0259	0.0259
Seismic (Reduced DL) 300 deg M2	190.00	0.023	0.0003	0.0266	0.0266
Seismic (Reduced DL) 300 deg M2	206.50	0.032	0.0003	0.0356	0.0356
Seismic (Reduced DL) 300 deg M2	215.00	0.037	0.0003	0.0430	0.0430
Seismic (Reduced DL) 300 deg M2	230.08	0.054	0.0004	0.0593	0.0593
Seismic (Reduced DL) 300 deg M2	239.58	0.063	0.0004	0.0595	0.0595
Seismic (Reduced DL) 300 deg M2	259.67	0.082	0.0004	0.0423	0.0423
Seismic (Reduced DL) 300 deg M2	270.00	0.089	0.0004	0.0464	0.0464
Seismic (Reduced DL) 300 deg M2	272.17	0.090	0.0004	0.0546	0.0546
Seismic (Reduced DL) 330 deg M1	37.00	0.002	0.0002	0.0058	0.0058
Seismic (Reduced DL) 330 deg M1	99.33	0.011	-0.0002	0.0153	0.0153
Seismic (Reduced DL) 330 deg M1	123.00	0.018	-0.0002	0.0177	0.0177
Seismic (Reduced DL) 330 deg M1	125.33	0.019	-0.0002	0.0208	0.0208
Seismic (Reduced DL) 330 deg M1	143.00	0.025	-0.0003	0.0181	0.0181
Seismic (Reduced DL) 330 deg M1	152.33	0.027	-0.0003	0.0175	0.0175
Seismic (Reduced DL) 330 deg M1	167.67	0.031	-0.0003	0.0183	0.0183
Seismic (Reduced DL) 330 deg M1	170.00	0.032	-0.0003	0.0185	0.0185
Seismic (Reduced DL) 330 deg M1	187.67	0.038	-0.0003	0.0164	0.0164
Seismic (Reduced DL) 330 deg M1	190.00	0.038	-0.0003	0.0151	0.0151
Seismic (Reduced DL) 330 deg M1	206.50	0.042	-0.0003	0.0122	0.0122
Seismic (Reduced DL) 330 deg M1	215.00	0.043	-0.0003	0.0177	0.0177
Seismic (Reduced DL) 330 deg M1	230.08	0.051	-0.0003	0.0228	0.0228
Seismic (Reduced DL) 330 deg M1	239.58	0.054	-0.0003	0.0199	0.0199
Seismic (Reduced DL) 330 deg M1	259.67	0.059	-0.0003	0.0047	0.0047
Seismic (Reduced DL) 330 deg M1	270.00	0.059	-0.0003	0.0078	0.0078
Seismic (Reduced DL) 330 deg M1	272.17	0.059	-0.0003	0.0201	0.0201
Seismic (Reduced DL) 330 deg M2	37.00	0.002	0.0002	0.0042	0.0042
Seismic (Reduced DL) 330 deg M2	99.33	0.005	0.0002	0.0066	0.0066
Seismic (Reduced DL) 330 deg M2	123.00	0.007	0.0002	0.0074	0.0074
Seismic (Reduced DL) 330 deg M2	125.33	0.007	0.0002	0.0085	0.0085
Seismic (Reduced DL) 330 deg M2	143.00	0.010	0.0002	0.0108	0.0108
Seismic (Reduced DL) 330 deg M2	152.33	0.011	0.0002	0.0121	0.0121
Seismic (Reduced DL) 330 deg M2	167.67	0.015	0.0002	0.0175	0.0175
Seismic (Reduced DL) 330 deg M2	170.00	0.015	0.0002	0.0186	0.0186
Seismic (Reduced DL) 330 deg M2	187.67	0.022	0.0002	0.0268	0.0268
Seismic (Reduced DL) 330 deg M2	190.00	0.023	0.0002	0.0272	0.0272
Seismic (Reduced DL) 330 deg M2	206.50	0.032	0.0002	0.0364	0.0364
Seismic (Reduced DL) 330 deg M2	215.00	0.038	0.0003	0.0470	0.0470
Seismic (Reduced DL) 330 deg M2	230.08	0.055	0.0003	0.0601	0.0601
Seismic (Reduced DL) 330 deg M2	239.58	0.064	0.0003	0.0612	0.0612
Seismic (Reduced DL) 330 deg M2	259.67	0.084	0.0003	0.0438	0.0438
Seismic (Reduced DL) 330 deg M2	270.00	0.091	0.0003	0.0490	0.0490
Seismic (Reduced DL) 330 deg M2	272.17	0.092	0.0003	0.0537	0.0537
Serviceability - 60 mph Wind Normal	37.00	0.027	0.0028	0.0388	0.0389
Serviceability - 60 mph Wind Normal	99.33	0.070	0.0027	0.0214	0.0216
Serviceability - 60 mph Wind Normal	123.00	0.089	0.0027	0.0385	0.0385
Serviceability - 60 mph Wind Normal	125.33	0.091	0.0027	0.0557	0.0557
Serviceability - 60 mph Wind Normal	143.00	0.104	0.0027	0.0302	0.0302