


1/8" = 1'-0"


A1 FOUNDATION PLAN



- FOUNDATION PLAN NOTES:**
1. TOP OF WALL ELEVATION (TOW) = 0'-0" UNLESS NOTED.
 2. TOP OF INTERIOR SPREAD FOOTINGS TO BE -1'-4" BELOW FINISHED SLAB ELEVATION NOTED ON DRAWING.
 3. BOTTOM OF EXTERIOR WALL FOOTING TO BE 4'-0" BELOW FINISHED GRADE. CONTRACTOR TO STEP FOOTINGS AS REQUIRED. REFER TO SECTION D1/S-001 FOR DETAIL.
 4. FOR LOCATIONS MARKED P-# SEE DRAWING SB-500 FOR ENLARGED PLAN VIEWS.
- CA INDICATES COLUMN TYPE - SEE DRAWING S-000 FOR SCHEDULE.
 - BA INDICATES BASE PLATE TYPE - SEE DRAWING S-000 FOR SCHEDULE.
 - FA INDICATES FOOTING TYPE - SEE DRAWING S-000 FOR SCHEDULE.
 - WA PROVIDE VERTICAL CONTROL JOINT IN MASONRY WALL, BOTH SIDES.
 - 1 LENGTH OF WALL TO MATCH CMU COURSING, STEP FOOTING PER SECTION D5/S-001.
 - 2

PERMIT SET
JUNE 23, 2006

REVISIONS				
NUMBER	DATE	BY	DESCRIPTION	



Allied Engineering
Structural Mechanical Electrical Commissioning

160 Veranda Street
Portland, Maine 04103
T: 207.221.2260
F: 207.221.2266
Web: www.allied-eng.com

SB-100

FOUNDATION PLAN

DELTA ROOFING

PORTLAND, MAINE

© COPYRIGHT 2006 ALLIED ENGINEERING, INC.