

1 PL-800-A FLOOR CLEANOUT DETAIL
N.T.S.



2 PL-800-A UNDERSLAB SANITARY PIPE BENDING DETAIL
N.T.S.



NOTES:
1. PROVIDE FLOOR DRAIN WITH TRAP PRIMER TAPPING AND TRAP PRIMER PIPING AS SPECIFIED.
2. REFER TO STRUCTUAL DETAILS FOR ADDITIONAL INFORMATION AND CONCRETE SLOPING.

3 PL-800-A FLOOR DRAIN DETAIL
N.T.S.



NOTES:
1. PROVIDE FLOOR DRAIN WITH TRAP PRIMER TAPPING AND TRAP PRIMER AS SPECIFIED.

4 PL-800-A 4" RAISED FLOOR DRAIN DETAIL
N.T.S.



NOTES:
1. PROVIDE FLOOR DRAIN WITH TRAP PRIMER TAPPING AND TRAP PRIMER AS SPECIFIED.

5 PL-800-A 3" RAISED FLOOR DRAIN DETAIL
N.T.S.



NOTES:
1. THE FINISHED LEVEL OF THE CONCRETE SURROUND MUST BE APPROXIMATELY 1/8" ABOVE TOP OF THE CHANNEL EDGE.
2. REFER TO STRUCTUAL DETAILS FOR ADDITIONAL INFORMATION AND CONCRETE SLOPING.

6 PL-800-A TRENCH DRAIN DETAIL
N.T.S.

Stantec
Stantec Consulting Services Inc.
3 Columbia Circle Suite 6
Albany, NY 12203-5158
Tel: (518) 452-4358 / Fax: (518) 452-9234
www.stantec.com

Copyright Reserved
The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Client
ImmuCell
Lot 11 - Second Tee Business Park
1039 Riverside Street
Portland, Maine 04103

Consultants

Revision	By	Appd	DD.MM.YYYY
0 FOUNDATION & BELOW SLAB - ISSUED FOR CONSTRUCTION	JLB	KJM	07/22/2016

Issued	By	Appd	DD.MM.YYYY
PACKAGE C - INTERIOR FIT-UP			08.19.2016
PACKAGE B - SUPERSTRUCTURE & SHELL			08.05.2016
PACKAGE A - FOUNDATIONS & BELOW SLAB			**07.22.2016**

Permit-Seal
STATE OF MAINE
Richard D. Wagner
12592
LICENSED PROFESSIONAL ENGINEER
7.22.16

Client/Project
IMMUCELL
Lot 11 - Second Tee Business Park
1039 Riverside Street
Portland, Maine 04103

Title
PLUMBING DETAIL SHEET

Project No. 191504176
Scale 12" = 1'-0"
Revision 0
Drawing No. PL-800-A

R:\01/05_AB1_NY_UN_CDD_CAD\191504176\01_PNBD_ImmuCell_191504176.rvt
7/22/2016 11:46:29 AM

ORIGINAL SHEET - ANSI E (34"x44")