FOUNDATION PLAN


1/4" = 1'-0"


NOTES: SMOKE ALARMS SHALL BE INTERCONNECTED & INSTALLED IN THE FOLLOWING LOCATIONS

- 1. EACH SLEEPING AREA
- 2. OUTSIDE EACH SEPARATE SLEEPING AREA IN THE IMMEDIATE VICINITY OF THE BEDROOMS
- 3. ON EACH ADDITIONAL STORY OF THE DWELLING INCLUDING BASEMENTS
- 4. FIRE SEPARATION PER TOWN AND LOCAL CODE WHEN REQUIRED
- * DENOTES EGRESS WINDOW

M FOUNDATION NOTES:

- 4" DIA. CONTINUOUS PERF. PERIMETER DRAIN WITH HOLES ORIENTED DOWN. SLOPED TO DAYLIGHT OR TO STORM SEWER OR DRYWELL.
- 2. ALL LALLY COLUMNS THIS SHEET ASSUMED TO BE TYP.
- 3. ALL INTERIOR FOOTINGS TO BE DESIGNED PER SOIL CONDITIONS.
- CONTRACTOR TO VERIFY.
- DECK SUPPORTS ASSUMED TO BE 10" DIA. SONOTUBES. SOIL CONDITIONS TO DETERMINE FOOTING DESIGN. CONTRACTOR TO VERIFY.
- 5. FOR PLUMBING LOCATION/LAYOUT, SEE GROUND FLOOR PLAN.
- CONTRACTOR TO VERIFY CONDITIONS IN FIELD AND STEP FND./FTGS AS REQUIRED PER GRADE. AND SOIL CONDITIONS
- 7. BASEMENT FINISHES PER OWNER/CONT. (TO BE DETERMINED)





FINISHED CONSTRUCTION. FINAL MATERIALS, WINDOW/DOOR LOCATIONS AND

SIZES, TO BE DETERMINED PER OWNER/CONT. OR LOCAL CODES.

DN Ò

HANCOCK LUMBER.
S NOT THE WORK
ITS EMPLOYEES ARE
MAY WANT TO CONSU
NY BUILDING OR
IG CUSTOMERS WITH THE THIS INFORMATION IS PROVIDED TO OUR CUSTOMERS AS A SERVICE OF H CUSTOMERS SHOULD APPRECIATE, HOWEVER, THAT THIS INFORMATION IS PRODUCT OF ANY ARCHITECT. NEITHER HANCOCK LUMBER NOR ANY OF I REGISTERED ARCHITECTS WITHIN THE STATE OF MAINE, AND CUSTOMERS NITH AN ARCHITECT BEFORE TAKING FINAL ACTION WITH REGARD TO ANY STRUCTURE. CUSTOMERS SHOULD ALSO APPRECIATE THAT, BY PROVIDING INFORMATION, HANCOCK LUMBER DOES NOT GUARANTEE THE SOUNDNESS THE INFORMATION FOR ANY PURPOSE OF THE CUSTOMER.

Revisions: 00/00/00 -Date:

Scale: 1/4"=1'-0"

Drawn By: Project: C-04 Sheet Number:

2 of 3