CITY OF PORTLAND, MAINE
RESURGAM
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/12/2017

FIGURES:

A - 1" RAILING CAP PRESSURE TREATED WOOD

B - 1" DECK BOARDS AND MATCHING STAIR TREADS PRESSURE TREATED WOOD

C - ALL CONNECTIONS FROM POST TO FOOTERS ARE TO BE SIMPSON STRONG TIE ABA POST BASE GALVANIZED

D - ALL CARRYING BEAM TO POST CONNECTIONS ARE TO REINFORCED WITH SIMPSON STRONG TIE BC6 POST CAPS GALVANIZED

E - ALL GUARD RAIL SPINDLES ARE TO BE 1 1/4" x 1 1/4" WIDE PRESSURE TREATED WOOD

★ NOTES:

- GRADE FROM THE FRONT STEPS TO THE SIDE STEPS DROPS 7 1/2" IN 20" RESULTING IN A EXTRA STEP IN THE FRONT VIEW ON PAGE (5)

- ALL FASTENERS FOR SIMPSON STRONG TIE REINFORCEMENTS ARE TO BE NO SMALLER THAN #10 COATED SCREWS 4" IN LENGTH