DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT



This is to certify that **STEVEN FOWLER-GREAVES**

Located At 27 DEDHAM ST

Job ID: 2012-07-4443-SF

CBL: 335- C-021-001

has permission to build a new Single Family Residence, 28 by 32 with a 8 by 12 foot bump out.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be

08/21/2012

Fire Prevention Officer

Code Enforcement Officer / Plan Reviewer

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
PENALTY FOR REMOVING THIS CARD

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 (ONLY)

or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- 1. Footings/Setbacks prior to pouring concrete
- 2. Foundation wall prior to backfill
- 3. Close In Elec/Plmb/Frame prior to insulate or gypsum
- 4. Insulation prior to close-in.
- 5. Final Inspection/ certificate of occupancy

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.



PORTLAND MAINE

Strengthening a Remarkable City, Building a Community for Life . www.portlandmaine.gov

Director of Planning and Urban Development Jeff Levine

Job ID: <u>2012-07-4443-SF</u> Located At: <u>27 DEDHAM ST</u> CBL: <u>335- C-021-001</u>

Conditions of Approval:

Zoning

- This permit is being approved on the basis of plans submitted including the revised site plan submitted 8/7/12. Any deviations shall require a separate approval before starting that work.
- As discussed during the review process, the property must be clearly identified prior to pouring concrete and compliance with the required setbacks must be established. Due to the proximity of the setbacks of the proposed structure, it may be required to be located by a surveyor.
- 3. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
- 4. Separate permits shall be required for future decks, sheds, pools, and/or garages.
- 5. Before the certificate of occupancy can be issued, you will need to submit a recorded deed that includes a written description of the drainage and sewer easement that runs through the rear of the property.
- 6. The front entry landing & steps are being approved using section 14-425. The footprint can extend up to 6' off the building and it must be 50 sf or less.

Fire

- 1. All construction shall comply with City Code Chapter 10.
- 2. A sprinkler system shall be installed.
- 3. A separate no fee One- or Two-family Fire Sprinkler Permit is required.
- 4. All smoke detectors and smoke alarms shall be photoelectric.
- 5. Hardwired Carbon Monoxide alarms with battery back up are required on each floor.
- 6. Sprinkler requirements
- 7. The sprinkler system shall be installed in accordance with NFPA 13D. A compliance letter is required.
- 8. All control valves shall be supervised in accordance with NFPA 13D. Pad locks shall only be installed on valves designed to be secured in the open position by pad lock.
- 9. Application requires State Fire Marshal approval.
- Install an NFPA 13D automatic sprinkler system.

Job ID: 2012-07-4443-SF Located At: 27 DEDHAM ST CBL: 335- C-021-001

DRC

1. The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.

- 2. The applicant shall have a licensed surveyor install, prior to the issuance of any Certificate of Occupancy, permanent monumentation/pins identifying property corners.
- 3. A street opening permit(s) is required for your site. Please contact Carol Merritt ay 874-8300, ext. 8822. (Only excavators licensed by the City of Portland are eligible.)
- All damage to sidewalk, curb, street, or public utilities shall be repaired to City of Portland standards prior to issuance of a certificate of occupancy.
- 5. The Development Review Coordinator (874-8632) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closing with these requirements in mind.
- 6. Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
- 7. All Site work (final grading, landscaping, loam and seed) must be completed prior to issuance of a certificate of occupancy. A performance guarantee will be required to cover the cost of site work not completed due to seasonal conditions ie., finish grading, loaming, seeding, mulching, installation of street trees, etc. The performance guarantee must be reviewed, approved, and accepted by the Planning Authority prior to the release of a Temporary Certificate of Occupancy.
- Trees that are designated to be saved are to be protected during excavation and
 construction. Tree protection fencing is to be installed around the tree canopy drip line
 prior to the start of any excavation. Tree protection measures are to be inspected and
 maintained daily.
- 9. Erosion and Sedimentation control shall be established and inspected by the Development Review Coordinator prior to soil disturbance, and shall be done in accordance with Best Management Practices, Maine Department of Environmental Protection Technical and Design Standards and Guidelines. All Erosion and Sedimentation control measures must be inspected and maintained daily.
- 10. A sewer permit is required for your project. Please contact Carol Merritt at 874-8300, ext . 8822. The Wastewater and Drainage section of Public Services must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.

Building

- Separate permits are required for any electrical: plumbing, sprinkler, fire alarm, HVAC systems, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 2. Permit approved based on the plans submitted and reviewed w/owner/ contractor, with additional information as agreed on and as noted on plans.
- A Carbon Monoxide (CO) alarms shall be installed in each area within or giving access to bedrooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.
- 4. Hardwired photoelectric interconnected battery backup smoke alarms shall be installed in each bedroom, protecting the bedrooms, and on every level.
- 5. Submit specifications for Engineered trusses and beams prior to construction.

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, FAX: (207) 8716

Job No: 2012-07-4443-SF	Date Applied: 7/11/2012		CBL: 335- C-021-001			
Location of Construction: Owner Name: STEVEN FOWLER-GREAVE		REAVES	Owner Address: 661 ALLEN AVE PORTLAND, ME 0	Phone: 207-400-1601		
Business Name:	Contractor Name: Vernard Kavanaugh			ess: uis ME 04619		Phone: (207) 454-0127
Lessee/Buyer's Name: Vernard Kavanaugh	Phone: 207-454-0127	Permit Type: BLDG - Building			Zone:	
Past Use: Vacant Land (permit #090226 expired)	Proposed Use: Build new, two story family home – 28' x 3 x 12' bump out on lef	32' with 8'	Cost of Work: 100000.00 Fire Dept: Signature:	Approved Denied N/A		Inspection: Use Group: R3 Type: 58 TR(,2009 Signature:
Proposed Project Description New SF 1984sf, no garage, 2 stori Permit Taken By: Brad			Pedestrian Activi	ities District (P.A.I		
This permit application	•	Shorelan		Zoning Appeal Variance	Historic P	reservation st or Landmark
 Applicant(s) from meeting applicable State and Federal Rules. 2. Building Permits do not include plumbing, septic or electrial work. 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informatin may invalidate a building permit and stop all work. 		Flood ZoneConditional UseRequSubdivisionInterpretationApproved		Requires	oved w/Conditions	
ereby certify that I am the owner of	frecord of the named property,	Date: OX O	I COND TO	Date:	Date: ARV	
owner to make this application as happication is issued, I certify that the	his authorized agent and I agree the code official's authorized re	to conform to	all applicable laws of th	nis jurisdiction. In addi	tion, if a permit for wo	rk described in
enforce the provision of the code(s)	,					

Jonathan Rioux - 27 Dedham St.

From: Jonathan Rioux

To: JFGLCSW@hotmail.com; vjkavanaugh@hotmail.com

Date: 8/1/2012 2:28 PM **Subject:** 27 Dedham St.

Can you provide a response to the items listed below?

- 1. Anchor Bolts/Straps, spacing (Section R403.1.6) Spacing at Corners?
- 2. Fabric, Damp proofing (Section R405 & R406)?
- 3. Lally Column Type (Section R407) Girder & Header Spans (Table R 502.5(2))- max span for (3) 2 x 12 inch Girders?
- 4. Sheathing; Floor &Wall (Table R503.2.1.1(1)?
- 5. Emergency Escape and Rescue Openings (Section R310)- Egress windows in bedrooms?
- 6. Window sills in locations more than 72 inches from finished grade shall be a minimum of 24 inches above the finished floor of the room, unless a window fall prevention devices is installed in accordance with section R612.3.
- 7. A code compliant emergency escape shall be provided in each bedroom. Window sills in locations more than 72 inches from finished grade shall be a minimum of 24 inches (no higher than 44 inches) above the finished floor of the room, or in compliance with Section R612.4.2 Operation for emergency escape.
- 8. Safety Glazing (Section R308)- in hazard areas?
- 9. Attic Access (Section R807)?
- 10. Header Schedule (Tables R502.5(1) & (2))?
- 11. Guardrails and Handrails (Section R312 & R311.5.6 R311.5.6.3)?
- 12. Stairway headroom shall be not less than 6 feet 8 inches measured vertically from the sloped plane adjoining the tread nosing or from the floor surface of the landing or platform?
- 13. Ventilation of this space is required per ASRAE 62.2, 2007 edition; insulation shall comply with the IECC, 2009 (Maine State Energy Codes)?

Jonathan Rioux Code Enforcement Officer/ Plan Reviewer

City of Portland
Planning and Urban Development Department
Inspection Services Division
389 Congress St. Rm 315
Portland, ME 04101
Office: 207.874.8702
Support Staff: 207.874.8703
jrioux@portlandmaine.gov

ONE AND TWO FAMILY	PLAN REVIEW	CHECKLIST
Soil type/Presumptive Load Value (Table R401.4.	.1)	
Component	Submitted Plan	Findings/Revisions/Dates
STRUCTURAL Footing Dimensions/Depth (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1)	20×10" Feeting 8" Thick well /4" slad	
Foundation Drainage, Fabric, Damp proofing (Section R405 & R406)	4" OIA "Dempprooding per 406.1" w/ Ridgid Insolution	Okey
Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY		
Anchor Bolts/Straps, spacing (Section R403.1.6)	Bolts 1/2 6-0" O.C. w/ 12"e Cores	Olcay
Lally Column Type (Section R407)	3 1/2" Celly spon= 6-3" Nox >	261-04 wide > Okey
Girder & Header Spans (Table R 502.5(2))	(3) 9 XID" Finder	
Built-Up Wood Center Girder Dimension/Type		
Sill/Band Joist Type & Dimensions	2×6" P.T.	okey
First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))	2x12" e 16" o. C	Oksy
Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))	2×12" e 16" 0.C.	
Attic or additional Floor Joist Species Dimensions and Spacing (Table R802.4(1) and R802.4(2))	Trusses	Need Specs.

Type of Heating System		
Means of Egress (Sec R311 & R312) Basement	window well	okay Height?
Number of Stairways		
Interior		" 1 (e)" 40-01
Exterior		"Comply of R311" A0-01
Treads and Risers (Section R311.5.3)	73/4" × 10"	
Width (Section R311.5.1)	3'-7'2" 36" Min.	Okzy
Headroom (Section R311.7.2)	"A2-01"	
Guardrails and Handrails (Section R312 & R311.5.6 – R311.5.6.3)	3438" " R311.3.67	(o key)
Carbon Monoxide Alarms (R315) Smoke Alarms (Section R314) Location and Interconnected	smk/co Alerns shows	Oker
Dwelling Unit Separation (Section R302.3)	N/A	Okay
Deck Construction (Section R502.2)	·	

Pitch, Span, Spacing& Dimension (Table R802.5.1(1) - R 802.5.1(8)) Roof Rafter; Framing & Connections (Section R802.3 & R802.3.1)	12 Trusses e 24" O.C.	Need Specs.
Sheathing; Floor, Wall and Roof (Table R503.2.1.1(1)	Floor: 3/4 Wall: 1/2" Roof: 5/8"	OKZY
Fastener Schedule (Table R602.3(1) & (2))	Reference 2 A0-01	0 (cey)
Private Garage (Section R302.5) Living Space (Above or beside)?		
Table R302.6 Fire separation (Section R302.6)	N/A	1 (Olter
Opening Protection (Section R302.5.1)	N/A	
Emergency Escape and Rescue Openings (Section R310)	" (Revised"	otay w/ condition(s)
Roof Covering (Chapter 9)	Asphalt	Obey
Safety Glazing (Section R308)	"side/ med room entry"	062
Attic Access (Section R807)	" Satalucei Ocket"	Okey
Chimney Clearances/Fire Blocking (Chap. 10)		
Header Schedule (Tables R502.5(1) & (2))	" Rso2.5"	Okay
Energy Efficiency IECC, 2009 R-Factors of Walls, Floors, Ceilings, Building Envelope, U-Factor Fenestration Ventilation of Space per ASRAE 62.2, 2007	"See Compliance Cert."	Okoy



Project Title: Kavanaugh Residence

Energy Code: Location: Construction Type: 2009 IECC Portland, Maine Single Family

Glazing Area Percentage: Heating Degree Days: Climate Zone:

12% 7378

Construction Site: Dedham Street Lot C Portland, ME 04103 Owner/Agent: Vernard Kavanaugh Designer/Contractor:

John Ossie CAD-de-tech LLC

235 Riverside Industrial Parkway

Portland, ME 04103 207-329-6499

jossie@cad-de-tech.com

Compliance: Passes using UA trade-off

Compliance: 2.4% Better Than Code

Maximum UA: 967

Your UA: 944

The % Better or Worse Than Code index reflects how close to compliance the house is based on code trade-off rules.

It DOES NOT provide an estimate of energy use or cost relative to a minimum-code home.

Assembly	Gross Area or Perimeter	Cavity R-Value	Cont. R-Value	Glazing or Door U-Factor	UA
Wall 1: Wood Frame, 16" o.c.	572	23.0	5.0		18
Window 1: Wood Frame: Double Pane	13			0.350	5
Window 2: Wood Frame:Double Pane	13			0.350	5
Window 3: Wood Frame:Double Pane	13			0.350	5
Window 4: Wood Frame:Double Pane	13			0.350	5
Window 5: Wood Frame:Double Pane	13			0.350	5
Window 6: Wood Frame:Double Pane	14			0.350	5
Window 7: Wood Frame:Double Pane	14			0.350	5
Window 8: Wood Frame:Double Pane	14			0.350	5
Window 9: Wood Frame:Double Pane	14			0.350	5
Door 1: Solid	19			0.500	10
Wall 2: Wood Frame, 16" o.c.	140	23.0	5.0		4
Window 10: Wood Frame:Double Pane	10			0.350	4
Window 11: Wood Frame: Double Pane	6			0.350	2
Window 12: Wood Frame:Double Pane	6			0.350	2
Door 2: Solid	19			0.500	10
Wall 3: Wood Frame, 16" o.c.	632	23.0	5.0		25
Window 13: Wood Frame:Double Pane	14			0.350	5
Window 14: Wood Frame:Double Pane	14			0.350	5
Wall 4: Wood Frame, 16" o.c.	715	23.0	5.0		25
Window 15: Wood Frame:Double Pane	8			0.350	3
Window 16: Wood Frame:Double Pane	8			0.350	3
Window 17: Wood Frame:Double Pane	8			0.350	3
Window 18: Wood Frame:Double Pane	12			0.350	4
Window 19: Wood Frame:Double Pane	12			0.350	4
Window 20: Wood Frame:Double Pane	8			0.350	3
Window 21: Wood Frame:Double Pane	14			0.350	5
Window 22: Wood Frame:Double Pane	14			0.350	5
Door 3: Glass	19			0.350	7

Project Title: Kavanaugh Residence

Data filename: K:\CDT Projects\Dedham Lot C\RESK\Kavanaugh.rck

Report date: 08/14/12

Page 1 of 8

Wall 5: Wood Frame, 16" o.c.	632	23.0	5.0		25	
Window 23: Wood Frame:Double Pane	13			0.350	5	
Window 24: Wood Frame:Double Pane	13			0.350	5 5	
Basement Wall 1: Solid Concrete or Masonry Wall height: 7.8' Depth below grade: 7.2' Insulation depth: 7.2'	321	0.0	10.0		18	
Window 25: Metal Frame with Thermal Break:Double Pane	34			0.350	12	
Basement Wall 2: Solid Concrete or Masonry Wall height: 7.8' Depth below grade: 7.2' Insulation depth: 7.2'	224	0.0	10.0		14	
Basement Wall 3: Solid Concrete or Masonry Wall height: 7.8' Depth below grade: 7.2' Insulation depth: 7.2'	321	0.0	10.0		20	
Basement Wall 4: Solid Concrete or Masonry Wall height: 7.8' Depth below grade: 7.2' Insulation depth: 7.2'	224	0.0	10.0		14	
Floor 1: Slab-On-Grade:Unheated Insulation depth: 6.0'	903		10.0		618	
Ceiling 1: Raised or Energy Truss	992	46.0	0.0		21	

Compliance Statement: The proposed building design described here is consistent with the building plans, specifications, and other calculations submitted with the permit application. The proposed building has been designed to meet the 2009 IECC requirements in REScheck Version 4.4.3 and to comply with the mandatory requirements listed in the REScheck Inspection Checklist.

Name - Title	Signature	Date



REScheck Software Version 4.4.3

Inspection Checklist

Energy Code: Location: Construction Type: 2009 IECC Portland, Maine Single Family 12% 7378 6

Glazing Area Percentage: Heating Degree Days: Climate Zone:

C	0	П	i	m	~		
v	Э	Ш	ı	11	ч	Э	٠

Ceiling 1: Raised or Energy Truss, R-46.0 cavity insulation Comments:
Insulation must achieve full height over the plate lines of exterior walls.
Above-Grade Walls:
Wall 1: Wood Frame, 16" o.c., R-23.0 cavity + R-5.0 continuous insulation Continuous insulation specified for this above-grade wall has consistent R-value rating across full area of the wall. Comments:
Wall 2: Wood Frame, 16* o.c., R-23.0 cavity + R-5.0 continuous insulation Continuous insulation specified for this above-grade wall has consistent R-value rating across full area of the wall. Comments:
Wall 3: Wood Frame, 16" o.c., R-23.0 cavity + R-5.0 continuous insulation Continuous insulation specified for this above-grade wall has consistent R-value rating across full area of the wall. Comments:
Wall 4: Wood Frame, 16" o.c., R-23.0 cavity + R-5.0 continuous insulation Continuous insulation specified for this above-grade wall has consistent R-value rating across full area of the wall. Comments:
Wall 5: Wood Frame, 16" o.c., R-23.0 cavity + R-5.0 continuous insulation Continuous insulation specified for this above-grade wall has consistent R-value rating across full area of the wall. Comments:
Basement Walls:
Basement Wall 1: Solid Concrete or Masonry, 7.8' ht / 7.2' bg / 7.2' insul, R-10.0 continuous insulation Comments:
Basement Wall 2: Solid Concrete or Masonry, 7.8' ht / 7.2' bg / 7.2' insul, R-10.0 continuous insulation Comments:
Basement Wall 3: Solid Concrete or Masonry, 7.8' ht / 7.2' bg / 7.2' insul, R-10.0 continuous insulation Comments:
Basement Wall 4: Solid Concrete or Masonry, 7.8' ht / 7.2' bg / 7.2' insul, R-10.0 continuous insulation Comments:
Windows:
Window 1: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No Comments: Section 1.350
Window 2: Wood Frame:Double Pane, U-factor: 0.350
For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No Comments:

Project Title: Kavanaugh Residence
Data filename: K:\CDT Projects\Dedham Lot C\RESK\Kavanaugh.rck

Report date: 08/14/12

Page 3 of 8

	Window 3: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No Comments:
	Window 4: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No
	Comments:
	Window 5: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No Comments: O
	Window 6: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No Comments:
	Window 7: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No Comments:
	Window 8: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No Comments:
	Window 9: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No Comments: No
	Window 10: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No Comments:
	Window 11: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No
	Comments:
	Window 12: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No Comments: Root Comments: Root
	Window 13: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No Comments: O
	Window 14: Wood Frame:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No
_	Comments:

Project Title: Kavanaugh Residence
Data filename: K:\CDT Projects\Dedham Lot C\RESK\Kavanaugh.rck

	#Panes Frame Type Thermal Break? Yes No
	Comments:
Ц	Window 16: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No
	Comments:
	Window 17: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No
	Comments:
	Window 18: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No
	Comments:
	Window 19: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No
	Comments:
	Window 20: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No
	Comments:
	Window 21: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No
_	Comments:
	Window 22: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No Comments:
Ш	Window 23: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No Comments:
ш	Window 24: Wood Frame:Double Pane, U-factor: 0.350
	For windows without labeled U-factors, describe features: #Panes Frame Type Thermal Break? Yes No
	Comments:
ш	Window 25: Metal Frame with Thermal Break:Double Pane, U-factor: 0.350 For windows without labeled U-factors, describe features:
	#Panes Frame Type Thermal Break? Yes No
	Comments:
	Doors:
	Door 1: Solid, U-factor: 0.500
	Comments: This door is exempt from the U-factor requirement.
	Door 2: Solid, U-factor: 0.500 Comments:
	Door 3: Glass, U-factor: 0.350
_	Comments:

	Floors:
	Floor 1: Slab-On-Grade:Unheated, 6.0' insulation depth, R-10.0 continuous insulation
	Comments:
	Slab insulation extends down from the top of the slab to at least 6.0 ft. OR down to at least the bottom of the slab then horizontally for a total distance of 6.0 ft.
	Air Leakage:
	Joints (including rim joist junctions), attic access openings, penetrations, and all other such openings in the building envelope that are sources of air leakage are sealed with caulk, gasketed, weatherstripped or otherwise sealed with an air barrier material, suitable film o solid material.
	Air barrier and sealing exists on common walls between dwelling units, on exterior walls behind tubs/showers, and in openings between window/door jambs and framing.
	Recessed lights in the building thermal envelope are 1) type IC rated and ASTM E283 labeled and 2) sealed with a gasket or caulk between the housing and the interior wall or ceiling covering.
	Access doors separating conditioned from unconditioned space are weather-stripped and insulated (without insulation compression or damage) to at least the level of insulation on the surrounding surfaces. Where loose fill insulation exists, a baffle or retainer is installed to maintain insulation application.
	Wood-burning fireplaces have gasketed doors and outdoor combustion air.
	Automatic or gravity dampers are installed on all outdoor air intakes and exhausts.
	Air Sealing and Insulation:
	Building envelope air tightness and insulation installation complies by either 1) a post rough-in blower door test result of less than 7 ACH at 50 pascals OR 2) the following items have been satisfied:
	(a) Air barriers and thermal barrier: Installed on outside of air-permeable insulation and breaks or joints in the air barrier are filled or repaired.
	(b) Ceiling/attic: Air barrier in any dropped ceiling/soffit is substantially aligned with insulation and any gaps are sealed.
	(c) Above-grade walls: Insulation is installed in substantial contact and continuous alignment with the building envelope air barrier.
	(d) Floors: Air barrier is installed at any exposed edge of insulation.
	(e) Plumbing and wiring: Insulation is placed between outside and pipes. Batt insulation is cut to fit around wiring and plumbing, or sprayed/blown insulation extends behind piping and wiring.
	(f) Corners, headers, narrow framing cavities, and rim joists are insulated.
	(g) Shower/tub on exterior wall: Insulation exists between showers/tubs and exterior wall.
	Sunrooms:
	Sunrooms that are thermally isolated from the building envelope have a maximum fenestration U-factor of 0.50 and the maximum skylight U-factor of 0.75. New windows and doors separating the sunroom from conditioned space meet the building thermal envelope requirements.
	Materials Identification and Installation:
	Materials and equipment are installed in accordance with the manufacturer's installation instructions.
5	Materials and equipment are identified so that compliance can be determined.
	Manufacturer manuals for all installed heating and cooling equipment and service water heating equipment have been provided.
	Insulation R-values and glazing U-factors are clearly marked on the building plans or specifications.
	Duct Insulation:
	Supply ducts in attics are insulated to a minimum of R-8. All other ducts in unconditioned spaces or outside the building envelope are insulated to at least R-6.
	Duct Construction and Testing:
	Building framing cavities are not used as supply ducts.
5	All joints and seams of air ducts, air handlers, filter boxes, and building cavities used as return ducts are substantially airtight by means of tapes, mastics, liquid sealants, gasketing or other approved closure systems. Tapes, mastics, and fasteners are rated UL 181A or UL 181B and are labeled according to the duct construction. Metal duct connections with equipment and/or fittings are mechanically fastened. Crimp joints for round metal ducts have a contact lap of at least 1 1/2 inches and are fastened with a minimum of three equally spaced sheet-metal screws. Exceptions:
	Joint and seams covered with spray polyurethane foam.
	Where a partially inaccessible duct connection exists, mechanical fasteners can be equally spaced on the exposed portion of the joint so as to prevent a hinge effect.

Continuously welded and locking-type longitudinal joints and seams on ducts operating at less than 2 in. w.g. (500 Pa).

Project Title: Kavanaugh Residence
Data filename: K:\CDT Projects\Dedham Lot C\RESK\Kavanaugh.rck

Report date: 08/14/12 Page 6 of 8

	All ducts and air handlers are located within conditioned space.
	Temperature Controls:
	Where the primary heating system is a forced air-furnace, at least one programmable thermostat is installed to control the primary heating system and has set-points initialized at 70 degree F for the heating cycle and 78 degree F for the cooling cycle.
	Heat pumps having supplementary electric-resistance heat have controls that prevent supplemental heat operation when the compressor can meet the heating load.
1	Heating and Cooling Equipment Sizing:
	Additional requirements for equipment sizing are included by an inspection for compliance with the International Residential Code.
	For systems serving multiple dwelling units documentation has been submitted demonstrating compliance with 2009 IECC Commercial Building Mechanical and/or Service Water Heating (Sections 503 and 504).
(Circulating Service Hot Water Systems:
	Circulating service hot water pipes are insulated to R-2.
	Circulating service hot water systems include an automatic or accessible manual switch to turn off the circulating pump when the system is not in use.
1	Heating and Cooling Piping Insulation:
	HVAC piping conveying fluids above 105 degrees F or chilled fluids below 55 degrees F are insulated to R-3.
	Swimming Pools:
	Heated swimming pools have an on/off heater switch.
	Pool heaters operating on natural gas or LPG have an electronic pilot light.
	Timer switches on pool heaters and pumps are present. Exceptions:
	Where public health standards require continuous pump operation.
	Where pumps operate within solar- and/or waste-heat-recovery systems.
	Heated swimming pools have a cover on or at the water surface. For pools heated over 90 degrees F (32 degrees C) the cover has a minimum insulation value of R-12. Exceptions:
	Covers are not required when 60% of the heating energy is from site-recovered energy or solar energy source.
1	Lighting Requirements:
	A minimum of 50 percent of the lamps in permanently installed lighting fixtures can be categorized as one of the following:
_	(a) Compact fluorescent
	(b) T-8 or smaller diameter linear fluorescent
	(c) 40 lumens per watt for lamp wattage <= 15
	(d) 50 lumens per watt for lamp wattage > 15 and <= 40
	(e) 60 lumens per watt for lamp wattage > 40
	Other Requirements:
	Snow- and ice-melting systems with energy supplied from the service to a building shall include automatic controls capable of shutting off the system when a) the pavement temperature is above 50 degrees F, b) no precipitation is falling, and c) the outdoor temperature is above 40 degrees F (a manual shutoff control is also permitted to satisfy requirement 'c').
(Certificate:
	A permanent certificate is provided on or in the electrical distribution panel listing the predominant insulation R-values; window U-factors; type and efficiency of space-conditioning and water heating equipment. The certificate does not cover or obstruct the visibility of the circuit directory label, service disconnect label or other required labels.
NOT	TES TO FIELD: (Building Department Use Only)

Project Title: Kavanaugh Residence
Data filename: K:\CDT Projects\Dedham Lot C\RESK\Kavanaugh.rck

	27 Ded) hem	Entuce 7/11/12
Project Address: Lot C	Dedhar	n St.	Portland Me (8)
Total Square Footage of Proposed Structure/Area:	Area of lot (total s	q. ft.):	Number of Stories: 2
1984 sq. Ft.	Attach	ned	Number of Bathrooms: 2.5
		ned	Number of Bedrooms: 3
	Sq. Ft.		
Tax Assessor's Chart, Block & Lot(s): Chart# Block # Lot # 335 C 2150 33.57	A 201	2-07-4	143-51
Current legal use: Res. Number of Residential Units		Part No.	RECEIVED
If vacant, what was the previous use?	_		JUL 1 1 2012
Is property part of a subdivision?		olease name	et of Building Inspections
D 1 1 D 1 1	single Fam		City of Portland Maine
Applicant - must be owner, Lessee or	Buyer	Applicant Contact In	formation
Name: Vernard J. Kava	naugh	Work # 207-	454-0127
Business Name, if applicable:	3	Home#	
Address: PO Box 1346		Cell #	
City/State: Calais, Me Zipo	Code: 04619	e-mail: VjKavar	raugh @ hotmail.com
Owner - (if different from Applicant)		Owner Contact Inform	nation
Name: Steven Fowler. Great	ives	Work #	
Address: Jenni Fer Fowler	e Greares	Home#	(5)
City/State: 661 Allen Ave Zip C	ode:		00-1601 (Steve)
Fortland Me	04163	e-mail: JF64C	SW egmail. com (Jennit
Billing Information		Contact when Buildin	
Name: Vernard Kavenaugh	<i>f</i> .	Name: Vernard Kavanaugh	
Address: Po Box 1346	ada	Address: Po C	s Me_ Zip Code: 04619
City/State: - Calais My Zip C			
Phone Number: 207- 454- 618		Phone Number:	17-454-0127
Questions Regarding pla	ns:		

Juestions Regarding plans: John Ossie jossie @ cad-de-tech. com

DEVELOPMENT REVIEW FEES:

Payment may be made in cash, credit card or check addressed to the City of Portland.

Level I Minor Residential Site Plan	Fees Paid:
1. Application Fee - \$300.00	\$ 300,00
2. Inspection Fee - \$100.00	\$ 100.00
(for site plan inspection by the Planning Division)	
3. Certificate of Occupancy Fee - \$75.00	\$ 200
4. Building Permit (Cost of Work)	\$ 1026
7/00,000 Total Due:	\$ 1025 1495. D
Building Permit Fee - \$30 for the first \$1,000 construction	n cost - \$10 every additional \$1,000.
Performance Guarantee - Exempt except for those project winter and the site work is incomplete.	cts that complete construction in the

Please submit all of the information outlined on the applicable Checklist, shown on Page 4 and 5 of this Application. In addition, a CD or PDF (e-mailed to buildinginspections@portlandmaine.gov) of the entire Application, including all plans, must be submitted with the Application. Failure to do so may result in the automatic denial of your permit.

Portland's development review process and requirements are outlined in the Land Use Code (Chapter 14), which includes the Subdivision Ordinance (Section 14-491) and the Site Plan Ordinance (Section 14-521). Portland's Land Use Code is on the City's web site: www.portlandmaine.gov Copies of the ordinances may be purchased through the Planning Division. All of the information on the checklist must be submitted for review. The applicant must check off the items contained in the application package to ensure the application is complete.

Property Taxes:

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before a permit of any kind is accepted.

Separate Permits:

Separate permits are required for internal and external plumbing, HVAC, and electrical installations.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Planning Authority and Code Enforcement's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of Applicant:	Date:
Way Jarma	7/10/12
This is not a permit - you may not	commence any work until the permit is issued.

(A CD or PDF (e-mailed to <u>buildinginspections@portlandmaine.gov</u>) of the entire application, including all plans, must be submitted with the application.)

Applicant Checklist	Planner Checklist (internal)	Number of Copies	Submittal Requirement
		2	Completed application form and check list.
		1	Application fees.
		2	Evidence of right, title and interest.
	1/4	. 2	Copies of required state and/or federal permits.
		2	Written Description of existing and proposed easements or other burdens.
	4/4	2	Written requests for waivers from individual site plan and/or technical standards.
	4/4	2	Written summary of fire safety (referencing NFPA fire code and Section 3 of the City of Portland Technical Manual). Refer to Fire Department Checklist on page 6 of this application.

Applicant Checklist	Planner Checklist (internal)	Number of Copies	Submittal Requirement	
/		3	Boundary survey meeting the requirements of section 13 of the City of Portland Technical Manual with the site plan information listed below shown on the plan, including a north arrow and a scale greater than or equal to 1"=20'. (Photocopies of the plat or hand drawn building footprints will not be accepted.)	
			trict, setbacks and dimensional requirements. Show zone lines and nes that apply to the property, including Shoreland Zone &/or Stream Zone.	
/		_	nd proposed structures (including location of proposed piers, docks or in Shoreland Zone).	
/		 Location a 	nd dimension of existing and proposed paved areas.	
/		 Proposed g 	ground floor area of building.	
V		Finish floor elevation (FEE) or sill elevation.		
/		■ Exterior bu	uilding elevations (show all 4 sides).	
/		Existing an	nd proposed utilities (or septic system, where applicable)	
/		Existing an	nd proposed grading and contours.	
V		 Proposed stormwater management and erosion controls. Total area and limits of proposed land disturbance. 		
1/				
./		 Proposed protections to or alterations of watercourses. 		
1/		 Proposed wetland protections or impacts. Existing vegetation to be preserved and proposed site landscaping and street trees (2 trees per unit for a single or two-family house). 		
V				

W/A	 Existing and proposed curb and sidewalk, except for a single family home.
V	 Existing and proposed easements or public or private rights of way.
V	Show foundation/perimeter drain and outlet.
V	 Additional requirements may apply for lots on unimproved streets.

Applicant Checklist	Planner Checklist (internal)	Number of Copies	Submittal Requirement
/		1	One (1) complete set of construction drawings must include:
			 Cross section with framing details
			Floor plans and elevations to scale
			 Stair details including dimensions of: rise/run, head room, guards/handrails, baluster space
			 Window and door schedules
			 Foundation plans w/required drainage and damp proofing, if applicable
			 Detail egress requirements and fire separation, if applicable
			 Insulation R-factors of walls, ceilings & floors & U-factors of windows per the IEEC 2003
			 Deck construction including: pier layout, framing, fastenings, guards, stair dimensions
			 As of September 16, 2010 all new construction of one and two family homes are required to be sprinkled in compliance with NFPA 13D. This is required by City Code. (NFPA 101 2009 ed.)
			Reduced plans or electronic files in pdf format are also required if original plans are larger than 11X17"

** Reminder: **

- 1. A CD or PDF of the entire application, including all plans, must be submitted with the application.
- 2. Separate permits are required for internal and external plumbing, HVAC, and electrical installations.
- 3. Please submit all of the information outlined in this application checklist.
- 4. If the application is incomplete, the application may be refused.
- 5. The Planning and Urban Development Department may request additional information prior to the issuance of a permit.

PURCHASE AND SALE AGREEMENT - LAND ONLY

June 14 , 2012	(e/17/12 . Effective Date
Offer Date	Effective Date is defined in Paragraph 20 of this Agreement.
1. PARTIES: This Agreement is made between Vernard J 1	
Charge The Carrier To	("Buyer") and
Steven Fowler Greaves , Je	nnifer Fowler Greaves ("Seller")
2. DESCRIPTION: Subject to the terms and conditions hereinand part of; If "part of" see para. 22 for explanation) the property si County of, State of Maine, local described in deed(s) recorded at said County's Registry of Deeds F.	ted at Lot C Dedham Street
the amount \$ 1,000.00 . If said deposit is to be above deadline, this offer shall be void and any attempted accept result in a binding contract. Buyer agrees that an additional deposit	days of the Offer Date, a deposit of earnest money in delivered after the submission of this offer and is not delivered by the tance of this offer in reliance on the deposit being delivered will not of earnest money in the amount of \$ 0 will be . Failure by Buyer to deliver this additional deposit in this Agreement. The remainder of the purchase price shall be paid by
This Purchase and Sale Agreement is subject to the following cond	itions:
5 AM [X] PM; and, in the even	to f non-acceptance, this earnest money shall be returned promptly vsuit by virtue of acting as escrow agent, Agency shall be entitled to d as court costs in favor of the prevailing party.
the Maine Bar Association shall be delivered to Buyer and this execute all necessary papers on	
6. DEED: The property shall be conveyed by a	deed, and shall be free and clear of all rictions of record which do not materially and adversely affect the
7. POSSESSION: Possession of premises shall be given to Buyer	immediately at closing unless otherwise agreed in writing.
8. RISK OF LOSS: Until the closing, the risk of loss or damage shall have the right to view the property within 24 hours prior substantially the same condition as on the date of this Agreement.	e to said premises by fire or otherwise, is assumed by Seller. Buyer to closing for the purpose of determining that the premises are in
None . Real estate tage fiscal year). Seller is responsible for any unpaid taxes for prior year.	be prorated as of the date of closing: rent, association fees, (other) was shall be prorated as of the date of closing (based on municipality's ears. If the amount of said taxes is not known at the time of closing, e preceding year with a reapportionment as soon as the new tax rate
and valuation can be ascertained, which latter provision shall required by State of Maine.	rvive closing. Buyer and Seller will each pay their transfer tax as
January 2012 Page 1 of 4 - P&S-LO Buyer(s) Initials	Seller(s) Initials
Keller Williams Realty 50 Sewall Street Portland, ME 04102 Phone: 207.553.2656 Fax: 207.879.9801 John Bourassa	Wernard J Kaya

10. DUE DILIGENCE: Buyer is encouraged to seek information from professionals regarding any specific issue or concern.

Neither Seller nor Licensee makes any warranties regarding the condition, permitted use or value of Sellers' real property. This Agreement is subject to the following contingencies, with results being satisfactory to Buyer:

	CONTINGENCY	YES	NO	DAYS FOR COMPLETION	OBTAINED BY	TO BE PAID FOR BY	
1.	SURVEY		X				
	Purpose:	P	[]				
2.	SOILS TEST		X				
	Purpose:						
3.	SEPTIC SYSTEM DESIGN		X				
	Purpose:						
4.	LOCAL PERMITS	X		27	Buyer		
	Purpose: Contract c	contigent	on buyer	obtaining building	permit from city of	Portland	
5.	HAZARDOUS WASTE REPORTS		x		white terror was the second and the		
	Purpose:	(E)		0.7	i2		
6.	UTILITIES	X		27	Buger		
	Purpose: understand				A		
7.	WATER	X		27	Burger		
	Purpose:				· V		
8.	SUB-DIVISION APPROVAL		X				
9.	Purpose: DEP/LURC APPROVALS		x				
	Purpose:						
10.	ZONING VARIANCE Purpose:		X				
11.	HABITAT REVIEW/ WATERFOWL		X	***************************************			
	Purpose:						
12.	MDOT DRIVEWAY/ ENTRANCE PERMIT		x				
	Purpose:				R wa.		
13.	DEED RESTRICTION	X		10	Brige.		
	Purpose:						
14.	TAX EXEMPT STATUS		X				
	Purpose:						
15.	OTHER		X		•		
	Purpose:						
En	Further energifications regarding any of the above: None						

Unless otherwise specified above, all of the above will be obtained and paid for by Buyer. If the result of any investigation or other condition specified herein is unsatisfactory to Buyer, Buyer will declare the Agreement null and void by notifying Seller in writing within the specified number of days, and any earnest money shall be returned to Buyer. If the result of any investigation or other condition specified herein is unsatisfactory to Buyer, and Buyer wishes to pursue remedies other than voiding the Agreement, Buyer must do so to full resolution within the time period set forth above; otherwise this contingency is waived. If Buyer does not notify Seller that an investigation is unsatisfactory within the time period set forth above, this contingency is waived by Buyer. In the absence of inspection(s) mentioned above, Buyer is relying completely upon Buyer's own opinion as to the condition of the property.

January 2012

Page 2 of 4 - P&S-LO

Buyer(s) Initials

Seller(s) Initials

Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michlgan 48026 www.zipLogix.com

Vernard J Kava

	b. Buyer to provide Seller with letter from lender to verification of information, is qualified for the Agreement. If Buyer fails to provide Seller with the earnest money shall be returned to Buyer. c. Buyer hereby authorizes, instructs and directs is Seller's licensee or Buyer's licensee. d. After (b) is met, Buyer is obligated to notify provide said financing. Any failure by Buyer to shall be a default under this Agreement. e. Buyer agrees to pay no more than 0 point actual pre-paids, points and/or closing costs, but f. Buyer's ability to obtain financing is x is r g. Buyer may choose to pay cash instead of obtai proof of funds and the Agreement shall no lo provisions of this paragraph shall be void.	Cash loan of na % of the purchase years. Buyer showing that Buyer has made application for loan specified in (a) and, subject to the loan requested within na days from the Effective Date of the hasuch letter within said time period, Seller may terminate this Agreement and its lender to communicate the status of the Buyer's loan application to Seller. Seller in writing if a lender notifies Buyer that it is unable or unwilling to notify Seller within two days of receipt by Buyer of such notice from a lender its. Seller agrees to pay up to \$ toward Buyer's toward Buyer's toward Buyer's toward Buyer's toward subject to the sale of another property. See addendum Yes No X ining financing. If so, Buyer shall notify Seller in writing including providing longer be subject to financing, and Seller's right to terminate pursuant to the
	12. BROKERAGE DISCLOSURE: Buyer and Seller ackn	nowledge they have been advised of the following relationships:
		Keller Williams Realty ()
	Licensee MLS ID is a Seller Agent X Buyer Agent Disc Dual Agent	Agency MLS ID
0	(f) Wendy Harmon	
51	Jehn Bourassa (004892) of	Keller Williams Realty (
	Licensee MLS ID is a X Seller Agent Buyer Agent Disc Dual Age	Agency MLS ID
	hammed	Buyer and Seller acknowledge the limited fiduciary duties of the agents and
	hereby consent to this arrangement. In addition, the Bu Agency Consent Agreement.	uyer and Seller acknowledge prior receipt and signing of a Disclosed Dual
	13. PROPERTY DISCLOSURE FORM: Buyer acknowle	ledges receipt of Seller's Property Disclosure Form.
	remedies, including without limitation, termination of thi	the event of default by the Buyer, Seller may employ all legal and equitable is Agreement and forfeiture by Buyer of the earnest money. In the event of a able remedies, including without limitation, termination of this Agreement and scrow agent has the option to require written releases from both parties prior to
	disputes or claims arising out of or relating to this Ag- mediation in accordance with the Maine Residential Real and pay their respective mediation fees, If a party does	e jurisdiction of small claims court will be handled in that forum. For all other treement or the property addressed in this Agreement shall be submitted to I Estate Mediation Rules. Buyer and Seller are bound to mediate in good faith not agree first to go to mediation, then that party will be liable for the other nat same matter in which the party who refused to go to mediation loses in that to of the transaction.
	PRIOR STATEMENTS: Any representations, staten completely expresses the obligations of the parties.	ments and agreements are not valid unless contained herein. This Agreement
	 HEIRS/ASSIGNS: This Agreement shall extend to a of the Seller and the assigns of the Buyer. 	and be obligatory upon heirs, personal representatives, successors, and assigns
	COUNTERPARTS: This Agreement may be signed binding effect as if the signatures were on one instrument.	on any number of identical counterparts, such as a faxed copy, with the same Original, faxed or other electronically transmitted signatures are binding.
	 NOTICE: Any notice, communication or document notice, communication or documentation to the party or communication, verbally or in writing. 	delivery requirements hereunder may be satisfied by providing the required their licensee. Withdrawals of offers and counteroffers will be effective upon
	communicated which shall be the Effective Date. Licen expressly set forth to the contrary, the use of the term "debusiness days defined as excluding Saturdays, Sundays a including all addenda, expressed as "within x days" shall set forth, beginning with the first day after the Effective	contract when signed by both Buyer and Seller and when that fact has been usee is authorized to fill in the Effective Date on Page 1 hereof. Except as lays" in this Agreement, including all addenda made a part hereof, shall mean and any observed Maine State/Federal holidays. Deadlines in this Agreement, it be counted from the Effective Date, unless another starting date is expressly Date, or such other established starting date, and ending at 5:00 p.m. Eastern the contrary, deadlines in this Agreement, including all addenda, expressed as h date.
		Alexander SCN
	January 2012 Page 3 of 4 - P&S-LO Buyer(s) Initi	
	Produced with zipForm® by zipLogix 18070 Fifteen	Mile Boad, Fraser, Michigan 48026 www.zipl.ogix.com Vernerd I Kaya

21. CONFIDENTIALITY: Buyer and Seller authorize the disclosure of the information herein to the real estate licensees, attorneys, lenders, appraisers, inspectors, investigators and others involved in the transaction necessary for the purpose of closing this transaction. Buyer and Seller authorize the lender and/or closing agent preparing the entire closing statement to release a copy of the closing statement to the parties and their licensees prior to, at and after the closing.

22. OTHER CONDITIONS: None

23. GENERAL PROVISIONS:

- a. A copy of this Agreement is to be received by all parties and, by signature, receipt of a copy is hereby acknowledged. If not fully understood, contact an attorney. This is a Maine contract and shall be construed according to the laws of Maine.
- b. Seller acknowledges that State of Maine law requires buyers of property owned by non-resident sellers to withhold a prepayment of capital gains tax unless a waiver has been obtained by Seller from the State of Maine Revenue Services.
- Buyer and Seller acknowledge that under Maine law payment of property taxes is the legal responsibility of the person who owns the property on April 1, even if the property is sold before payment is due. If any part of the taxes is not paid when due, the lien will be filed in the name of the owner as of April 1 which could have a negative impact on their credit rating. Buyer and Seller shall agree at closing on their respective obligations regarding actual payment of taxes after closing. Buyer and Seller should make sure they understand their obligations agreed to at closing and what may happen if taxes are not paid as
- d. Buyer acknowledges that Maine law requires continuing interest in the property and any back up offers to be communicated by the listing agent to the Seller.

24. ADDENDA: Yes Explain:	X No
Buyer's Mailing address is PO Box 1346, Calais, ME	04619
05/01/201	2
BUYER DATI Vernard J Kavanaugh	BUYER DATE
Seller accepts the offer and agrees to deliver the above-descriagrees to pay agency a commission for services as specified in	bed property at the price and upon the terms and conditions set forth and the listing agreement.
Seller's Mailing address is	60 Carpor
05/01/2013	
SELCER Steven Fowler Greaves DATE	SELLER Jennifer Fowler Greaves DATE
Seller agrees to sell on the terms and conditions as detailed her None	ein with the following changes and/or conditions:
The parties acknowledge that until signed by Buyer, Seller's s will expire unless accepted by Buyer's signature with communic (time) AM PM.	ignature constitutes only an offer to sell on the above terms and the offer cation of such signature to Seller by (date)
SELLER DATE	SELLER DATE
The Buyer hereby accepts the counter offer set forth above.	/12
BUYER /DATE	BUYER DATE
	TENSION:
The time for the performance of this Agreement is extended unt	DATE
Y) A (77)	
SELLER DATE	SELLER DATE
BUYER DATE	BUYER DATE
DOTER	DATE
	Page 4 of 4 - P&S-LO
REALTOR®	OPPORTUNITY



Vernard J Kava



PORTLAND MAINE

Strengthening a Remarkable City, Building a Community for Life . www.portlandmaine.gov

D		D .	*1
Rece	ipts	Deta	11IS.

Tender Information: Check, Check Number: 182536

Tender Amount: 1495.00

Receipt Header:

Cashier Id: bsaucier Receipt Date: 7/11/2012 Receipt Number: 45859

Receipt Details:

Referance ID:	7226	Fee Type:	BP-C of O
Receipt Number:	0	Payment Date:	
Transaction Amount:	75.00	Charge Amount:	75.00

Job ID: Job ID: 2012-07-4443-SF - New SF 1984sf, no garage, 2 stories; 3bed/2.5bath

Additional Comments: 27 Dedham

Referance ID:	7227	Fee Type:	BP-Constr	
Receipt Number:	0	Payment Date:		
Transaction Amount:	1020.00	Charge Amount:	1020.00	

Job ID: Job ID: 2012-07-4443-SF - New SF 1984sf, no garage, 2 stories; 3bed/2.5bath

Transaction	100.00	Charge	100.00	
	100.00	CI	100.00	
Receipt Number:	0	Payment Date:		
Referance ID:	7229	Fee Type:	BP-INSP	-
Additional Comm	ents:			
Job ID: Job ID: 201	2-07-4443-SF - New SF 1984s	f, no garage, 2 stories; 3bed/2.5ba	ıth	
Amount:		Amount:		
Transaction	300.00	Charge	300.00	
Receipt Number:	0	Payment Date:		
		Fee Type:	BP-MSFSR	

Thank You for your Payment!

Date: 7/16/12 Applicant: Venard J. Kavanaush Address: Dedhan St C-B-L: 335-C-21,22,23200 permit # 2012-07-4443 CHECK-LIST AGAINST ZONING ORDINANCE Orwholid siteple 7/8/12 Date - new. Zone Location - P-2 Interior or corner lot -Proposed UserWork - buildnew I stery sight family - 32"x2+ w/ 12 'x5' buporton left rixe. Servage Disposal - polic. Lot Street Frontage - 50 mm. - 120's alid @ * front ctys cechin 14-425 - can't extend months Front Yard - 25mm - 25 suld 69 Rear Yard - 25mn - 88's what 60 500 Colport mux Side Yard - 2 stores 14 mm - 12 on Karnints cold. * considur one situyed to 121 f add to others, de-need to the of 20 -67' on left scoled, han 79' (01) Projections -Width of Lot - 80 min - bo's allon (1) Height - 35 max - 24.25 scaled 60 1000 mm - MIK (assusery) Lot Area -Lot Coverage Impervious Surface - 20% = 3423 4× 5.75. 92 23 hant this Area per Family - 19000 Hy 55.31 Sich post Off-street Parking - 2 Spaus regard - 2 shown byard 251- 25 x19 Loading Bays - 1/A revised 18/x15 OK 107031 Sile Plan - Level I Morer Residutial

Shoreland Zoning/Stream Protection - NA.

Flood Plains - Panel 1 - zona C

DEPARTMENT OF ENVIRONMENTAL PROTECTION PERMIT BY RULE NOTIFICATION FORM (For use with DEP Regulation, Chapter 305)

	STEVE FOULEIZ GREAVE'S CONSTRUCTE	ST CONTRACTOR OF THE PARTY OF T	POISERT T. GREENLAW
Applicant Mailing Address:	46/ALLEN AVE	Agent Phone # (Include area code):	207-749-9471
Town/City:	PORTLAND, ME	PROJECT Information Name of Town/City:	PURTLAND,
State and Zip code:	MAINE 04103	Name of Wetland or Waterbody:	UN NAMED STREAM
Daytime Phone # (include area code):		Map#: TAX M	P Lot#: 21,22,23450
	HE: HURTHON FOREST AV		COE. PIGHT ON
NEWTON ST	, THEN LEFT ON	DEDHAM.	
	<u> </u>	UTM Northing: (If known)	UTM Easting: (if known)
Description of Project:	CONSTRUCTING A		DWELLING, HOUNG
FUUNDATION DE	CAIL EMPTY INTO 75'	SETBACK, SELVOR	CONNECTION ALSO.
Part of a larger project?	Yes After the Fact?	res Check one This proje	ect 🗆 does (or) 🖾 does not involve work
(check one)→ PERMIT BY RULE (PBR)	© No (check one) → ©1) SECTIONS: (Check at least one)	vo below mean low water (average low water).
I am filing notice of my	intent to carry out work which mee		mit By Rule (PBR) under DEP Rules,
	agents, if any, have read and will	comply with all of the stand	lards in the Sections checked below.
Sec. (2) Act. Adj. to Pro	otected Natural Res. 🔲 Sec.(10) S	tream Crossing	3 Sec. (17) Transfers/Permit Extension
Sec. (3) Intake Pipes			Sec. (18) Maintenance Dredging
Sec. (4) Replacement o			Sec. (19) Activities infonfover
Soc. (8) REPEALED	. ,	F&W Creation/Enhance/Water	eignificant vernal pool habitat
Sec. (6) Movement of R		•	2 Sec. (20) Activities in existing dev.
Soc. (7) Outfall Pipes	990. (14) 1		areas located in/on/over high or
Bec. (8) Shoreline stabi		ubile Boat Ramps	moderate value inland waterfowl &
Sec. (9) Utility Crossing	g 🗀 Sec. (18) (Coastal Sand Duno Projects	wading bird habitat or shorobird nosting, feeding & staging areas
13 Attach a chack for	s, topo map or Maine Atlas & Ga	zetteer map with the proje n individual or municipality,	provide a copy of Secretary of State's age=x)
Attach Proof of It registration information Attach photos of Attach all other is authorize staff of the Daccess the project site fivalid until approved by	(available at <a 14="" after="" as="" atton="" concept="" days="" department="" determining="" environmental="" form,="" href="http://icrs.informe.org/life-noposed/site-where-active-required submissions as outline-pepartments of Environmental Professions to the purpose of determining concept the Department or 14 days after the Department or 14 days after the purpose of the Department or 14 days after the Department of the Department of the Department or 14 days after the Department of the Department of</td><td>ity will take place as outling the line of the PBR Sections characteristics, inland Fisheries & Verbillance with the rules. I also arreceipt by the Departm</td><td>ned in PBR Sections checked above the checked above. Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less.</td></tr><tr><td>Attach a U.S.G.S Attach Proof of It registration information Attach photos o Attach all other authorize staff of the D access the project site for a control of the It walld until approved by signing this Notific</td><td>(available at <a href=" http:="" i="" icrs.informe.org="" life-proposed-site-where-active-required-submissions="" of="" or="" outline-pepartments="" profor="" purpose="" represent="" td="" that="" the="" the<=""><td>ity will take place as outile ed in the PBR Sections ch tection, inland Fisheries & \ npliance with the rules. I als er receipt by the Departm project meets all applica</td><td>ned in PBR Sections checked above lecked above. Midlife, and Marine Resources to so understand that this permit is not</td>	ity will take place as outile ed in the PBR Sections ch tection, inland Fisheries & \ npliance with the rules. I als er receipt by the Departm project meets all applica	ned in PBR Sections checked above lecked above. Midlife, and Marine Resources to so understand that this permit is not
Attach a U.S.G.S Attach Proof of It registration information Attach photos of Attach all other authorize staff of the Daccess the project site fivalid until approved by signing this Notific in the rule and that the Signature of Agent or	(available at <a href="http://icrs.informe.org/life-proposed-site-where-active-required-submissions as outline-pepartments of Environmental Profor the purpose of determining concept the Department or 14 days after atton Form, I represent that the</td><td>ity will take place as outile ed in the PBR Sections ch tection, inland Fisheries & \ npliance with the rules. I als er receipt by the Departm project meets all applica</td><td>ned in PBR Sections checked above the checked above. Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place</td></tr><tr><td>Attach a U.S.G.S Attach Proof of It registration information Attach photos of Attach all other I authorize staff of the Daccess the project site fivalid until approved by signing this Notified in the rule and that the Signature of Agent or Applicant: Keep a copy as a record of Environmental Protection of the DEP's receipt of noting years. Work carried out If AUGUSTA DEP 17 STATE HOUSE STAUGUSTA, ME 04333</td><td>(available at <a href=" http:="" icrs.informe.org="" lithe-proposed-site-where-eativy-required-submissions-as-outline-periments-of-submissions-as-outline-periments-of-submissions-as-outline-periments-of-submissions-as-outline-periments-of-submissions-of-submissions-outline-periments-of-submissions-outline-periments-of-submissions-outline-periments-outline-pe<="" td=""><td>ity will take place as outlined in the PBR Sections chatection, inland Fisheries & Verplance with the rules. I also be receipt by the Department of project meets all applications of the project meets all applications of th</td><td>Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place. 7-27-2017 eliver to the Maine Dept. of a copy to the Town Office as evidence of notice. Permits are valid for two PRESQUE ISLE DEP 1235 CENTRAL DRIVE PRESQUE ISLE, ME 04769</td>	ity will take place as outlined in the PBR Sections chatection, inland Fisheries & Verplance with the rules. I also be receipt by the Department of project meets all applications of the project meets all applications of th	Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place. 7-27-2017 eliver to the Maine Dept. of a copy to the Town Office as evidence of notice. Permits are valid for two PRESQUE ISLE DEP 1235 CENTRAL DRIVE PRESQUE ISLE, ME 04769
Attach a U.S.G.S Attach Proof of It registration information Attach photos of Attach all other access the project site of access the project site of Attach all other access the project site of a the Discount of Agent or Applicant: Keep a copy as a record of Environmental Protection of the DEP's receipt of notification. Work carried out if AUGUSTA DEP 17 STATE HOUSE STA	(available at http://crs.informe.org/lithe.proposed.site.where.agtivy required submissions as outline Departments of Environmental Profor the purpose of determining concept the Department or 14 days after the Departm	ity will take place as outlined in the PBR Sections chatection, inland Fisheries & Verplance with the rules. I also be receipt by the Department of project meets all applications of the project meets all applications of th	Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place 7-22-2017 bility requirements and standards perty where the activity takes place 7-22-2017 bility requirements and standards perty where the activity takes place 7-22-2017 bility requirements and standards perty where the activity takes place 7-22-2017 bility requirements and standards place to the activity takes place 7-22-2017 bility requirements and standards place the activity takes place 7-22-2017 bility requirements and standards place the activity takes place 7-22-2017 bility requirements and standards place the activity takes place 7-22-2017 bility requirements and standards place the activity takes place 7-22-2017 bility requirements and standards place the activity takes place 7-22-2017 bility requirements and standards place the activity takes place 7-22-2017 bility requirements and standards place the activity takes place
Attach a U.S.G.S Attach Proof of It registration information Attach photos of Attach all other I authorize staff of the Daccess the project site of access the project site of the Pagent of Agent or Applicant: Keep a copy as a record of Environmental Protection and the access of the DEP's receipt of noting the DEP's receipt of noting access. Work carried out if AUGUSTA DEP 17 STATE HOUSE STAUGUSTA, ME 04333 (207)287-3901 DEFFICE USE ONLY	(available at <a crs.informe.org="" href="http://icrs.informe.org/lithe-proposed-site-where-eativy-required-submissions-as-outline-periments-of-submissions-as-outline-periments-of-submissions-as-outline-periments-of-submissions-as-outline-periment-or-14 days-after-submissions-periment-or-14 days-after-submissions-pe</td><td>ity will take place as outlined in the PBR Sections chatection, inland Fisherles & Verification with the rules. I also be receipt by the Department of project meets all applications of the project meets all applications. Date project meets all applications of the project meets all applications of</td><td>Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place a copy to the Town Office as evidence of notice. Permits are valid for two PRESQUE ISLE DEP 1235 CENTRAL DRIVE PRESQUE ISLE, ME 04769 (207)764-0477</td></tr><tr><td>Attach a U.S.G.S Attach Proof of Legistration information Attach photos of Attach all other authorize staff of the Daccess the project site for authorize staff of the Daccess the project site for authorize staff of the Daccess the project site for authorize staff of the Daccess the project site for authorize staff of the Daccess the project site for and that the Signature of Agent or Applicant: Keep a copy as a record of Environmental Protection of the DEP's receipt of notification. Work carried out if Augusta DEP 17 STATE HOUSE ST. AUGUSTA, ME 04333 (207)267-3901 DEFICE USE ONLY</td><td>(available at http://crs.informe.org/lithe.proposed.site.where.agtivy required submissions as outline Departments of Environmental Profor the purpose of determining concept the Department or 14 days after the Departm	ity will take place as outlined in the PBR Sections chatection, inland Fisheries & Verification of the place with the rules. I also be receipt by the Department of project meets all applications of the project meets all ap	Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place a copy to the Town Office as evidence of notice. Permits are valid for two PRESQUE ISLE DEP 1235 CENTRAL DRIVE PRESQUE ISLE, ME 04769 (207)764-0477 Staff Def. After
Attach a U.S.G.S Attach Proof of It registration information Attach photos of Attach all other authorize staff of the Daccess the project site of authorize staff of the Daccess the project site of authorize staff of the Daccess the project site of authorize staff of the Daccess the project site of authorize staff of the Daccess the project site of Agent or Applicant: Keep a copy as a record of a project of noting the Daccess of the D	(available at <a days-after-submissions-pe<="" days-after-submissions-periment-or-14="" href="http://icrs.informe.org/lithe-proposed-site-where-eativy-required-submissions-as-outline-periments-of-submissions-as-outline-periments-of-submissions-as-outline-periments-of-submissions-as-outline-periment-or-14 days-after-submissions-periment-or-14 days-after-submissions-pe</td><td>ity will take place as outlined in the PBR Sections chatection, inland Fisheries & Verification of the place with the rules. I also be receipt by the Department of project meets all applications of the project meets all ap</td><td>Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place a copy to the Town Office as evidence of notice. Permits are valid for two PRESQUE ISLE DEP 1235 CENTRAL DRIVE PRESQUE ISLE, ME 04769 (207)764-0477 Staff Def. After</td></tr><tr><td>Attach a U.S.G.S Attach Proof of Legistration information Attach photos of Attach all other authorize staff of the Daccess the project site for authorize staff of the Daccess the project site for all duntil approved by signing this Notified in the rule and that the Dignature of Agent or Applicant: Keep a copy as a record of Environmental Protection of the DEP's receipt of notificars. Work carried out if AUGUSTA, ME 04333 (207)287-3901 DEFFICE USE ONLY</td><td>(available at <td>ity will take place as outlined in the PBR Sections chatection, inland Fisheries & Verification of the place with the rules. I also be receipt by the Department of project meets all applications of the project meets all ap</td><td>Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place a copy to the Town Office as evidence of notice. Permits are valid for two PRESQUE ISLE DEP 1235 CENTRAL DRIVE PRESQUE ISLE, ME 04769 (207)764-0477 Staff Def. After</td>	ity will take place as outlined in the PBR Sections chatection, inland Fisheries & Verification of the place with the rules. I also be receipt by the Department of project meets all applications of the project meets all ap	Midlife, and Marine Resources to so understand that this permit is not ent, whichever is less. bility requirements and standards perty where the activity takes place a copy to the Town Office as evidence of notice. Permits are valid for two PRESQUE ISLE DEP 1235 CENTRAL DRIVE PRESQUE ISLE, ME 04769 (207)764-0477 Staff Def. After
Attach a U.S.G.S Attach Proof of Legistration information Attach photos of Attach all other authorize staff of the Decess the project site falld until approved by signing this Notified the rule and that the ignature of Agent or applicant: Sep a copy as a record of the Dep's receipt of notions. Work carried out if AUGUSTA DEP 17 STATE HOUSE ST. AUGUSTA, ME 04333 (207)287-3901 FICE USE ONLY	(available at		

Jonathan Rioux - Kavanaugh Residence Dedham Street Lot C

From: John Ossie <jossie@cad-de-tech.com>
To: <JRIOUX@portlandmaine.gov>

Date: 8/14/2012 5:09 AM

Subject: Kavanaugh Residence Dedham Street Lot C

Attachments: Dedham Street Lot C Sheet Set-A1-01.pdf; Dedham Street Lot C Sheet Set-A1-02.pdf;

Dedham Street Lot C Sheet Set-A1-03.pdf; Dedham Street Lot C Sheet Set-A1-04.pdf; Dedham Street Lot C Sheet Set-A2-01.pdf; Dedham Street Lot C Sheet Set-A2-02.pdf;

Dedham Street Lot C Sheet Set-A3-01.pdf

I have prepared a response to your issues.

1. Anchor Bolts/Straps, spacing (Section R403.1.6) - Spacing at Corners?

See note 18 Sheet A2-02 attached

2. Fabric, Damp proofing (Section R405 & R406)?

See Note 15 Sheet A2-02 attached

3. Lally Column Type (Section R407) Girder & Header Spans (Table R 502.5(2))- max span for (3) 2 x 12 inch Girders?

3-1 2" SCH 40 STEEL LALLY COL. W/ SHOP COAT OF RUST INHIBITIVE PAINT ON THE INTURIOR & EXTERIOR SURFACES, TYP. ALL COLS.

4. Sheathing; Floor &Wall (Table R503.2.1.1(1)?

See wall types on sheet A2-02 attahced

5. Emergency Escape and Rescue Openings (Section R310)- Egress windows in bedrooms?

See revised window schedules on sheets A1-01 and A1-02 attached

6. Window sills in locations more than 72 inches from finished grade shall be a minimum of 24 inches above the finished floor of the room, unless a window fall prevention devices is installed in accordance with section R612.3.

window schedules on sheets A1-01 and A1-02 attached See dimensions on building sections sheet A2-01 attached and revised

7. A code compliant emergency escape shall be provided in each bedroom. Window sills in locations more than 72 inches from finished grade shall be a minimum of 24 inches (no higher than 44 inches) above the finished floor of the room, or in compliance with Section R612.4.2 Operation for emergency escape.

See revised window schedules on sheets A1-01 and A1-02 attached

window schedules on sheets A1-01 and A1-02 attached See dimensions on building sections sheet A2-01 attached and revised

8. Safety Glazing (Section R308)- in hazard areas?

Added safety glazing at side lights at mud room entry

9. Attic Access (Section R807)?

Added 22"x30" insulated (R30) attic access door in second floor hallway

- Header Schedule (Tables R502.5(1) & (2))?
 Added header schedules to framing plans attached
- 11. Guardrails and Handrails (Section R312 & R311.5.6 R311.5.6.3)?

 Added handrails and a guardrail to stair section sheet A2-01 attahced
- 12. Stairway headroom shall be not less than 6 feet 8 inches measured vertically from the sloped plane adjoining the tread nosing or from the floor surface of the landing or platform?


 Added dimensions and headroom line to stair section on sheet A2-01 attached
- 13. Ventilation of this space is required per ASRAE 62.2 , 2007 edition; insulation shall comply with the IECC, 2009 (Maine State Energy Codes)?

Soffits have continuous strip vents attic has gable vent both sides, see elevations sheet A3-01 attahced

I'll send the REScheck report later today.
Please let me know if you need anything else

regards,

John Ossie CAD-de-tech LLC



IMPORTANT NOTICE FROM CITY OF PORTLAND

To residents and property owners: A Level I Minor Residential Development application was submitted to the Portland Inspections Division by Steven Fowler-Greaves to build a new single family home at 27 Dedham Street.

In accordance with the Portland Land Use Ordinance, notices of receipt of a Level I Minor Residential Development application must be sent to neighbors. This application will be reviewed administratively by City Staff.

Plans are available in the Portland Inspections Division, Room 315, City Hall. If you have any questions or wish to submit comments, contact Ann Machado, Zoning Specialist at 874-8709 or email amachado@portlandmaine.gov

IMPORTANT NOTICE FROM CITY OF PORTLAND

To residents and property owners: A Level I Minor Residential Development application was submitted to the Portland Inspections Division by Steven Fowler-Greaves to build a new single family home at 27 Dedham Street.

In accordance with the Portland Land Use Ordinance, notices of receipt of a Level I Minor Residential Development application must be sent to neighbors. This application will be reviewed administratively by City Staff.

Plans are available in the Portland Inspections Division, Room 315, City Hall. If you have any questions or wish to submit comments, contact Ann Machado, Zoning Specialist at 874-8709 or email amachado@portlandmaine.gov

IMPORTANT NOTICE FROM CITY OF PORTLAND

To residents and property owners: A Level I Minor Residential Development application was submitted to the Portland Inspections Division by Steven Fowler-Greaves to build a new single family home at 27 Dedham Street.

In accordance with the Portland Land Use Ordinance, notices of receipt of a Level I Minor Residential Development application must be sent to neighbors. This application will be reviewed administratively by City Staff.

Plans are available in the Portland Inspections Division, Room 315, City Hall. If you have any questions or wish to submit comments, contact Ann Machado, Zoning Specialist at 874-8709 or email amachado@portlandmaine.gov

IMPORTANT NOTICE FROM CITY OF PORTLAND

To residents and property owners: A Level I Minor Residential Development application was submitted to the Portland Inspections Division by Steven Fowler-Greaves to build a new single family home at 27 Dedham Street.

In accordance with the Portland Land Use Ordinance, notices of receipt of a Level I Minor Residential Development application must be sent to neighbors. This application will be reviewed administratively by City Staff.

Plans are available in the Portland Inspections Division, Room 315, City Hall. If you have any questions or wish to submit comments, contact Ann Machado, Zoning Specialist at 874-8709 or email amachado@portlandmaine.gov

Gayle Guertin - 27 Dedham St. (new single family)

From: Gayle Guertin

To: Ann Machado; Marge Schmuckal


Date: 7/17/2012 2:35 PM

Subject: 27 Dedham St. (new single family)

CC: Gayle Guertin

The abutters notices for 27 Dedham St. was mailed out as of 7-17-12.

Gayle





New Residence

Dedham Street Lot C, Portland, ME for Mr. \$ Mrs. Kavanaugh

Drawna List

10.0A 10.1A SQ.1A	Cover Sheet Floor Plans Floor Plans
A1.03 A1.04	Framing Plans Framing Plans Framing Plans
A2.01 A2.02	Building Sections/Stair Sectio Wall Sections
10.EA	Building Elevations

Building Information

	Franked	Un-finehed
a sement	135	854
ret		
wag	992	
orgalis .		28
econd		
ung	P	992
otals	1130	1074

Code Requirements

R101.2 Scope Single Family Residence

R301.2.3 Snow Loads

The ground and roof snow load for this region is 60#/sf#42#/sf.

R301.2.4 floodplain Construction

The site of this building is not located in a floodplain

The building has been designed to support the live loads from table 301.5

R301.6 Roof Load

This building has been designed to support the snow loads of

R309 Garage and Carports

The garage will be sheathed in min & GWB all walls. The ceiling will be sheathed in min $\frac{5}{6}$ TYPE-X GWB. The door from the garage to the residence will be minimum 20 min.

R310 Emergency Escape and Rescue Openings

Every living room and sleeping room in this residence has been designed with an emergency escape window or door as required.

R311 Means of Egress

The means of egress for this residence have been designed to meet the requirements of this section

R311.2.2 Under Stair Protection

The accessible space beneath the stairs will be sheathed with min & GWB.

R311.3 Hallways

Hallways area a min. 36' wide

R311.5 Stairways Stairways are a min. 36" wide Headroom is a min. 6'-8" Riser heights are a max. 7-3/4* Treads are a min. 10" wide

The landing width is at least as wide as the stairway and is a min. 36" wide in the direction of travel.

R311.3.6 Handrails

Handrails will be installed on a least one wall of each stairway and shall be 34" to 38" high as measured above the nosing.

R312 Guards

Guards at porches, open sides of stairs and balconies shall be 42" high and no opening in the rail are more than

R502 Wood Girders
Refer to table 502.5 for wood girders

Refer to table R603.6 for the required size of opening

R602 Wood Fastening Refer to table R602.3 for wood fastener requirements

Smoke alarms shall be installed:

in each sleeping room

outside each sleeping area

On each additional story, including the basement Alarms shall be installed per NFPA 72

R315 Flame Spread and Smoke Density

Finishes shall have a flame spread classification of no greater than 200 and a smoke-developed index of no greater than

Chapter 10 Chimneys and Fireplaces

The chimneys and fireplaces shall be constructed to meet the requirements of this section.

Chapter | | Energy Efficiency

Roofs shall have a min. rating of R-38 Exterior walls shall have a min, rating of R-21

Floors above garage spaces shall have a min. rating of R-21 Floors above basement spaces shall have a min. rating of R-2! Windows shall have a U-facor of 0.35

PROPERTY OF

m Street Lot C. Portland, ME Mr. ∉ Mrs. Kavanaugh New Residence कृ

TOWN: Portland 06-24-2012 SCALE: As Noted DRAYAL: 330

. Contractor/owner responsible for securing all necessing persits.

2. Contractor/our or will Comply with all applicable codes and ordinances

3. Contractor/owner to verify all site grades and disensions

