


336 2008 003



Call Conrad @ 653-6025 for ques.



PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53704

FORM K (1/97)

DATA PLATE

Manufacturer's Name/Address: MAPLE LEAF HOMES INC.
P.O. Box 27 FREDERIKTOWN NB
CANADA E3B 4Y2

Job/Name/Location NORTH STAR ENTERPRISES INC / STOCK / PORTLAND ME.
Unit Serial Number 8276 A-B Model DC10000
State Label Number 9637 PFS Acceptance Number 99-626
PFS Label Number 435782 435783 Date Label Affixed JULY 23/01
Date of Mfg. JULY 23/01 Date Date Plate Affixed JULY 23/01
Type of Construction MODULAR SB Use Group R-3 RESIDENTIAL
Bldg Ht/Story Limitation 25'0" 1 1/2 STORY Floor Area 170 SQFT (GUMMED)

Furnace:
Mfg. N/A
Model _____
Dishwasher:
Mfg. GE
Model GSS2321
Electrical Ratings: 1 ϕ , 3W, 120/240 V AC
Main Rating Amps: 100

Water Heater:
Mfg. N/A
Model _____
Disposal: MICROWAVE
Mfg. GE
Model _____
Fireplace:
Mfg. N/A
Model _____

Codes & Standards Complied With:

1993 BOCA NAC, 1993 BOCA NBC, 1993 CANADIAN ENERGY CODE, 1996 NEC, 1997 NFPA 31, 1994 NFPA 91

Design Parameters:

Snow Load 48 PSF Floor Load 40 PSF
Wind Load AS 1 AS PSF/MPH Outside Temp. -30 °F
Water Test 100 PSIG DWV Test 5 PSIG
Unit Wt. 3500 lbs. Degree Days 9770
Seismic Zone GROUP 1

Special Instructions:

Roof Up = 0.031 Wall Up = 0.050 Floor Up = N/A Fire Rating Ext Walls = N/A
- ALL ON-SITE PLUMBING & ELECTRICAL HOOKUPS TO BE DONE BY QUALIFIED PERSONNEL.
- SEE HEAT LOSS CALCULATIONS FOR ENERGY CODE REQUIREMENTS
- SEE SET-UP MANUAL FOR DETAILS REQUIRED BY MW.
- HVAC INSTALLATION TO BE DONE BY LICENSED INSTALLERS
Instructions for water/drain connections SEE UNIT DRAWINGS & SET-UP MANUAL.

WHITE -- Attach to Unit

YELLOW -- PFS File

PINK -- Mgr's File

336 1008004

UNIT #4 - 33 LEISURE LN.



PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53704

FORM K (1/97)

DATA PLATE

Manufacturer's Name/Address: MAPLE LEAF HOMES INC.
P.O. BOX 27 FREDERIKTOWN NB
CANADA E3B 4Y2

Job/Name/Location NORTH STAR ENTERPRISES / STOK / PORTLAND ME.
Unit Serial Number 8760 1-B Model P110000
State Label Number 9607 PFS Acceptance Number 99-676
PFS Label Number 435808 435809 Date Label Affixed AUG 3 2001
Date of Mfg. AUG 3 2001 Date Data Plate Affixed AUG 3 2001
Type of Construction WOOD FRAME SB Use Group R-3 RESIDENTIAL
Bldg Ht/Story Limitation 25'-0" 1 1/2 STOREY Floor Area

Furnace:
Mfg. N/A
Model _____
Dishwasher:
Mfg. BE
Model GS2220
Electrical Ratings: 1ø, 3W, 120/240 V AC
Main Rating Amps: 120

Water Heater:
Mfg. N/A
Model _____
Disposal:
Mfg. GE
Model _____
Fireplace:
Mfg. N/A
Model _____

Codes & Standards Complied With:

1991 NEC 1994 ASHRAE 761 1997 NEPA 31 1993 CABO MODEL ENERGY CODE 1993 BVA NBC 1993 BVA NBC

WARRANTY # 20153

Design Parameters:

Snow Load 48 PSF Floor Load 40 PSF
Wind Load 125.1 PS PSF/MPH Outside Temp. -30 °F
Water Test 100 PSIG DWV Test 5 PSIG
Unit Wt. 36000 lbs. Degree Days 9770
Seismic Zone GROUP 1

Special Instructions:

Roof Uo= 0.031 Wall Uo= 0.050 Floor Uo= N/A Fire Rating Ext Walls= N/A
ALL ON-SITE PLUMBING AND ELECTRICAL WORKS TO BE DONE BY QUALIFIED PERSONNEL
SEE HEAT LOSS CALCULATIONS FOR ENERGY CODE REQUIREMENTS
WORK INSTALLATION TO BE DONE BY CERTIFIED INSTALLERS
SEE SET-UP MANUAL FOR DETAILS REQUIRED BY MLN

Instructions for water/drain connections SEE UNIT DRAWINGS & SET-UP MANUAL

WHITE -- Attach to Unit

YELLOW -- PFS File

PINK -- Mfr's File

UNIT # 6 - 43 LEISURE LN.

836 LOOF 006



PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53718

FORM K (4/2001)

DATA PLATE

Manufacturer's Name/Address: **MAPLE LEAF HOMES INC**
P.O. BOX 21 FREDERICTON NB
CANADA E3B4Y2

Job/Name/Location NORTH STAR ENTERPRISES / STOK / PORTLAND ME.
Unit Serial Number 8473A-B Model DCC0000
State Label Number 9997 PFS Acceptance Number 99-276
PFS Label Number 449077 449097 Date Label Affixed N/A
Date of Mgr. N/A Date Data Plate Affixed N/A
Type of Construction WOODFRAME SA Use Group R-3 RESIDENTIAL
Bldg Ht/Story Limitation 25'-0" 1 1/2 STOREY Floor Area 1170 SQ FT (FURNISHED)

Furnace:
Mfg. N/A
Model _____
Dishwasher:
Mfg. GE
Model _____
Electrical Ratings: 1u, 3W, 120/240 V AC
Main Rating Amps: 200

Water Heater:
Mfg. N/A
Model _____
Dishwasher: MICROWAVE
Mfg. GE
Model _____
Fireplace:
Mfg. N/A
Model _____

Codes & Standards Complied With:

1996 NEC, 1997 NEC, 1997 NFA 101, 1993 CABO MODEL ENERGY CODE, 1993 BOCA NBC,
1993 BOCA NPC WARRANTY # 21234

Design Parameters:

Snow Load 48 PSF
Wind Load 18.5 RC PSF/MPH
Water Test 100 PSIG
Unit Wt. 36000 lbs.
Floor Load 40 PSF
Outside Temp. -30 °F
DWV Test 5 PSIG
Degree Days 9770
Seismic Zone GROUP 1

Special Instructions:

Roof Uo = 0.031 Wall Uo = 0.050 Floor Uo = N/A Fire Rating Ext Walls = N/A
- ALL ON-SITE PLUMBING / ELECTRICAL WORKS TO BE DONE BY QUALIFIED PERSONNEL
- SEE HEAT LOSS CALCULATIONS FOR ENERGY CODE REQUIREMENTS
- HOME INSTALLATION TO BE DONE BY CERTIFIED INSTALLERS
- SEE SET-UP MANUAL FOR DETAILS REQUIRED BY M.I.H.

Instructions for water/drain connections SEE UNIT DRAWINGS & SET-UP MANUAL.

WHITE - Attach to Unit YELLOW - PFS File PINK - Mgr's File

UNIT # 7 - 49 LEISURE LN.

336 LOOF 007



PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53718

FORM K (42001)

DATA PLATE

Manufacturer's Name/Address: MAPLE LEAF HOMES INC.
P.O. BOX 27 FREDERICTON NB
CANADA E3B 4Y2

Job/Name/Location NORAM STAR / HARTFORD / PORTLAND ME.
Unit Serial Number 2267 A-B Model DC0000
State Label Number 9653 PFS Acceptance Number 99-026
PFS Label Number 497701 497707 Date Label Affixed July 13/01
Date of Mfg. July 13/01 Date Data Plate Affixed July 13/01
Type of Construction WOODFRAME SH Use Group R-3 RESIDENTIAL
Bldg Ht/Story Limitation 25' 0" 1 1/2 STORY Floor Area 1170 SQFT (FINISHED)

Furnace:
Mfg. N/A
Model _____
Dishwasher:
Mfg. GE
Model GSD 221
Electrical Ratings: 1ø, 3W, 120/240 V AC
Main Rating Amps: 200

Water Heater:
Mfg. N/A
Model _____
Stove: MICROWAVE
Mfg. GE
Model JVM1640
Fireplace:
Mfg. N/A
Model _____

Codes & Standards Complied With:

1998 NEC 1997 NFPA 71 1997 NFPA 70 1993 CAN MODEL ENERGY CODE 1993 BOCA NBC 1993 IBC NBC

WARRANTY #

Design Parameters:
Snow Load 48 PSF
Wind Load 18.5 18.5 PSF/MPH
Water Test 100 PSIG
Unit Wt. 36000 lbs.
Floor Load 40 PSF
Outside Temp. -30 F
DWV Test 5 PSIG
Degree Days 9710
Seismic Zone GROUP 1

Special Instructions:

Roof Up = 2.000 Wall Up = 0.050 Floor Up = N/A Fire Rating Ext Walls = N/A
- ALL ON-SITE PLUMBING & ELECTRICAL WORKSHOPS TO BE DONE BY QUALIFIED PERSONNEL.
- SEE HEAT LOSS CALCULATIONS FOR ENERGY CODE REQUIREMENTS
- HOME INSTALLATION TO BE DONE BY CERTIFIED INSTALLERS
- SEE SET-UP MANUAL FOR DETAILS REQUIRED BY P.M.H.
Instructions for water/drain connections SEE UNIT DRAWINGS & SET-UP MANUAL

WHITE - Attach to Unit

YELLOW - PFS File

PINK - Mgr's File

UNIT # 8 - 57 LEISURE LN.

336

2008008

PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53718

FORM K (4/2001)

DATA PLATE

Manufacturer's Name/Address: **MAPLE LEAF HOMES INC.**
P.O. BOX 77 FREDERICTON NB
CANADA E3B 4Y2

Job/Name/Location: **NO NORTH STAR ENTERPRISES / BANGNE / PORTLAND ME.**
Unit Serial Number: **1997 A-A** Model: **ACC0000**
State Label Number: **8 9665** PFS Acceptance Number: **97-676**
PFS Label Number: **447756 447757** Date Label Affixed: **Sept 7 01**
Date of Mfg.: **Sept 7 01** Date Data Plate Affixed: **Sept 7 01**
Type of Construction: **WOOD FRAME SB** Use Group: **R-3 RESIDENTIAL**
Bldg Ht/Story Limitation: **25'-0" 1 1/2 STORY** Floor Area: **1700 SQ FT (FINISHED)**

Furnace:
Mfg. **N/A**
Model _____
Dishwasher:
Mfg. **GE**
Model **G50001**
Electrical Ratings: 1e. 3W, 120/240 V AC
Main Rating Amps: **100**

Water Heater:
Mfg. **N/A**
Model _____
Disposal: **MICROWAVE**
Mfg. **GE**
Model **JVM1640**
Fireplace:
Mfg. **N/A**
Model _____

Codes & Standards Complied With:

1993 BOCA ABC 1993 BOCA NPC 1996 NEC 1993 CANADA ENERGY CODE 1987 NFPA 31
1984 NEPA 101 WARRANTY # **20684**

Design Parameters:
Snow Load **40** PSF
Wind Load **18.51 BS** PSF/MPH
Water Test **100** PSIG
Unit Wt. **36000** lbs.
Floor Load **40** PSF
Outside Temp. **-30** °F
DWV Test **5** PSIG
Degree Days **4710**
Seismic Zone **GROUP 1**

Special Instructions:

Roof Uo = **0.075** Wall Uo = **0.050** Floor Uo = **N/A** Fire Rating Ext. Walls = **N/A**
- **CALL AN-SITE DRAWINGS & ELECTRICAL HOODINGS TO BE DONE BY QUALIFIED PERSONNEL.**
- **SEE HEAT LOSS CALCULATIONS FOR ENERGY CODE REQUIREMENTS**
- **HOSE INSTALLATION TO BE MADE BY CERTIFIED INSTALLERS**
- **SEE SET-UP MANUAL FOR DETAILS REQUIRED BY MAN.**

Instructions for water/drain connections **SEE UNIT DRAWINGS & SET-UP MANUAL.**

WHITE - Attach to Unit YELLOW - PFS File PINK - Mfg's File

Job/Name
Unit Series
State Label
PFS Label
Date of I.

336 2008 009

UNIT #9 - 61 LEISURE AM.

Manufacturer



PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53718

FORM K (4/2001)

DATA PLATE

Manufacturer's Name/Address: **MAPLE LEAF HOMES INC.**
P.O. Box 77 FREDERICTON NB
CANADA E3B 4Y2

Job/Name/Location: **MAPLE SHIR ENTERPRISES / LORELLO / ARYLAND, ME.**
Unit Serial Number: **2553 A-B** Model: **000000**
State Label Number: **9914** PFS Acceptance Number: **11-626**
PFS Label Number: **49154 49155** Date Label Affixed: **DEC 7 01**
Date of Mfg.: **DEC 7 01** Date Data Plate Affixed: **DEC 7 01**
Type of Construction: **WOODFRAME SA** Use Group: **R-3 RESIDENTIAL**
Bldg Ht./Story Limitation: **25'-0" 1ST STORY** Floor Area: **177 SQ FT (ENHANCED)**

Furnace: _____ Water Heater: _____
Mfg. **N/A** Mfg. **N/A**
Model _____ Model _____
Dishwasher: _____ Disposal: **MUZONAVE**
Mfg. **GE** Mfg. **GE**
Model **GSD 2221** Model _____
Electrical Ratings: 1ø, 3W, 120/240 V AC Fireplace: _____
Main Rating Amps: **200** Mfg. **N/A**
Model _____

Codes & Standards Compiled With:
1993 BOCA NBC 1993 BOCA NPC 1996 NEC 1994 NFAA 101 1997 NFPA 31
1993 CABO MODEL ENERGY CODE. WARRANTY 71256

Design Parameters:
Snow Load **48** PSF Floor Load **40** PSF
Wind Load **18.5 / 85** PSF/MPH Outside Temp. **-30** °F
Water Test **100** PSIG DWV Test **5** PSIG
Unit Wt. **36000** lbs. Degree Days **7270**
Seismic Zone **GROUP 1**

Special Instructions:
Roof Up = **R.031** Wall Up = **R.030** Floor Up = **N/A** Fire Rating Ext Walls = **N/A**
- ALL ON-SITE PLUMBING & ELECTRICAL WIRING TO BE DONE BY QUALIFIED PERSONNEL.
- HEAT LOSS CALCULATIONS TO BE DONE BY QUALIFIED PERSONNEL.
- HVAC INSTALLATION TO BE DONE BY QUALIFIED PERSONNEL.
- SEE SET-UP MANUAL FOR DETAILS REQUIRED BY MLH.

Instructions for water/drain connections: **SEE UNIT DRAWINGS & SET-UP MANUAL**

WHITE - Attach to Unit YELLOW - PFS File PINK - Mgr's File

UNIT # 10 - 63 LEISURE LN.

336 Loop 010



PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53718

FORM K (4/2001)

DATA PLATE

Manufacturer's Name/Address: **MAPLE LEAF HOMES INC.**
P.O. Box 27 FREDERICTON, NB
CANADA E3B 4Y2

Job/Name/Location NORTH STAR / McMAHON / PORTLAND, ME
Unit Serial Number 0155 Model DCC 0000
State Label Number 10530 PFS Acceptance Number 09-626
PFS Label Number 456606-7 Date Label Affixed APRIL 25 102
Date of Mfg. APRIL 25 102 Date Data Plate Affixed APRIL 25 102
Type of Construction WOODFRAME SB Use Group R-3 RESIDENTIAL
Bldg Ht/Story Limitation 25'-0" 2-STORY Floor Area 1170

Furnace: N/A
Mfg. _____
Model _____
Dishwasher: GE
Mfg. _____
Model GSD7200
Electrical Ratings: 1ø, 3W, 120/240 V AC
Main Rating Amps: 100

Water Heater: N/A
Mfg. _____
Model _____
Disposal: MICROWAVE
Mfg. GE
Model NW1640
Fireplace: N/A
Mfg. _____
Model _____

Codes & Standards Complied With:

1993 BOCA NBC & NRC, 1993 CABO MEC, 1996 NEC, 1997 NEPA-31,
1997 NEPA 101 WARRANTY # 21982

Design Parameters:
Snow Load 48 PSF
Wind Load 18.5 / BS PSF/MPH
Water Test 100 PSIG
Unit Wt. 3500 lbs.
Floor Load 40 PSF
Outside Temp. -30 F
DWV Test 5 PSIG
Degree Days 9770
Seismic Zone GROUP 1

Special Instructions:

- Floor Uo=0.025 Wall Uo=0.060 Floor Uo= N/A Fire Rating Ext Walls= N/A
- ALL ON-SITE PLUMBING & ELECT. WORKUPS TO BE DONE BY QUALIFIED PERSONNEL
- SEE HEAT LOSS CALCS FOR ENERGY CODE REQUIREMENTS.
- HOME INSTALLATION TO BE DONE BY CERTIFIED INSTALLERS
- SEE SETUP MANUAL FOR DETAILS REQ'D BY Mfg.

Instructions for water/drain connections SEE SETUP MANUAL & UNIT DRAWINGS

WHITE - Attach to Unit

YELLOW - PFS File

PINK - Mfg's File

UNIT #13-77 LEISURE LN.
336 L 008 013

PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53718

FORM K (4/2001)

DATA PLATE

Manufacturer's Name/Address: MAPLE LEAF HOMES INC.
P.O. Box 27 FREDERICTON, NB
CANADA E3B 4Y2

Job/Name/Location NORTH STAR / GUYSE / PORTLAND, ME
Unit Serial Number B750 Model DCC 2002
State Label Number 10525 PFS Acceptance Number 99-626
PFS Label Number 458588-9 Date Label Affixed APRIL 16 02
Date of Mfg. APRIL 16 02 Date Data Plate Affixed APRIL 16 02
Type of Construction WOODFRAME SB Use Group R-3 RESIDENTIAL
Bldg Ht/Story Limitation 12' 6" 1-STORY Floor Area 1120

Furnace: N/A
Mfg. _____
Model _____
Dishwasher: _____
Mfg. GE
Model GSD2200
Electrical Ratings: 1n. 3W, 120/240 V AC
Main Rating Amps: 100

Water Heater: N/A
Mfg. _____
Model _____
Disposal: _____
Mfg. N/A
Model _____
Fireplace: _____
Mfg. N/A
Model _____

Codes & Standards Complied With:
1993 BSA NBC, NPC 1993 CABO MEC 1996 NEC 1997 NFPA 31
1994 NFPA 101

Design Parameters:
Snow Load 40 PSF
Wind Load 18.5 / 85 PSF/MPH
Water Test 100 PSIG
Unit Wt. 35000 lbs.
Floor Load 40 PSF
Outside Temp. 30 F
DWV Test 5 PSIG
Degree Days 9770
Seismic Zone GROUP 1

Special Instructions:
Roof Uo=0.025 Wall Uo=0.050 Floor Uo=N/A Fire Rating Ext Walls=N/A
- ALL ON-SITE PLUMBING & ELECTRICAL HOOKUPS TO BE DONE BY QUALIFIED PERSONNEL.
- SEE HEAT LOSS CALCS. FOR ENERGY CODE REQUIREMENTS.
- HOME INSULATION TO BE DONE BY CERTIFIED INSTALLERS.
- SEE SETUP MANUAL FOR DETAILS REQUIRED BY MLH.

Instructions for water/drain connections SEE SET-UP MANUAL & UNIT DRAWINGS.

WHITE -- Attach to Unit YELLOW -- PFS File PINK -- Mfg's File

Unit #14 - 83 LEISURE LN



PFS CORPORATION
2402 Daniels Street
Madison, Wisconsin 53718

FORM K (4/2001)

DATA PLATE

Manufacturer's Name/Address: MAPLE LEAF HOMES INC
P.O. Box 27 FREDERICTON, NB
CANADA E3B 4Y2

Job/Name/Location NORTH STAR / STOCK / PORTLAND, ME
Unit Serial Number 07160 Model DEC 2000
State Label Number 10533 PFS Acceptance Number 99-6216
PFS Label Number USB 617-B Date Label Affixed MAY 3/02
Date of Mfg. MAY 3/02 Date Data Plate Affixed MAY 3/02
Type of Construction WOODFRAME SB Use Group R-3 RESIDENTIAL
Bldg Ht/Story Limitation 25.0' 1 1/2 STORY Floor Area 1120

Furnace:
Mfg. N/A
Model _____
Dishwasher:
Mfg. GE
Model SSD200
Electrical Ratings: 1ø, 3W, 120/240 V AC
Main Rating Amps: 100

Water Heater:
Mfg. N/A
Model _____
Disposal:
Mfg. N/A
Model _____
Fireplace:
Mfg. N/A
Model _____

Codes & Standards Complied With:

1993 BOCA NRC NRC 1993 CABO MEC 1996 NEC 1994 NEPA 101
1997 NEPA-31 WARRANTY # 21907

Design Parameters:
Snow Load 40 PSF
Wind Load 18.5 / 85 PSF/MPH
Water Test 100 PSIG
Unit Wt. 35000 lbs.
Floor Load 40 PSF
Outside Temp. -30 F
DWV Test 5 PSIG
Degree Days 9770
Seismic Zone GROUP 1

Special Instructions:

- Roof Uo = 0.025 Wall Uo = 0.050 Floor Uo = N/A Fire Rating Ext Walls = N/A
- ALL ONSITE PUMPING & ELECT. HOOKUPS TO BE DONE BY QUALIFIED PERSONNEL.
- SEE HEAT LOSS CALCS. FOR ENERGY CODE REQUIREMENTS.
- HOME INSTALLATION TO BE DONE BY CERTIFIED INSTALLERS.
- SEE SET-UP MANUAL FOR DETAILS REQUIRED BY MLH.

Instructions for water/drain connections SEE SET-UP MANUAL & UNIT DRAWINGS

WHITE - Attach to Unit

YELLOW - PFS File

PINK - Mgr's File