C1. 05 .1 1.3					Downst No.	PER	IXIT T	770Fn	
City of Portland, N 389 Congress Street,		_			1 00 00	52		336 L	.030001
Location of Construction:		Owner Name:			Owner Address:			Phone	
Hillcrest Cir		Gullbrand Carl	IE&		5 Hillcrest Cir			207.19	7-8-47
Business Name:		Contractor Name			Contractor Addr		0F P0	RFLAN	
n/a		Mark Hawthur	rey Mai	whinney	90 Pearl Stree	t Apartment #	1 South F		mand .
Lessee/Buyer's Name		Phone:	71 30	<u> </u>	Permit Type:	1			Zone:
n/a		n/a			Additions - D	Owellings			R-2
Past Use:	Proposed Use:			9" w	Permit Fee:	Cost of Wo	rk:	CEO District:	1. A 22'
Single Family	-		/ Build 2		l -	00 \$40,0	00.00	1	10,32
•		Garage / Maste			FIRE DEPT:	Approved	INSPEC	CTION:	
						Denied	Use Gro	oup:	Type:
						Denied	$\perp \mathcal{L}$	3	50
							'`	Pora	KK14
Proposed Project Descripti	on:	•						DUCT	(1)
Build 24' x 24 G" Gara	ge / Master	Bedroom			Signature:		Signatu	1 71.0	9/11/02
•					PEDESTRIAN A	CTIVITIES DIS	TRICT (P	(A,D.)	7 /
					Action: A	pproved A	pproved w/0	Conditions [Denied
					Signature:	·		Date:	
Permit Taken By:	1	e Applied For:			Zon	ing Approv	al		
gg	90	3/22/2002							
1. This permit applic	cation does i	not preclude the	e Special Zone or Re		ws Zoning Appeal			Historic Preservation	
Applicant(s) from Federal Rules.					☐ Vai	☐ Variance		Not in District or Landma	
- -					Miscellaneous				
3. Building permits a			☐ Flood Zone		☐ Cor	Conditional Use		Requires F	Review
False information	within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work		☐ Sub	division	☐ Inte	erpretation		Approved	
			☐ Site	Plan	□ Ар	proved		Approved	w/Conditions
			Maj [Minor MM	Der	nied		Denied	
			لا م	with a	matthus	}			
			Date:	20 BT	7 Date:		Da	ate:	- /
I hereby certify that I and I have been authorized jurisdiction. In addition	by the owner	er to make this appli	med propication as	his authorize	he proposed wo	gree to conform	n to all ap	plicable lav	vs of this
shall have the authority such permit.	to enter all			it at any reaso	nable hour to er	nforce the prov	vision of	the code(s)	applicable to
SIGNATURE OF APPLICA	ANT			ADDRES	S	DAT	E	PI	HONE
RESPONSIBLE PERSON I	N CHARGE C	OF WORK, TITLE				DAT	Έ	PI	HONE

02 0952

All Purpose Building Permit Application


If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 5	HILLCREST CIRCLE	
Total Square Footage of Proposed Structu	Square Footage of Lot 10,329	
Tax Assessor's Chart, Block & Lot Chart# Block# Lot#	Owner: CARLE BARBAZA GULBRA	Telephone:
Lessee/Buyer's Name (If Applicable)	Applicant name, address & telephone: M+M ZWDJSZLTZJ Zoj-329 -4875	Cost Of Work: \$ 40,000 Fee: \$ 303
Current use: Proposed use: CARACE MARCHE Project description: ADDITION TO	as prior use:	X24'169 gen plans
Contractor's name, address & telephone: 90 Phyll ST #1 Down Who should we contact when the permit Mailing address: 5 AME We will contact you by phone when the review the requirements before starting a and a \$100.00 fee if any work starts before	permit is ready. You must come in and any work, with a Plan Reviewer. A stop v	pick up the permit and
	LIDED IN THE CURNICCIONS THE DEDMIT W	ULL RE ALITOMATICALLY

IF THE REQUIRED INFORMATION IS NOT INCLUDED IN THE SUBMISSIONS THE PERMIT WILL BE AUTOMATICALLY DENIED AT THE DISCRETION OF THE BUILDING/PLANNING DEPARTMENT, WE MAY REQUIRE ADDITIONAL INFORMATION IN ORDER TO APROVE THIS PERMIT.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued. I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.


to this permit.					
Signature of applicant: 4006	Date:	8	12	0 2	
This is NOT a permit, you may not commence ANY w If you are in a Historic District you may be subject to addi Planning Department on the 4th floor	ork un tional (r of Cit	til thi	TY OF P	ORTLAND, ME III IS ISSUED. CINCLE WITH	the



	oning	State Ann	proved with Co	nditions 👪		Marge Sci	nmuc
	llcrest Cir.				sceni Datë	08/27/2002	
				Alva	n On Unite	08/27/2002	
OK to be	se Pennit	Marge S	chmuckal		08/27/2002	j tug2	A
supartium S	eston						
This permit is be before starting t		the basis of plans	submitted. A	ny deviations	shall require a	separate app	roval
This property sh application for r	all remain a sing eview and approv	e family dwelling. al.	Any change o	fuse shall requ	uire a separat	e permit	
This is NOT an a including, but no special approval	ot limited to item	Iditional dwelling (s such as stoves,	unit. You SHA microwaves, re	LL NOT add a efrigerators, or	ny additional kitchen sinks	kitchen equip , etc. Without	ment
All setbacks are Officers will be o	to be measured hecking these se	from PROPERTY L backs prior to co	INES, not side	ewalks or street of your work.	et lines. Our C	code Enforcen	ent
		er					

THIS IS NOT A BOUNDARY SURVEY

		I A BOUNDAR I SU	JKVEY	
INSPECTION OF P	REMISES	5 HILLCREST CIRCLE	Job Number:	127-79R
I HEREBY CERTIFY TO	S LIGETAL S	PORTLAND, WAINE	Inspection Date:	
The monumentation is not in he			Scale: 1	<u>* 30′</u>
current deed description,				
The building setbacks are ant is with town zoning requirements. Fig.	L 050 5129 Fil	0.300.4.		1
The dwelling does not appeare special flood hazard zone as deline	e fall within the	OWNITE: CARL	E. & BAKBAH	A A.
i recersi Emergency Manageme <i>nt i</i>	gency.	6	ULBEAND ,	
The land does not appear to fal special flood hazard zone as indica community-panel # 2300 S1	ted on	12-21	+ Property	me .
community-panel # 2300 S1	<u>0006 B</u> .	25 mi to Fr it: 25 mi to 12 15 12 15 15 15 15 15 15 15 15 15 15 15 15 15	on the xouth	lune
	Fro	J. 25 1: 1012	CAR POP	
	300	T: 25 m	7" Show	
		14 reg 13	CIP	'g \
•	610	Stary	TRANS	₹ \
		SIV]	Than	(BITUMINUE)
	(635		[]	<u> </u>
11 , ~	· NETUR!			5
8/27/2 Spoke with	(PCD-TURMO)	N A	<u> </u>	□ □
Shire				
MAK M. in office Nout the Setbacks to Property lines NOTTH	213		*	STREET
Nout The Set DACE		1000	80	2
Property lines 1901	S. 15'7"	11/2 STORY NEOD *	0لعديمين	YNN
Side walks - he had		CONCLETE	UNDOCKEDUND UNLITY	
The pus? has	8	FOUNDATION	PECKUP	
Strang hese	1		χ #	
The pms? has Strug These measure ments	ALCO ALCO ALCO ALCO ALCO ALCO ALCO ALCO	(26)	کی ا	
Already - Itold	28-	Chek	• • / /	
prierry - I low	, CIL JEL	4812	CIL TIME	/
him that the	<	SIDEWALK 400 AC	DT RIG	
Code Forfacemin	1			
of Give would		0		
de ressum o	CA HILL	REST CIECLE		,
or measury of	1.09 210	(ZUÓWINUTI		,
	2			
	')			
			\sim	
THIS PROPERTY IS SUBJECT TO A	π		/]// (N /
THOSE THAT ARE EVIDENT ARE SHOW	,. Yn.		/ % \	10
THIS PLAN MIGHT NOT REVEAL CONFLICTS WITH ABUTTING DEEDS.			1.//	V
BRUCE R. BOWMAN, INC.	PLAN BOOK	178 PAGE 52 L	OT 16 .	
48 Mill Road Cumberland, Maine 04021	DEED BOOK	<u>875Z PAGE メリし</u> (COUNTY CUMBE	PUALID
Phone: (207)829-3959	THIS PLA	N IS NOT FOR R	ECORDING	Drawn by: DAB
				-/-



PROPERTY INSPECTION REPORT

own	ER/BUYER: GULTRAND CARLE DATE: 324193	
LOC	5 HILLCREST AIRCLE JOB #: 127-79R	
Len	DER: PSHICKOTON	
1.	OUALITY OF DESCRIPTION:	
	A. RECORDED PLAN: WELL MONUMENTED () POORLY MONUMENTED (,
	B. METES & BOUNDS: WELL MONUMENTED () POORLY MONUMENTED (•
	C. OTHER DEED TYPES: WELL MONUMENTED () VAGUE ()	
	D. MATHEMATICAL CLOSURE: GOOD (V) POOR ()	
2.	SETBACK REQUIREMENTS: FRONT SIDE REAR	
	A. FOUND: 23.6	
	B. REQUIRED: 25.0	
3.	DATE OF CONSTRUCTION: 1989	
4.	ENCROACHMENTS:	
5.	BOUNDARY RECOMMENDED: WHEN FIRST INSPECTED, (5/24/90) WARRED TOLD US IT WAS OK.)
	FLOOD ZONE: NO	
	AB.	
	BRB	

TITLE COMPANY

This page contains a detailed description of the Parcel ID you selected. Press the **New Search** button at the bottom of the screen to submit a new query.

Current Owner Information

1 of 1 Card Number 336 L030001 Parcel ID HILLCREST CIR Location 26×40 = 1040 P 24×24.75 = 594 P SINGLE FAMILY Land Use GULLBRAND CARL E & BARBARA A JTS Owner Address 5 HILLCREST CIR PORTLAND ME 04103 9217/118 Book/Page 336-L-30 337-D-7 Legal HILLCREST CIRCLE LYNN ST Valuation Information Building Land \$90,400 \$34,340

Book/Page

Property Information

Sq. Ft. **Total Acres** Year Built Story Height 1456 0.237 Cape 1989 Attic Basement Half Baths **Total Rooms** Full Baths **Bedrooms** Full Full Finsh Outbuildings Condition Grade Size Quantity Year Built Type

Sales Information

Picture and Sketch

Price

Picture Sketch



M & M Industries 90 Pearl Struct #1 South Pertland Me 04106 207-3294873

August 36, 2002

City of Portland Code Enforcement 389 Congress Street Portland, Maine 04101

Attention: Jodine

Re: 5 Hillerest Circle/Gullbrand Job Specifications

Framing Schedule:

√8" x 16" footing 48" below grade

√8" concrete walls pinned to existing foundation

√4" slab

✓all framing 16" o.c.

√2 x 6 pressure treated ledger for framing

√2 x 6 exterior wall construction

 $\sqrt{2 \times 10^{2}}$ floor joists 14' long supported by a center beam

Spec \(\sqrt{W1430}\) center beam supported by solid and continuous 2 x o posts to floor/foundation. Beam to span 23'6" and is centered on 24'9" wall

12 x 10 rafters

✓ 2 x 8 headers on all windows and doors

#2 x 10 header on garage door max span 86" Not accounted

15/8" firecode sheet rock on all garage walls and ceiling.

✓ 1st floor entry door changed to firecode door with self closing hipges and steel frame

ノバ" cdx sheathing on walls and roof

12nd floor windows to be Anderson 3046 for egress code

/Roof pitch on front is 11/12 on rear is 4/12

✓ Stairs to first floor entry will have a rise of 7" and a tread of 11" and all stairs/landing will have 36" railings

/ Elevation of garage floor to first floor is 35"

Submitted for changes/Additions
9/11/02

M& Manuelines 90 Post Street #1 South Partiand, Mie 04106 207-329-4475

September 3, 2002

City of Portland Code Enforcement 389 Congress Street Portland, Maine 04101

Attention: Jeannie Bourke

Re: 5 Hillcrest Circle/Gullbrand Job Specifications/Ammended

Framing Schedule:

8" x 16" footing 48" below grade

8" concrete walls pinned to existing foundation

all framing 16" o.c.

2 x 6 pressure treated ledger for framing

2 x 6 exterior wall construction

2 x 10 2 floor joists 14 long supported by a center beam

W1430 center beam supported by solid and continuous 2 x septits to floor/foundation, Beam to span 23'6" and is centered to 24'9" well. Engineers papers will be filed before inspection of file

2 x 10 rafters

2 x 8 headers on all windows and doors

5/8" fire code sheet rock on all garage walls and ceiling 20015: Cascade Verscham 134" X Site and sheet rook on all annual

If floor entry door changed to fire code door with self-closing library and speci frame

" ods sheathing on walls and roof

2nd floor windows to be Anderson 3046 for egress code

Roof witch on front is 11/12 on rear is 4/12

Stairs to first floor entry will have a rise of 7" and a tread of the and all

Elevation of garage floor to first floor is 35

Mark A Manufamer



e-mail sales! | WTCA | harbourgroup.com

Home | Contact Us! | Mission Statement! |

Versa-Lam Design Values

en Francais

Trusses
Common Stock Trusses
Scissor Stock Trusses
Attic Stock Trusses
Floor Stock Trusses
Custom Trusses
Light Gauge Steel
The Stabilizer

⊞ Engineered Wood
 Boise Specifier Guide

 BCI I-Joists
 Versa-RIM/BC Rim

 LVL
 Versa-LAM
 Columns

- Services Shipping
- ⊕ Our Partners
 Maine
 New Hampshire
 Massachusetts
 Rhode Island
 Connecticut
- About Us
 The WSI Group
 Our Mission
 Wood Structures

3-13/4" x 14"

		ve	rsa-Lam	Design Valu	ies	
GRADE	WIDTH (in)	DEPTH (in)	WEIGHT (plf)	ALLOWABLE SHEAR (lbs)	ALLOWABLE MOMENT (ft-lbs)	MOMEN' OF INERTIA (in ⁴)
	1.75	5.5	2.5	1829	2245	24.3
	1.75	7.25	3.3	2411	3783	55.6
	1.75	9.25	4.2	3076	5994	115.4
	1.75	9.5	4.3	3159	6304	125.0
2900 Fb SP	1.75	11.25	5.1	3741	8675	207.6
54	1.75	11.875	5.3	3948	9608	244.2
	1.75	14	6.3	4655	13112	400.2
	1.75	16	7.2	5320	16874	597.3
	1.75	18	8.1	5985	21079	850.5
	3.5	5.5	4.9	3658	4490	48.5
	3.5	7.25	6.5	4821	7566	111.1
	3.5	9.25	8.3	6151	11988	230.8
	3.5	9.5	8.5	6318	12607	250.1
2800 Fb	3.5	11.25	10.1	7481	17351	415.3
DF	3.5	11.875	10.7	7897	19216	488.4
	3.5	14	12.6	9310	26225	800.3
	3.5	16	14.4	10640	33748	1194.7
	3.5	18	16.2	11970	42157	1701.0
	3.5	20	18.0	13300	51440	2333.3
	5.25	5.25	7.1	5237	6169	63.3
	5.25	5.5	7.4	5486	6735	72.8
	5.25	7.25	9.8	7232	11350	166.7
	5.25	9.25	12.5	9227	17982	346.3
	5.25	9.5	12.8	9476	18911	375.1
2800 Fb	5.25	11.25	15.2	11222	26026	622.9
DF	5.25	11.875	16.0	11845	28824	732.6
(5.25	14	18.9	13965	39337	1200.5
	5.25	16	21.6	15960	50622	1792.0
	5.25	18	24.3	17955	63236	2551.5
ſ	5.25	20	27.0	19950	77160	3500.0
	5.25	24	32.4	23940	108883	6048.0
	7	11.875	21.4	15794	38432	976.8
	7	14	25.2	18620	52449	1600.7
2800 Fb	7	16	28.8	21280	67497	2389.3
DF	7	12	37 ⊿	23940	84315	3402 N

1 :		10	22.7	43770	0 1 212	J702.0
	7	20	36.0	26600	102881	4666.7
	7	24	43.2	31920	145177	8064.0

Design Property 1. This		-Lam nms	Versa-Lam Columns	Versa-Stu
value Grade	2800 Fb DF	2900 Fb SP	2200 Fb DF	2400 Fb D
Modul Elasticity, E(x 106 psi) (1)	2.0	2.0	1.8	1.8
Bending, F _b (psi) (2) (3)	2800	2900	2200	2200
increased that increased for F _v (lbs) (2) (4)	285	290	285	285
loatension Parallel to duration: (psi) (2) (5)	2100	2250	1600	1600
2. This pression Parallel to val Grain F _{ell} (psi) (2)	3000	3000	3000	3000
Cdmpression Perpendicular to basedn F _c (psi) (1) (6)	900	850	900	900


on

a normal load duration (100%) and may be increased for other load durations.

- 3. Multiply this value by (12/d)^{1/9}, where d = member depth (in).
 4. Stress applied perpendicular to the gluelines (beam orientation).
- 5. Multiply this value by $(4/L)^{1/8}$, where L = member length (ft). Use L: 4 for members less than four feet long.
- 6. Stress applied parallel to the gluelines (beam orientation).
- 7. These design properties are limited to dry conditions of use where the maximum moisture content of the material will not exceed 12.5%
- 8. Fastener values are as provided in the National Design Specification® for sawn lumber with a specific gravity of 0.50.


© 1996-2000 Wood Structures Inc. All rights reserved. Terms of use.

2X6 WAUS/ 2×10 200 FLOOR JOISTS ECRES WINDOWS L SIZE 30" X WISON 2X10 PARTER V 2X8 HEADRIN &XS NEW ADDITION 5/8" FITH COOK TO CARACKE 1ST RUDGE ENTRY PIRECOOK STEEL BIROLOS Par San ZNO W1430 STERL BRAM Need Spec EXISTING-Froom NEW COTTIGGA 1st floor GAZAGE Z41 137 EXISTING-HOUSE FLOOR رک 26'5" X 41'5" h-16' -1 18" TO MAKT SETBALL CARLA BALBARA GULBRAND 5 HILLERST CIRCLE FORTHUD, ME




CAPL & BARBARA GULBRAND 5 HILLCREST CIRCLE PORTLAND, ME

EXISTING HOUSE
ADDITION SIDE
SCALE 1'= 1'




CARL & BARBARH GULBRAND 5 HILLCRUST CIRCLIR PORTRAND, MINE

FRONT BLEVATION



CARL & BARBARA GULBRAND 5 HILLEREST CIRCLE PORTLAND, ME

PEAR ELLATION



CARL & BARBARA GULBRAND 5 HILLCRUST CIRCUR POLILAND, MR

EXISTING HOUSE

ADDITION ELEVATION

SCALE 141 = 11

Form # P 04

DISPLAY THIS CARD FRONTAGE

Y OF PORTLAND

MOIT

ution

Permit Number

epting this permit shall comply with all

tures, and of the application on file in

ences of the City of Portland regulating

Please Read **Application And** Notes, If Any, Attached

Gullbrand Carl E &/Mark H

has permission to

Build 24' x 24'6" Garage / M r Bedro

AT 20 Hillcrest Cir

This is to certify that

336 L030001

provided that the person or persons, of the provisions of the Statutes of N the construction, maintenance and u this department.

Apply to Public Works for street line and grade if nature of work requires such information.

ication insped must and w n permis n procu e this t dina or t therea d or d losed-in. R NOTICE IS REQUIRED.

of buildings and str

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

gi b la

ne and of the

OHEFPERMITANSOVAED Fire Dept. Health Dept 2002 **Appeal Boa** Other

10/9/02 setback inspection was not ready no forms in
place to verify, will call can back when forms are ready bythe pouring. She mark contractor. go
10/10/02 Met on site w/ Mark from m+m = 1104
Now OK. JURVEYER is also on site OK, to pour Justings. GR
11/21/02 Close in inspection. Need specs on Steel beam and papalan. Windows not in chark at Ginal Jr.
4/24/03 - Cheeked Egres wm dms-on-chacked artled OK-No problems seen - have specsheet on parlam. Close and Permit # 02 0952 CBL# 336-L-30



CITY OF PORTLAND, MAINE

Department of Building Inspections

8/20 00
Received from M+ M Tridushus
Location of Work
Cost of Construction \$ 40,000
Permit Fee \$ 503
Building (IL) Plumbing (I5) Electrical (I2) Site Plan (U2)
Other
CBL: 336-1-030
Check #: Total Collected \$

THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$10.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Permit Copy