

Permit # \_\_\_\_\_ City of Portland **BUILDING PERMIT APPLICATION Fee \$35.** Zone \_\_\_\_\_ Map # \_\_\_\_\_ Lot# \_\_\_\_\_  
 Please fill out any part which applies to job. Proper plans must accompany form.

Owner: Michael & Susan Gilbert Phone # 207 797-9260  
 Address: 138 Lynn St; Portland, ME 04103  
 LOCATION OF CONSTRUCTION 138 Lynn St.  
 Contractor: owner Sub \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Est. Construction Cost: \$3000. Proposed Use: 1-family  
 Past Use: 1-family  
 # of Existing Res. Units \_\_\_\_\_ # of New Res. Units \_\_\_\_\_  
 Building Dimensions L \_\_\_\_\_ W \_\_\_\_\_ Total Sq Ft. \_\_\_\_\_  
 # Stories: \_\_\_\_\_ # Bedrooms \_\_\_\_\_ Lot Size: \_\_\_\_\_  
 Is Proposed Use: Seasonal \_\_\_\_\_ Condominium \_\_\_\_\_ Conversion \_\_\_\_\_  
 Explain Conversion: RENOVATION - finishing 2 bedrooms & bath on second floor

**For Official Use Only**  
 Date: 3/6/90 Subdivision: \_\_\_\_\_  
 Inside Fire Limits: \_\_\_\_\_ Name: \_\_\_\_\_  
 Bldg Code: \_\_\_\_\_ Lot: 138  
 Time Limit: \_\_\_\_\_ Ownership: \_\_\_\_\_  
 Estimated Cost: \$3000. City of Portland  
 Zoning: R-2  
 Street Frontage Provided: \_\_\_\_\_  
 Provided Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_  
 Review Required:  
 Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Site Plan \_\_\_\_\_  
 Shoreland Zoning Yes \_\_\_\_\_ No \_\_\_\_\_ Floodplain Yes \_\_\_\_\_ No \_\_\_\_\_  
 Special Exception \_\_\_\_\_  
 Other (Ex. 1076) \_\_\_\_\_  
OK WJH 3-6-90

**Foundation:**  
 1. Type of Soil \_\_\_\_\_  
 2. Set Backs - Front \_\_\_\_\_ Rear \_\_\_\_\_ Side(r) \_\_\_\_\_  
 3. Footings Size \_\_\_\_\_  
 4. Foundation Size \_\_\_\_\_  
 5. Other \_\_\_\_\_

**Ceiling:**  
 1. Ceiling Joists Size \_\_\_\_\_  
 2. Ceiling Strapping Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 3. Type Ceiling \_\_\_\_\_  
 4. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 5. Ceiling Height: \_\_\_\_\_

**Floor:**  
 1. Sills Size \_\_\_\_\_ Sills must be anchored.  
 2. Girder Size \_\_\_\_\_  
 3. Lally Column Spacing \_\_\_\_\_ Size: \_\_\_\_\_  
 4. Joists Size: \_\_\_\_\_ Spacing 16" O.C.  
 5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 6. Floor Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 7. Other Material: \_\_\_\_\_

**Roof:**  
 1. Truss or Rafter Size \_\_\_\_\_ Span \_\_\_\_\_  
 2. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
 3. Roof Covering Type \_\_\_\_\_  
**Chimneys:**  
 Type: \_\_\_\_\_ Number of Places \_\_\_\_\_  
**Heating:**  
 Type of Heat: \_\_\_\_\_  
**Electrical:**  
 Service Entrance Size: \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_

**Exterior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. No. windows \_\_\_\_\_  
 3. No. Doors \_\_\_\_\_  
 4. Header Sizes \_\_\_\_\_ Spacing \_\_\_\_\_  
 5. Bracing: Yes \_\_\_\_\_ No \_\_\_\_\_  
 6. Corner Posts Size \_\_\_\_\_  
 7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 8. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
 9. Siding Type \_\_\_\_\_ Weather Exposure \_\_\_\_\_  
 10. Masonry Materials \_\_\_\_\_  
 11. Metal Materials \_\_\_\_\_

**Plumbing:**  
 1. Approval of soil test if required Yes \_\_\_\_\_ No \_\_\_\_\_  
 2. No. of Tubs or Showers \_\_\_\_\_  
 3. No. of Flushes \_\_\_\_\_  
 4. No. of Lavatories \_\_\_\_\_  
 5. No. of Other Fixtures \_\_\_\_\_  
**Swimming Pools:**  
 1. Type: \_\_\_\_\_  
 2. Pool Size: \_\_\_\_\_ x \_\_\_\_\_ Square Footage \_\_\_\_\_  
 3. Must conform to National Electrical Code and State Law.

**Interior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. Header Sizes \_\_\_\_\_ Spacing \_\_\_\_\_  
 3. Wall Covering Type \_\_\_\_\_  
 4. Fire Wall if required \_\_\_\_\_  
 5. Other Materials \_\_\_\_\_

Permit Received By: Louise Chase  
 Signature of Applicant: Michael Gilbert Date: 3/6/90  
 Signature of CEO: \_\_\_\_\_  
 Inspection Dates: \_\_\_\_\_

**PERMIT ISSUED WITH CENTER**

White-Tax Assessor Yellow-GPCOG White Tag -CEO 147  
 Copyright © GPCOG 1988

Permit # 118 City of Portland BUILDING PERMIT APPLICATION Fee \$35. Zone \_\_\_\_\_ Map # \_\_\_\_\_ Lot # \_\_\_\_\_

Pl. use if out any part which applies to, of. Proper plans must accompany form.  
 Owner: Michael & Susan Glavin Phone # 407-783-260  
138 Lynn St, Portland, ME 04103 177-9760  
 Address: 138 Lynn St.  
 LOCATION OF CONSTRUCTION: owner Sub: \_\_\_\_\_  
 Contractor: \_\_\_\_\_ Phone # \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Est. Construction Cost: \$5000. Proposed Use: 1-family  
 # of Existing Res. Units \_\_\_\_\_ # of New Res. Units \_\_\_\_\_  
 Building Dimensions L \_\_\_\_\_ W \_\_\_\_\_ Total Sq. Ft. \_\_\_\_\_  
 # Stories: \_\_\_\_\_ # Bedrooms \_\_\_\_\_ Lot Size: \_\_\_\_\_  
 Is Proposed Use: Seasonal \_\_\_\_\_ Condominium \_\_\_\_\_ Conversion \_\_\_\_\_  
 Explain Conversion: RENOVATION - finishing 2 bedrooms & bath on second floor

**For Official Use Only**  
**PERMIT ISSUED**

Date: 3/6/90 Submitter Name: \_\_\_\_\_  
 Inside Fire Limits: \_\_\_\_\_ Owner: Public  
 Bldg Code: \_\_\_\_\_  
 Time Limit: \_\_\_\_\_  
 Estimated Cost: \$2000. City of Portland

Zoning: R-2  
 Street Frontage Provided: \_\_\_\_\_  
 Provided Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_  
 Review Required:  
 Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Site Plan \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Floodplain \_\_\_\_\_  
 Shoreland Zoning: Yes \_\_\_\_\_ No \_\_\_\_\_  
 Special Exception: \_\_\_\_\_  
 Other (Explain): OK U.N.A.P. 5-6-90

**Foundation:**  
 1. Type of Soil: \_\_\_\_\_ Rear \_\_\_\_\_ Side(s) \_\_\_\_\_  
 2. Set Backs - Front \_\_\_\_\_  
 3. Footings Size: \_\_\_\_\_  
 4. Foundation Size: \_\_\_\_\_  
 5. Other \_\_\_\_\_

**Floor:** Sills must be anchored.  
 1. Sills Size: \_\_\_\_\_  
 2. Girder Size: \_\_\_\_\_ Size: \_\_\_\_\_  
 3. Lally Column Spacing: \_\_\_\_\_ Spacing 16" O.C.  
 4. Joists Size: \_\_\_\_\_ Size: \_\_\_\_\_  
 5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 6. Floor Sheathing Type: \_\_\_\_\_  
 7. Other Material: \_\_\_\_\_

**Exterior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. No. windows \_\_\_\_\_  
 3. No. Doors \_\_\_\_\_  
 4. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
 5. Bracing: \_\_\_\_\_  
 6. Corner Posts Size \_\_\_\_\_ Size \_\_\_\_\_  
 7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 8. Sheathing Type \_\_\_\_\_  
 9. Siding Type \_\_\_\_\_ Weather Exposure \_\_\_\_\_  
 10. Masonry Materials \_\_\_\_\_  
 11. Metal Materials \_\_\_\_\_

**Interior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. Joist Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
 3. Wall Covering Type \_\_\_\_\_  
 4. Fire Wall if required \_\_\_\_\_  
 5. Other Materials \_\_\_\_\_

**Ceiling:**  
 1. Ceiling Joist Size: \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. Ceiling Strapping Size \_\_\_\_\_  
 3. Type Ceilings: \_\_\_\_\_ Size \_\_\_\_\_  
 4. Insulation Type \_\_\_\_\_  
 5. Ceiling Height: \_\_\_\_\_

**Roof:**  
 1. Truss or Rafter Size \_\_\_\_\_ Span \_\_\_\_\_  
 2. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
 3. Roof Covering Type \_\_\_\_\_

**Chimneys:** \_\_\_\_\_ Number of Fire Places \_\_\_\_\_  
 Type: \_\_\_\_\_

**Heating:** Type of Heat: \_\_\_\_\_  
 Electrical: Service Entrance Size \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_

**Plumbing:** Service Entrance Size \_\_\_\_\_  
 1. Approval of soil test if required \_\_\_\_\_  
 2. No. of Tubs or Showers \_\_\_\_\_  
 3. No. of Flushes \_\_\_\_\_  
 4. No. of Lavatories \_\_\_\_\_  
 5. No. of Other Fixtures \_\_\_\_\_

**Swimming Pools:**  
 1. Type: \_\_\_\_\_ Square Footage \_\_\_\_\_  
 2. Pool Size: \_\_\_\_\_  
 3. Must conform to National Electrical Code and State Law.

Permit Received By: Louise Chase  
 Signature of Applicant: [Signature] Date: 3/6/90  
 Signature of CEO: \_\_\_\_\_ Date: \_\_\_\_\_  
 Inspection Dates: \_\_\_\_\_  
 White Tag: [Signature] GPCOG-1988

**PERMIT ISSUED**  
**WITH LETTER**

09/1/90 White-Tax Assessor Yellow-GPCOG

PLOT PLAN

N

FEES (Breakdown From Front)  
Base Fee \$ 2-  
Subdivision Fee \$ \_\_\_\_\_  
Site Plan Review Fee \$ \_\_\_\_\_  
Other Fees \$ \_\_\_\_\_  
(Explain) \_\_\_\_\_  
Late Fee \$ \_\_\_\_\_

Type	Inspection Record	Date
_____	_____	____/____/____
_____	_____	____/____/____
_____	_____	____/____/____
_____	_____	____/____/____

COMMENTS 7-12-70 S.P. is all completed.

Signature of Applicant [Signature] Date 3/6/90

BUILDING PERMIT REPORT

ADDRESS: 138 LYNN ST.

DATE: 6/MAR/90

REASON FOR PERMIT: Finish off second floor (2) bedrooms  
and bath room

BUILDING OWNER: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

PERMIT APPLICANT: \_\_\_\_\_

APPROVED: \* 6 \* 7

~~DENIED~~

CONDITION OF APPROVAL OR DENIAL:

- 1.) Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained.
- 2.) Precaution must be taken to protect concrete from freezing.
- 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self-closers.
- 4.) Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communication to other apartment units.
- 5.) The boiler shall be protected by enclosing with one (1) hour fire rated construction including fire doors and ceiling, or by placing over the boiler, two (2) residential sprinkler heads supplied from the domestic water.
- \* 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m<sup>2</sup>). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
- \* 7.) In addition to any automatic fire alarm system required by Section 1018.3.5, a minimum of one single station smoke detector shall be installed in each guest room, suite of sleeping area in buildings of Use Groups R-1 and I-1 and in dwelling units in the immediate vicinity of the bedrooms in buildings of Use Group R-2 or R-3. When actuated, the detector shall provide an alarm suitable to warn the occupants within the individual unit (see Section 1717.3.1).

In buildings of Use Groups R-1 and R-2 which have basements, an additional smoke detector shall be installed in the basement. In buildings of Use Group R-3, smoke detectors shall be required on every story of the dwelling unit, including basements.

In dwelling units with split levels, a smoke detector installed on the upper level shall suffice for the adjacent lower level provided the lower level is less than one full story below the upper level. If there is an intervening door between the adjacent levels, a smoke detector shall be installed on both levels.

All detectors shall be installed in an approved location. Where more than one detector is required to be installed within an individual dwelling unit, the detectors shall be wired in such a manner that the actuation of one alarm will actuate all the alarms in the individual unit.

8.) Private garages located beneath rooms in buildings of Use Groups R-1, R-2, K-3 or I-1 shall have walls, partitions, floors and ceilings separating the garage space from the adjacent interior spaces constructed of not less than 1-hour fire-resistance rating. Attached private garages shall be completely separated from the adjacent interior spaces and the attic area by means of 1/2-inch gypsum board equivalent applied to the garage side. The sills of all door openings between the garage and adjacent interior spaces shall be raised not less than 4 inches (102 mm) above the garage floor. The door opening protectives shall be 1 3/4-inch solid core wood doors or approved equivalent.

9.) A guardrail system located near the open side of deck or elevated walking surfaces shall be constructed. Guards in buildings of Use Group R-3 shall be not less than 36 inches in height. Open guards shall have intermediate rails, balusters or other construction such that a sphere with a diameter of 6 inches cannot pass through any opening.

10.) Section 25-135 of the Municipal Code for the City of Portland states: "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year.

11.) The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 M.R.S.A. refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.


Sincerely,

  
P. Samuel Gouzes  
Chief of Inspection Services

/el  
11/16/88

Silber

138 Spruce St



SECOND FLOOR UNFINISHED

- DUMP & OUTLET
- GAS OUTLET
- GAS & PAINT OUTLET
- FIRE ALARM & TRANSFORMER

LEGEND

RECEIVED  
MAY 6 1930

DEPT OF BUILDING INSPECTIONS  
CITY OF PORTLAND

