

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Permit No. **990542**

PERMIT ISSUED
 Permit issued: **MAY 27 1999**
CITY OF PORTLAND

Zone: **CBL: 338-H-023**

- Zoning Approval: *0628 517614*
- Special Zone or Reviews:**
- Shoreland
 - Wetland
 - Flood Zone
 - Subdivision
 - Site Plan maj minor mm

- Zoning Appeal**
- Variance
 - Miscellaneous
 - Conditional Use
 - Interpretation
 - Approved
 - Denied

- Historic Preservation**
- Not in District or Landmark
 - Does Not Require Review
 - Requires Review

Action:

- Approved
- Approved with Conditions
- Denied

Date: _____

CEO DISTRICT

Location of Construction: **1585 Forest Ave. Portland, 04103** Owner: **George Glicos** Phone: _____

Owner Address: **6360 23rd LN NO ST. Petersburg Fla** Lessee/Buyer's Name: **C N Brown Co.** Phone: **743-9212** Business Name: _____

Contractor Name: ***C N Brown Co. / Kevin Moore** Address: **PO Box 200 So. Paris Me. 04281** Phone: **(207) 889-743-9212**

Past Use: **Store/Retail** Proposed Use: **Same** COST OF WORK: _____ PERMIT FEE: **\$ 39.22**

FIRE DEPT. Approved Denied INSPECTION: _____ Use Group: _____ Type: _____

Signature: _____ Signature: _____ PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Approved with Conditions: Denied

Signature: _____ Date: _____ Date Applied For: **May 12th, 1999**

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT _____ ADDRESS: _____ PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

BUILDING PERMIT REPORT

DATE: 27 MAY 99 ADDRESS: 1585 Forest Ave. CBL: 338-H-023

REASON FOR PERMIT: Signage

BUILDING OWNER: George Clicos

PERMIT APPLICANT: Contractor C.N. Brown Co.

USE GROUP Signage BOCA 1996 CONSTRUCTION TYPE _____


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: *1

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
20. In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
34. This permit shall meet the requirements of section 3102.0 of the City's building code (The BOCA National Building Code/1996).
35. _____
36. _____


 P. Samuel Hoffes, Building Inspector
 cc. E. McDougall, PFD
 Marge Schmuckal, Zoning Administrator

PSH 12-14-98

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Attached Single Family Dwellings/Two-Family Dwelling
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): 1585 Forest Ave <u>04103</u> <u>BIG APPLE</u>			
Total Square Footage of Proposed Structure 71		Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number G1558099 338--H-023-001 Chart# Block# Lot#	Owner: George Glicos	Telephone#:	
Owner's Address: 6360 23rd LN NO St. Petersburg, FL 33702	Lessee/Buyer's Name (If Applicable) <u>743-9212</u> C. N. Brown Co	Cost Of Work: \$	Fee \$ <u>39.22</u>
Proposed Project Description:(Please be as specific as possible) Replacement of an ID/price sign <u>w/sign 71.13 SQ FT</u>			
Contractor's Name, Address & Telephone <u>KEVIN MOORE 04281</u> C. N. Brown Company PO Box 200, So. Paris, ME 743-9212			Rec'd By <u>UB</u>
Current Use: <u>ID/price sign STORE</u>	Proposed Use: <u>ID/price sign STORE</u>		

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA-Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <u>Kevin M. Moore</u>	Date: <u>5-12-99</u>
-----------------------------------------------	----------------------

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.
Additional Site review and related fees are attached on a separate addendum



SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 1585 Forest Ave ZONE: B-1

OWNER: George Glicos

APPLICANT: C N Brown Co

ASSESSOR NO. 615580.99

PLEASE CIRCLE APPROPRIATE ANSWER

SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO

FREESTANDING SIGN? (ex. Pole Sign) YES NO --- DIMENSIONS 9'9" x 7'4" HEIGHT 18'

MORE THAN ONE SIGN? YES NO DIMENSIONS _____ HEIGHT _____

SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS _____

MORE THAN ONE SIGN? YES NO DIMENSIONS _____

AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK _____

IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT? _____

LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: _____

*** TENANT BLDG. FRONTAGE (IN FEET): _____

*** REQUIRED INFORMATION

AREA FOR COMPUTATION

YOU SHALL PROVIDE:
A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: Kevin M. Moore DATE: 5-12-99

BIG APPLE
STORE

3'x8'
B/A SIGN

GASOLINE PUMPS

DIESEL

SIGN POLE
16' FROM
SIDEWALK

4'x6' B/A SIGN

4'x6' PRICE SIGN

SIGN POLE 15'
From Sidewalk

FOREST AVE

HARRIS AVE

ACORD CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YY)
04/08/99

PRODUCER

Pike-Conway-Dahl Insurance Ag
117 MAIN STREET

FRYEBURG ME 04037

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

COMPANIES AFFORDING COVERAGE

COMPANY
A COMMERCIAL UNION INS. CO.

INSURED

C N Brown Company
164 Main Street Extension
P.O. Box 200
South Paris ME 04281

COMPANY
B

COMPANY
C

COMPANY
D

COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> OWNERS & CONTRACTOR'S PROT <input checked="" type="checkbox"/> AGGREGATE PER LOCATION <input checked="" type="checkbox"/> LIQUOR LIABILITY	CMR624104	01/01/99	01/01/00	GENERAL AGGREGATE \$ 3,000,000 PRODUCTS - COMP/OP AGG \$ 1,000,000 PERSONAL & ADV INJURY \$ 1,000,000 EACH OCCURRENCE \$ 1,000,000 FIRE DAMAGE (Any one fire) \$ 50,000 MED EXP (Any one person) \$ 5,000
A	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input checked="" type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS <input checked="" type="checkbox"/> MCS-90 INCLUDED	FMR551118 FMR551120-TRANSPORT UNITS	01/01/99 01/01/99	01/01/00 01/01/00	COMBINED SINGLE LIMIT \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE \$
	GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN-AUTO ONLY: EACH ACCIDENT \$ AGGREGATE \$
	EXCESS LIABILITY <input type="checkbox"/> UMBRELLA FORM <input type="checkbox"/> OTHER THAN UMBRELLA FORM				EACH OCCURRENCE \$ AGGREGATE \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY THE PROPRIETOR/PARTNERS/EXECUTIVE OFFICERS ARE: <input type="checkbox"/> INCL <input type="checkbox"/> EXCL OTHER	WCAM(99)H15573	01/01/99	01/01/00	<input checked="" type="checkbox"/> WC STATUTORY LIMITS <input type="checkbox"/> OTHER EL EACH ACCIDENT \$ 500,000 EL DISEASE - POLICY LIMIT \$ 500,000 EL DISEASE - EA EMPLOYEE \$ 500,000

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS
CITY OF PORTLAND IS NAMED AS ADDITIONAL INSURED.

CERTIFICATE HOLDER

MAINE CITY OF PORTLAND
DEPARTMENT OF PLANNING
389 CONGRESS STREET
PORTLAND ME 04101

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE
A. O. PIKE, IV



EXISTING
SIGN



7.3 x 4.33 = 31.73 # ok


33.5 SQ. FT.

63 TOTAL SQ. FEET

- CABINET: LGA EXT. / GLOSS WHITE
- BKGD: 3630-43 LT TOMATORED (LEXANFACE)
- "THE BIG APPLE": BLACK W/ WHITE OUTLINE OVER APPLE 3630-156 VIVID GREEN STEM & LEAF W/ 3630-015 YELLOW OUTLINE 3630-015 YELLOW SHADOW
- "FOOD STORES": 3630-156 VIVID GREEN
- "SHAPE" WHITE W/ 3630-015 YELLOW BORDER
- BOTTOM SIGN: WHITE VINYL COPY ON BLACK BKGD (LEXANFACE)
- # 9'S TO BE 3630-015 YELLOW VINYL (4-3/4" H)

- ZIP CHANGE FONT SETS.
- 8" WHITE & YELLOW NUMERALS
- VO REQ: 42.7/8"

6" X 6" SQ TUBE
SPRAYED GLOSS BLACK



max 16'

29' 5 5/8 FT

SCOPE OF WORK

MFR. & INSTALL:
 - ONE 3'-4 1/2" X 7' 4 1/2" DIFF ILLUM PYLON SIGN W/ VINYL

Received

FAXFAXFAXFAXFAXFA **BARLO SIGNS** FAXFAXFAXFAXFAXFA

BARLO SIGNS

Sign Advertising
FAX (603) 882-7680

To: City of Portland
Attn: Marge - Permitting
Fax Phone: 207-874 8716

From: Angela Benson x313
Subject: Forest St, Portland, ME
Date: 5/26/99 Page 1 of 2

Per my conversation w/ Kevin Moore of C.N. Brown.
I am faxing revised design specs for their Big
Apple on Forest St.

Any questions please call Kevin or myself.

Thank! *Angela*

CBL: 338-H-023

The Big Apple Store
1585 Forest Ave
Portland, ME

Permit # 990542

SCOPE OF WORK

MFR & DELIVER:
* ONE 4'-4 1/2" X 7'-4 1/2" D/F ILLUM
PYLON SIGN W/ VINYL COPY
* ONE 4'-4 1/2" X 7'-4 1/2" GAS PRICE
ZIP CHANGE SIGN W/ FONT STICK
& STORAGE CABINET

MAJOR PURCHASE

SIGN DISPOSITION

Store for Barlo Leave @ Site Dispose
Store for Customer Chargeable N/A

COLORS

SIGN
Cabinet: GLOSS WHITE
Trainer: GLOSS WHITE
Case BIG: TOP CABINET: 3630-43 LT TOM RED
BOTTOM: BLACK
Copy:
"THE BIG APPLE": BLACK W/ WHITE
OUTLINE OVER APPLE
APPLE GRAPHIC: 3630-43 LT TOM
RED W/ WHITE HIGHLIGHT
3630-156 VIVID GREEN STEM & LEAVES
3630-015 YELLOW SHADOW
"FOOD STORES": 3630-156 VIVID GREEN
"SHAPE": WHITE W/ 3630-015 YELLOW
ORDER
"GAS PRICE SIGN": WHITE VINYL COPY
"ZIP CHANGE FONTS": 8" WHITE & YELLOW
NUMERALS

FILES

File:
File Cover:


PIPE BASE

Ground _____ Size _____
Stub _____ Concrete: ___ Yds.

GENERAL INFO.

Sq. Ft. _____
ILL. Non-ILL _____
Voll: _____
UL: _____

SPECIAL NOTES



32.2 SQ. FT. (OUTSIDE DIMENSION)
27.5 SQ. FT. (ADVERTISING AREA)


32.2 SQ. FT. (OUTSIDE DIMENSIONS)
27.5 SQ. FT. (ADVERTISING AREA)

- CABINET: LG A EXT. / GLOSS WHITE
- BKG'D: 3630-43 LT TOMATO RED (LEXAN FACE)
- "THE BIG APPLE": BLACK W/ WHITE OUTLINE OVER APPLE
- APPLE GRAPHIC: 3630-43 LT TOMATO RED / WHITE HIGHLIGHT
3630-156 VIVID GREEN STEM & LEAF W/ 3630-015 YELLOW OUTLINE
3630-015 YELLOW SHADOW
- "FOOD STORES": 3630-156 VIVID GREEN
- "SHAPE" WHITE W/ 3630-015 YELLOW BORDER
- BOTTOM SIGN: WHITE VINYL COPY ON BLACK BKG'D (LEXAN FACE)
9'S TO BE 3630-015 YELLOW VINYL (4-3/4")
- ZIP CHANGE FONT SETS:
8" WHITE & YELLOW NUMERALS
VO REQ'D: 42 7/8"

6" X 6" SQ TUBE BY CUSTOMER


PIPE & BASE BY OTHERS

BELOW GRADE



TOTAL SQ. FT. 64.44 SQ. FT.
TOTAL ADVERTISING AREA 55 SQ. FT.

received 6/21/99



FROM-Barlo Signs JUN-15-99 09:58 T-927 P.02/02 F-054 16038833163

SIGNALS	Type: LGA	Mat: EXT	Rel. Size: 2.5	Box Depth: 13.5	Estimating	Client: BIG APPLE	Location: PORTLAND, ME.
	Face Mat: LEXAN	Thickness: 3/16"	Copy: VINYL	Field Survey	File Name:	Design Specifications Accepted By:	
LETTERS	Pole Cover Mat:	Hgt:	Depth:	Production	Program: COREL8	Client: LANDLORD:	
	Interior Exterior	Face-Lit Back-Lit	Drain Holes: Y N	Update Eric	Scale: 3/8" = 1'-0"	Drawn By: LT	Sales Rep: BARR
	Face Mat:	Th:	Returns Mat:	Depth:	Update A.B.	Date: 12-11-98	
	Mylar Size:	Backs Mat:	Neon Rows:	MM:	Sales Rep.	Ref. Std. Dwg. No:	Part No:
	Trans. Location:	Wiring	1/2 BX	3/8 Light	Raceway		
	Housings Class	Pl's	Dbl Backs	Mts	Not Post		
	Revisions:	Date:	Revisions:	Date:	Revisions:	Date:	
	1	SIZE CHG 5-25-99	3		5		

BARLO SIGNS
158 Greeley St., Hudson, NH 03061
(603) 862-2638 Fax (603) 862-7580

© COPYRIGHT 1999 THE BARLO GROUP
THIS DESIGN IS THE PROPERTY OF THE BARLO GROUP. ALL PRODUCTION AND
DUPLICATION RIGHTS ARE RESERVED BY THE BARLO GROUP. THIS PRINT IS