				PERMIT I	SSUED		
City of Portland, Maine 389 Congress Street, 04101	O		0.1.00	Issue Date:	D 2001 056 C024001		
Location of Construction: Owner Name:			Owner Address:		Hhone:		
52 Pine St Milliken Augu		ısta Willcox	919 Broadway	TO HE FOR	TO THOUSE		
Business Name: Contractor Name Lori Sanford no contractor/s		2:	Contractor Address: Phone				
		self	n/a Portland				
Lessee/Buyer's Name Phone:			Permit Type:		Zone:		
Lori Sanford 207-761-1666		5	Change of Use	- Commercial	B-1		
Past Use: Proposed Use:			Permit Fee:	Cost of Work:			
Vacant / Commercial Commercial space on 1st,		Pet Store; Retail 2nd floor and 1 Lessee when 1 3 d floor eady.	\$30. \$0.0 \$0.0 FIRE DEPT:	Approved Denied	00 Area S NSPECTION: Use Group: M Type: 3B		
	'	!		_	BOCKITH REQUIREMENTS		
Proposed Project Description: Change of use; Set-Up for Pet	1 Shop. 1st floc 1 2rd floc 3rd floc	t-Participations - retailship - retailship or- aptment.	Signature: PEDESTRIAN ACT Action: Appro		ved w/Conditions Denied		
	_		Signature:		Date:		
Permit Taken By: cih	Date Applied For: 0312912001		Zonin	g Approval			
		Special Zone or Revi	Miscel Condit Interpr	laneous ional Use etation	Historic Preservation Not in District or Landmar! Does Not Require Review Requires Review Approved Approved Denied Denied Denied PERMIT ISSUED WITH REQUIREMENTS		
I hereby certify that I am the or I have been authorized by the course jurisdiction. In addition, if a poshall have the authority to entersuch permit. SIGNATURE OF APPLICAN	owner to make this appli ermit for work described r all areas covered by su	ication as his authorized in the application is i	he proposed work in dagent and I agree ssued, I certify that nable hour to enfor	to conform to the code offici	all applicable laws of this al's authorized representative		
					===31,2		

DATE

PHONE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

THIS IS NOT A PERMITKONSTRUCTION CANNOT **COMMENCE** UNTIL THE PERMIT IS ISSUED

Minor/Minor Site Review for New Detached Single Family Dwelling,

All Purpose Building Permit Application

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or **Use** Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: $52P$	me,	St. (201402		
Total Square Footage of Proposed Structure	S	Square Foo	tage of Lot		
Tax Assessor's Chart, Block & Lot Number Ow	vner: Agu	usta N	1.11.Ken		Геlephone#:
Lessee Buyer's Name (If Applicable) LORISHN FORD Owner's/Purchaser/Lessee Address: OWNE'S/FURCHASER/Lessee Address: Work: Fee: S O S					
Resident Business Commerced are Proposed Fet Store use: Project description: Change of USC.					
Contractor's Name, Address & Telephone Rec'd By:					
A "minor/minor" site plan review is required for New Single Family Homes Only. The Site/Plot plan must be prepared and sealed by a registered land surveyor. The following must be submitted: 4 copies of the site/plot plan 1 copy of the building/construction plan on 32" x 48" 1 copy of the site plan/plot plan and construction/building plan on paper no larger than 11" x 17"					

On all commercial/Minor & Major projects must submit the following:

1 copy of the site/plot plan

2 copy of the building/construction plan on 32" x 48"

1 copy of the site/plot and construction building plan on paper no larger than 11"X 17"


Please note that single family additions and alterations may be hand drawn on regular paper and only ONE copy of the below details will still need to be submitted.


Arca 3


LAND USE-ZONING REPORT

ADDRESS: 52 Die St. DATE: 4/9/0/
REASON FOR PERMIT: Change I use to Allow refolet Store on bas Augusta William level 15t floor level zust from level
BUILDING OWNER: in illiken 314 floor to C-B-1: 056-C-24
PERMIT APPLICANT! LOVI CA LOO
APPROVED: 4, 4 Conditions; #1, #1
CONDITION(S) OF APPROVAL This permit is being approved on the basis of plans submitted Any deviations shall require a separate
 approval before starting that work. 2. During its existence, all aspects of the Home Occupations criteria, Section 14-410, shall be maintained 3. All the conditions placed on the original, previously approved, permit issued on are still in effect for this amendment, and/or revised permit.
 4. The footprint of the existing shall not be increased during maintenance reconstruction. 5. Your present structure is legally nonconforming as to setbacks. If you are to demolish this structure on
your own volition, you will only have one (1) year to replace it in the Same footprint (no expansions), with the same height, and the same use. Any changes to any of the above shall require that this structure met the current zoning standards.
 6. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval. 7. Our records indicate that this property has a legal use of units. Any change in this
approved use shall require a separate permut application for review and approval. 8. Separate permits shall k required for any new signage. 9. Separate permits shall k required for future decks, sheds, pool(s), and/or garage.
10. This is <u>not</u> an approval for an additional dwelling unit. You <u>shall not</u> add any additional kitchen equipment including but not limited to items such as stoves, microwaves, refrigerators, or kitchen sinks, etc. without special approvals.
11. All of the attached Floodplain forms shall be appropriately filled out, signed, and returned prior to the issuance of any certificates of occupancy. 12. Other requirements of condition: Plase Note That when you change this
to The exist dwelling units will be lost. If you
wish to Change back to dwelling units At A later
Ordinance (und tender dwelling unit And PAKinglete), Under
The Current regulations you would Not be Ablato
change back to three dwelling units,
11.1 ma Schmet

32 PINC STREET







BUILDING PERMITREPORT

DATE: APRIL 2001 ADDRESS: 52 Pine ST. CBL: 03	56-C-Ø24
REASON FOR PERMIT: Pet Store, Retail space (change of use)	
BUILDING OWNER: Milliken AugusTa Willcox	
PERMIT APPLICANT: dori Sanford ICONTRACTOR	
USE GROUP: M CONSTRUCTION TYPE: 3 7 CONSTRUCTION COST: PERMI	t fee <i>s:<u>30,00</u>0</i>
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)	7 - 7

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: 41,181421 428 439

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 - 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALLBE CLEARLY MARKED BEFORE CALLING."
 - 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6 of the same material. Section 1813.5.2
 - 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from comers of foundation and a maximum 6' O.C. between bolts. Section 2305.17
 - **5.** Waterproofing and dampproofing shall be done in accordance with <u>Section **18**13.0</u> of the building code.
 - 6. Precaution must be taken to protect concrete and mascarry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
 - 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than I-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
 - All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
 - 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
 - Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4 cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38. Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
 - **12.** Headroom in habitable space is a minimum of **7** 6". (Section 1204.0)
 - 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7%" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
 - 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
 - 15. The Minimum required uidth of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
 - 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
 - 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior uith no communications to other apartment units. (Section 1010.1)
 - (18.) All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with selfclosure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
 - The boiler shall be protected by enclosing with (I) hour fire rated construction including fire doors and ceiling, or **by** providing automatic extinguishment. (Table 302.1.I) "./((&kt sip -A —

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 721. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 92 1.0)
 - 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard
 - 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
 - 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
 - 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
 - 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
 - 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics)
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
 - 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

 See ATTAChed - Very Important-PleA See ATTAChed - Very Imp 35 Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 54. Bridging shall comply with Section 2305.16.

35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

36. All flashingshall comply with S., fon 1406.3.10.

37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

38. STair CossTruction unders Sec. 10/4.6.3

Hoffses, Building Inspector Lt. McDougall, PFD Marge Schmuckal, Zoning Administrator

Michael Nugenf Inspection Service Manager

00410/1/00 CRYNED

"This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require I separate approval.

***THISPERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR **CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)**

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

THIS IS NOT A PERMITKONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

A PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art Π
- o All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Date: 3 29 01
	Ī

Minor/Minor Site Review Fee: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED