Form # P 04

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

CITY OF PORTLAND

Please Read Application And Notes, If Any, Attached

B

Permit Number: 051027

Attached		LEWINII I
This is to certify th	sat Salter James & /no con	atracto elf
has permission to	build 6' x 12' deck	
AT 11 Haskell St	<u> </u>	339 F007001
of the provis the construct this departn	ic Works for street line nature of work requires	of Name and of the same ances of the City of Portland regulating
OTHER F Fire Dept. Health Dept. Appeal Board Other	PERMIT ISSUED REQUIRED APPROVALS JUL 2 8 2005 GH-Y-OF-PORTLAND	R NOTICE IS REQUIRED.
	—	ENALTY FOR REMOVING THIS CARD

				PERMIT IS	SUED
City of Portland, Maine	0	, A	I I	Issue Date:	CB .:
389 Congress Street, 04101		, Fax: (207) 874-871		JUL 28	2005 339 F007001
11 Haskell St	Owner Name: Salter James &		Owner Address: 11 Haskell St		Phone:
Business Name:	Contractor Name			CITY OF POI	201-791-5573
Daviness (table)	no contractor		Contractor Address. UT UT PURILAPIDE Portland		
Lessee/Buyer's Name	Phone:	Self	Permit Type:		Zone:
			Additions - Dwe	ellings	R-3
Past Use:	Proposed Use:	Proposed Use:		Cost of Work:	CEO District:
single family	single family -	single family - build 6' x 12' deck		\$800.00	
			FIRE DEPT:	Approved INSI	Group: 12-3 Type:5B
			1 17	Z	TRC 2003
Proposed Project Description:			1//	PI -	5/1
build 6' x 12' deck			Signature:	Sign	ature:
			PEDESTRIAN ACT	IVITIES DISTRICT	(P.A.D.)
			Action: Appro	ved Approved	w/Conditions Denied
			Signature:		Date:
Permit Taken By: tmm	Date Applied For: 07/28/2005		Zoning	g Approval	
		Special Zone or Revi	ews Zoni	ing Appeal	Historic Preservation
 This permit application d Applicant(s) from meetin Federal Rules. 	•	Shoreland	☐ Variano		Not in District or Landmark
 Building permits do not is septic or electrical work. 	nclude plumbing,	☐ Wetland	Miscell	aneous	Does Not Require Review
3. Building permits are void within six (6) months of t		☐ Flood Zone	Conditi	onal Use	Requires Review
False information may in permit and stop all work.	validate a building	Subdivision	Interpre	etation	Approved
		Site Plan	Approv	red	Approved w/Conditions
		Maj Millor MN	Denied		Denied /
		Date: 1 10 0	Date:		Date: 1/28/05
		((1 /
		CEDTIFICAT	ION		
I haveby cortification that I am the	uman of massed of the ma	CERTIFICAT			h a
I hereby certify that I am the o I have been authorized by the	owner to make this appl	ication as his authorize	ed agent and I agree	to conform to all	l applicable laws of this
jurisdiction. In addition, if a p shall have the authority to ente					
such permit.	areas octored by s	and become at any reason	iou to viiioi	are provision	ar are essential applicable to
SIGNATURE OF APPLICANT		ADDRES	SS	DATE	PHONE
RESPONSIBLE PERSON IN CHAR	GE OF WORK TITLE			DATE	PHONE

7/29/0 - 3rd bole only 27 deep, hita Stumper TAPPORT, Leder in mortel Plan Cill for 1/2" X8" LASP (COMINSO) BAS Spoke 4 msstka They well coned & colless Redriped, Cat 8/3/05 - Redriged Sonas - Sk - Togged Stung Removed D 8/10/15 Aftered -No Devent Balluste offing exceed 4"1 D Botton Keth plate to walker, sufra sprans 5" Descend of Ms. Soller - They was Reger

This page contains a detailed description of the Parcel ID you selected. Press the **New Search** button at the bottom of the screen to submit a new query.

Current Owner Information

Card Number

Parcel ID 339 F007001

Location 11 HASKELL ST
Land Use SINGLE FAMILY

Owner Address SALTER JAMES & MELISSA SALTER JTS

1 of 1

TZ JJASKELL ST EDEPO BM GMAJTROS

Book/Page 18389/260

Legal 339-F-?

HASKELL ST 9-13 7500 SF

Current Valuation Information

Land #29,198 Building

Total

New Estimated Valuation Information

Land

Building

Total \$240,600 Phase-In Value #198,735

Property Information

Year Built 2002 Style Colonial Story Height

8q. Ft. 1872 Total Acres 0.172

Bedrooms 3 Full Baths

Half Baths

Total Rooms

Attic None Baaement Full

Outbuildings

Туре

Quantity

Year Built

Size

Grade

Condition

Sales Information

Date 11/01/2002 11/01/2002 01/15/2002 08/01/2001 07/11/2001 Type
LAND + BLDING
LAND + BLDING
LAND
LAND + BLDING
LAND + BLDING
LAND + BLDING

Price \$225,000 \$58,000 \$5,000

\$1,866

Book/Page 18389-250 18389-258 17204-253 16659-249 16517-106

Picture and Sketch

Picture


Sketch

Tax Map

Click here to view Tax Roll Information.

Any information concerning tax payments should be directed to the Treasury office at 874-8490 or emailed.


Click here to view comparable sales or below to view by:





The Home Depot # 2401 245 RIVERSIDE STREET, PORTLAND, ME 04103 (207) 761-0600 Mon Jul 25 19:07:36 2005 The materials for this project will cost \$633.65


JIM SALTER **DECK DESIGN** 219188 Deck Dimensions for Deck 1



The Home Depot # 2401
245 RIVERSIDE STREET, PORTLAND, ME 04103
(207) 761-0600
Mon Jul 25 19:07:36 2005
The materials for this project will cost \$633.65


JIM SALTER
DECK DESIGN
219188

3D View




The Home Depot # 2401 245 RIVERSIDE STREET, PORTLAND, ME 04103 (207) 761-0600 Mon Jul 25 19:07:36 2005 The materials for this project will cost \$633.65

JIM SALTER DECK DESIGN 219188 Post Layout for Deck 1



The Home Depot # 2401 245 RIVERSIDE STREET, PORTLAND, ME 04103 (207) 761-0600 Mon Jul 25 19:07:36 2005 The materials for this project will cost \$633.65

JIM SALTER DECK DESIGN 219188 Deck Layout



```
The Home Depot # 2401
245 RIVERSIDE STREET, PORTLAND, ME 04103
(207) 761-0600
Mon 33 25 19:07:54 2005
JIM SALTER
DECK DESIGN
219188
Construction Specifications
deck 1:
   Construction Method = Beam Flush With Joist
   Footing Type = Pier
   Live Load = 40
   Dead Load = 10
   Decking Spacing = 0 1/4"
   Joist Spacing = 16"
   Beam Spacing = 72"
   Post Spacing = 67 3/4"
   Decking = 5/4X6 Thompsonized Southern Pine No. 2
   Beams = 2X6 Treated Southern Pine No. 1
   Joists = 2X6 Treated Southern Pine No. 1
   Posts = 4X4 Treated Southern Pine No. 2
   Deck Height = 78"
   Diagonal Bracing = Yes
   Deck Skirt = No
   Joist Overhang = 0"
   Beam Overhang = 0"
   Decking Deflection Factor = 360
   Joist Deflection Factor = 360
   Beam Deflection Factor = 360
   Pref Decking Size = ML5/4x6x12
   Pref Joist Size = none
   Pref Beam Size = none
   Pref Post Size = none
   Diag Brace Height 1 = 24" in
   Diag Brace Height 2 = 24" in
Railing 1:
   Railing Height = 36"
   Baluster Spacing = 3 3/4"
Railing 3:
   Railing Height = 36"
   Baluster Spacing = 3 3/4"
Railing 5:
   Railing Height = 36"
```

Baluster Spacing = 3 3/4"

The Home Depot # 2401 245 RIVERSIDE STREET, PORTLAND, ME 04103 (207) 761-0600 .7/25/2005 JIM SALTER DECK DESIGN 219188

Materials for Deck:

Qty	UOM	SKU	Use	Description
			ay 554. · · · · · · · · · · · · · · · · · · ·	
49	EA	430400	Balusters	2X2-42 B1E BALLUSTER PT
1	EΑ	255411	Beam	2X6-12 #1 SYP PT
13	EA	168793	Decking	5/4 X6-12FT THOMPSONIZED DECK PT
4	EA	168768	H Top Řail	5/4 X6-8FT THOMPSONIZED DECK PT
4 1	EA	255411	Joist	2X6-12 #1 SYP PT
	EΑ	255411	Ledger	2X6-12 #1 SYP PT
1	ΕĄ	256276	Post	4X4-8 #2 PT
1	ΕĄ	258552	Post _	4X4-16 #2 PT
4	ΕĄ	256276	Railing Post	4X4-8 #2 PT
2	ΕĄ	255411	Rim Joist_	2X6-12 #1 SYP PT
4	EA	254258	Vert Top Rail	2X4-8 #1 SYP PT
Standa	ard Deck	Materials		·
20	EA	865827	2x6 Joist Hanger	ZMAX 2X6 JOIST HANGER-JLQ 300PCS
1	EA	735002	BalusterScrewGreen	GREEN 5LB 2 1/2IN DECKMATE DECK
				SCRW
6	EA	544208	Beam Bolt 4x4	CARRIAGE BOLT-GALV. 1/2 X 8
6	EA	538892	Beam Nut	HEX NUT GALV 1/2
6 6 3 1	EA	538981	Beam Washer	FLAT CUT WASHER GALV 1/2
3	EA	734283	Concrete Deck Block	DECK-SO-PORT 50LBS
	EA	258132	DiagBrac Joist	4X4-12 #2 PT
1 2 3 2 1	EA	192708	DiagBrac Joist Nail	16D 3-1/2" HOT GALV COMMON 5 LB
2	EA	439398	Flashing_	DECK LEDGER FLASHING WHT GALV 8FT
3	EA	336963	Footing Tube 10"	10IN X 48IN TUBE FOR CONCRETE
2	PK	462810	Hanger Nails 2x6	10D JOIST HANGER NAILS
1	ΕA	192708	Joist Framing Nails	16D 3-1/2" HOT GALV COMMON 5 LB
9 9	ΕĄ	538981	Lag Bolt Washer	FLAT CUT WASHER GALV 1/2
9	EA	928607	Ledger-Bolt	LAG SCREW GALV 1/2 X 6
14	ΕĄ	544208	Rail Post-Bolt	CARRIAGE BOLT-GALV. 1/2 X 8
14	EA	538892	Rail Post-Nut	HEX NUT GALV 1/2
14	EA	538981	Rail Post-Washer	FLAT CUT WASHER GALV 1/2
Deckir	ng: Defau	ılt		
1	EA	735003	Deck Screws Green	GREEN 5LB 3 IN DECKMATE DECK SCRW


The total cost of in stock materials is \$633.65 plus tax. This estimate was created on 7/25/2005 and is valid for 3 business days.


Parameters from UBC.cod parameter file. Parameters used for Deck 1: 40 psf live load.

WARNING:

THIS IS NOT A FINAL DESIGN PLAN. VARIATIONS IN BUILDING CODES, SPECIFIC ARCHITECTURAL CONSIDERATIONS, OR SITE CONDITIONS MAY REQUIRE CHANGES TO THIS DESIGN. YOU ARE RESPONSIBLE FOR THE FINAL STRUCTURE, CODE VERIFICATION, MATERIAL USAGE, AND STRUCTURAL SAFETY OF THIS DESIGN. BE SURE TO CHECK AND VERIFY THE DESIGN WITH YOUR LOCAL ARCHITECT AND BUILDING INSPECTOR.

THE COMPANY ASSUMES ABSOLUTELY NO RESPONSIBILITY FOR THE CORRECT USE OF THIS PROGRAM.
ALL OUTPUT SHOULD BE EXAMINED BY A QUALIFIED PROFESSIONAL TO DETERMINE IF THEY ARE
REASONABLE AND ACCURATE.





BUILDING PERMIT INSPECTION PROCEDURES Please call <u>874-8703</u> or <u>874-8693</u> to schedule your inspections as agreed upon

Permits expire in 6 months, if the project is not started or ceases for 6 months.

The Owner or their designee is required to notify the inspections office for the following inspections and provide adequate notice. Notice must be called in 48-72 hours in advance in order to schedule an inspection:

By initializing at each inspection time, you are agreeing that you understand the inspection procedure and additional fees from a "Stop Work Order" and "Stop Work Order Release" will be incurred if the procedure is not followed as stated below.

A Pre-construction Meeting will take place upon receipt of your building permit.

Footing/Building Location Inspec	ction: Prior to pouring concrete
Re-Bar Schedule Inspection:	Prior to pouring concrete
Foundation Inspection:	Prior to placing ANY backfill
Framing/Rough Plumbing/Electri	ical: Prior to any insulating or drywalling
Final/Certificate of Occupancy:	Prior to any occupancy of the structure or use. NOTE: There is a \$75.00 fee per inspection at this point.
you if your project requires a Certificate of C inspection	occupancy. All projects DO require a final ccur, the project cannot go on to the next E OR CIRCUMSTANCES.
BEFORE THE SPACE MAY BE OCCUP	
Signature of Inspections Official	
CERIFICATE OF OCCUPANICE BEFORE THE SPACE MAY BE OCCUPANICE Signature of Applicant Designee Signature of Inspections Official	Date /28/05

