

Location of Construction: **94 Wall Street **	Owner: *** James N. Schrock **	Phone: 879-0123	Permit No: 990944
Owner Address: SAA	Lessee/Buyer's Name:	Business Name:	<div style="border: 2px solid black; padding: 5px;"> PERMIT ISSUED SEP - 1 1999 </div>
Contractor Name: Sunrise Builders	Address:	Phone: 799-4477	
Past Use: single family	Proposed Use: same	COST OF WORK: \$ 1,500	PERMIT FEE: \$ 36.90
Proposed Project Description: Interior renovations Through wet house	Signature: <i>[Signature]</i>	INSPECTION: Use Group: A2 Type: 5B BOCA 96	CITY OF PORTLAND
	Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/>	Signature: <i>[Signature]</i>	Zone: 340-J-015
Permit Taken By: K.	Date Applied For: Aug. 26, 1999 K	Signature: <i>[Signature]</i>	Zoning Approval: <i>[Signature]</i>

- Special Zone or Reviews:**
- Shoreland
 - Wetland
 - Flood Zone
 - Subdivision
 - Site Plan maj minor mm
- Zoning Appeal**
- Variance
 - Miscellaneous
 - Conditional Use
 - Interpretation
 - Approved
 - Denied

Historic Preservation

- Not in District or Landmark
- Does Not Require Review
- Requires Review

Action:

- Approved
- Approved with Conditions
- Denied

Date: *[Signature]*

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.

**PERMIT ISSUED
WITH REQUIREMENTS**

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: _____ ADDRESS: _____ PHONE: _____

DATE: **Aug. 26, 1999**

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE: _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

1


CEO DISTRICT

COMMENTS

8/25/99 Plumbing w/ Arthur Pours - all good except stud plates for nailing.
Aunt Nate in for building permit and Mike N. Ok'd continuance of work.
Aided fire stop @ chimney and winder stair conformity. JB

9/31/99 Framing w/ Dave Caddell. Firestop ok, talked about non-combustible
wrap around chimney - if he decides to wrap it. Stairs are good, much better
than existing 7 1/2 x 10, winders are reasonable within existing conditions. JB

12/3 Final - All interconnected smokes installed (needed 3 more per mike Collins insp. on 12/2)
Temporary Guardrail on main stairs - need rail on basement stairs.
will call when these are completed. No C.O. required on this job JB
10/6/2000 completed. A. Pours



Inspection Record

Type

Date

Foundation: _____

Framing: _____

Plumbing: _____

Final: _____

Other: _____

BUILDING PERMIT REPORT

DATE: 26 Aug. 99 ADDRESS: 94 Wall St. CBL: 340-J-015
 REASON FOR PERMIT: Interior renovations (Through out house)
 BUILDING OWNER: James N. Schrock
 PERMIT APPLICANT: _____ /Contractor Sunrise Builders
 USE GROUP R-3 CONSTRUCTION TYPE 5B


The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments)
 The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: *1, *9, *11, *12, *13, *14, *15
*19, *29, *32, *33, *35, #31
 Approved with the following conditions: /

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- *9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211 See attached.
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- *11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- *12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- *13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0) See attachment
- *14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- *15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- X19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
 In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- X27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- X29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements. *to remain in family - No addition Kitchens or such to be Added with a separate review*
- X32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code. A separate review
- X33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
- X34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).
- X35. Permits For electric & plbg. work shall be obtained
- X36. Winder stairs shall meet The requirements of section 1014.6.3 of The bldg. Code
- 37. _____
- 38. _____


 P. Samuel Hoffses, Building Inspector
 cc: L. McDougall, PFD
 Marge Schmuckal, Zoning Administrator

PSH 7/24/99

****On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.**

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the Information Use Permit.

Building or
within the

NOTEIf you or the property owner owes real estate or personal property taxes or user charges, City, payment arrangements must be made before permits of any kind are issued.**

Location/Address of Construction: 94 Wall St

Tax Assessor's Chart, Block & Lot Number Chart# <u>340</u> Block# <u>J</u> Lot# <u>015</u>		Owner: <u>James Nathan Schock</u>	Telephone#: <u>879-0123</u>
Owner's Address: <u>94 Wall St. Portland</u>		Lessee/Buyer's Name (If Applicable)	Cost Of Work: <u>\$ 15,000</u> Fee: <u>\$ 36.00</u>
Proposed Project Description: (Please be as specific as possible) <u>Interior renovations/repair</u>			
Contractor's Name, Address & Telephone <u>Sunrise Builders 799-4477</u>		Rec'd By: <u>(Signature)</u>	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)

If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

4) Building Plans (Sample Attached)


- A complete set of construction drawings showing all of the following elements of construction:
- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
 - Floor Plans & Elevations
 - Window and door schedules
 - Foundation plans with required drainage and dampproofing
 - Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: James Nathan Schock Date: 8/26/99

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.



S/F



Inspection Services
Michael J. Nugent
Manager



Department of Urban Development
Joseph E. Gray, Jr.
Director

CITY OF PORTLAND

Congratulations!!!!!!

**Building or Use Permit Application
Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling**

As an applicant for a building permit, you are about to enter into a relationship with our Office. We welcome any questions, comments or suggestions that will make the process more efficient. Attached you will find an application and some samples of the submissions you will provide at application time. Please read ***ALL*** of the information and if you need any further assistance please call 874-8703 or 874-8693.



PLUMBING APPLICATION

Department of Human Sciences
Division of Health Engineering

340-5-015

PROPERTY ADDRESS

Town or Plantation

Portland

Street
Subdivision Lot #

94 Wall St

PROPERTY OWNERS NAME

Last: Schrock First: Nathan

Applicant Name:

Ed Carlend

Mailing Address of Owner/Applicant (If Different)

35 Sixth St
Portland

Owner/Applicant Statement

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspectors to deny a Permit.

Signature of Owner/Applicant: Edward B Carlend Date: 7-20-99

PORTLAND

Date Permit Issued:

7 20 99

PERMIT # 6958

STATE COPY

FEE \$ 112.8

Double Fee Charged

Local Plumbing Inspector Signature

L.P.I. # 0124

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.

Local Plumbing Inspector Signature

Date Approved

PERMIT INFORMATION

This Application is for

- 1. NEW PLUMBING
- 2. RELOCATED PLUMBING

Type of Structure To Be Served:

- 1. SINGLE FAMILY DWELLING
- 2. MODULAR OR MOBILE HOME
- 3. MULTIPLE FAMILY DWELLING
- 4. OTHER - SPECIFY _____

Plumbing To Be Installed By:

- 1. MASTER PLUMBER
- 2. OIL BURNERMAN
- 3. MFG'D. HOUSING DEALER/MECHANIC
- 4. PUBLIC UTILITY EMPLOYEE
- 5. PROPERTY OWNER

LICENSE # L 338

Hook-Up & Piping Relocation Maximum of 1 Hook-Up

HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by the local Sanitary District.

OR

HOOK-UP: to an existing subsurface wastewater disposal system.

PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.

OR

TRANSFER FEE
[\$6.00]

Column 2 Type of Fixture

Number	Type of Fixture
0 1	Hosebibb / Sillcock
	Floor Drain
	Urinal
	Drinking Fountain
	Indirect Waste
	Water Treatment Softener, Filter, etc.
	Grease / Oil Separator
	Dental Cuspidor
	Bidet
	Other: _____

Fixtures (Subtotal)
Column 2

Column 1 Type of Fixture

Number	Type of Fixture
0 1	Bathtub (and Shower)
	Shower (Separate)
	Sink
0 2	Wash Basin
0 2	Water Closet (Toilet)
0 1	Clothes Washer
	Dish Washer
	Garbage Disposal
	Laundry Tub
	Water Heater

Fixtures (Subtotal)
Column 1

Fixtures (Subtotal)
Column 2

Total Fixtures

Fixture Fee

Transfer Fee

Hook-Up & Relocation Fee

Permit Fee (Total)

SEE PERMIT FEE SCHEDULE
FOR CALCULATING FEE

0027226

BK 1469 | PG 116

Warranty Deed

I, Peter K. Holmes

of RR 1, Box 312, Litchfield, Maine 04350

for consideration paid, grant to James Nathan Schrock and Sara C. Schrock, as Joint Tenants.

of 165 Brackett Street Apt 1, Portland, ME 04102

with WARRANTY

COVENANTS

(Description, and Incumbrances, if any)

A certain lot or parcel of land, with the buildings thereon, situated in the City of Portland, County of Cumberland and State of Maine and being bounded and described as follows: BEGINNING at a point on the northerly sideline of Wall Street, distant easterly one hundred (100) feet from Broadway Street; thence extending easterly on said sedeline of Wall Street fifty (50) feet; thence northerly one hundred five and eight hundredths (105.80) feet; thence westerly and parallel with Wall Street fifty (50) feet; thence southerly to Wall Street one hundred five and eight hundredths (105.80) feet to the point of beginning, being lot number three (3) as shown on plan of Halfacre Homes made by E. C. Jordan & Co., Civil Engineers, and recorded in the Cumberland County Registry of Deeds in Plan Book 13, Page 2, and subject to the restrictions that no building or part thereof shall be erected or placed nearer than fifteen (15) feet of the line of Wall Street.

This conveyance is made subject to current real estate taxes which the Grantee herein, by acceptance of this deed, does hereby assume and agree to pay.

Meaning and intending to describe the same premises conveyed to Peter Holmes by Warranty Deed and recorded at Recorded with the Cumberland Registry of Deeds in Book , Page .

REAL ESTATE TAX PAID

94 Wall St.

List of changes

Framing.

1. Enlarged existing bathroom upstairs ✓
2. installed new Staircase to 2nd floor ✓
3. re-enforced roof framing ✓
4. provided R.O. for 6'-0" x 6'-8" rear exterior entrance ✓
5. re-framed living room floor ✓
6. re-enforced existing 2nd floor ✓
7. New chimney ✓
8. installation of 2 windows in kitchen ✓
9. Installed header over entrance to laundry room ✓
10. Jacked & straightened building ✓

Electrical

1. New service 200 A. ✓
2. New wiring throughout


Plumbing

1. Relocate throughout ✓
2. Laundry hook-up.



Arthur Rowe has inspected the framing changes, he will be back to re-inspect after finishing street work

1st Fl.



2nd Fl.

