

**PERMIT ISSUED**

**City of Portland, Maine - Building or Use Permit Application**

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 01-0655	Issue Date: JUL 4 7 2001	CBL: 341 A023001
-----------------------	-----------------------------	---------------------

Location of Construction: 79 Maggie Ln <i>lot 13</i>	Owner Name: Maggie Lane Development Llc	Owner Address: Po Box 10127 Portland, Me 04101	Phone: 207-772-8629
Business Name: n/a	Contractor Name: DA Brackett	Contractor Address: 29 Primrose lane Portland	Phone: 2077728629
Lessee/Buyer's Name n/a	Phone: n/a	Permit Type: Multi Family	Zone: <i>R-5</i>

Past Use: Vacant Lot	Proposed Use: <i>26' x 36'</i> New <i>26' x 36'</i> 2 Family Home. Site Plan #2001-0137 . Call DA Brackett at 772-8629 when ready.	Permit Fee: \$624.00	Cost of Work: \$100,000.00	CEO District: 1
		FIRE DEPT: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: <i>See 210.5</i> Use Group: <i>PERMIT ISSUED WITH REQUIREMENTS 53</i> <i>1999</i>	

Proposed Project Description: Build <i>26' x 36'</i> New 2 Family Home <i>30' x 34'</i> <i>26' x 36'</i>	Signature: <i>[Signature]</i>	Signature: <i>[Signature]</i>
PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		
Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied		
Signature:		Date:

Permit Taken By: cjh	Date Applied For: 06/05/2001	<b>Zoning Approval</b>	
-------------------------	---------------------------------	------------------------	--

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules.  2. Building permits do not include plumbing, septic or electrical work.  3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..	<b>Special Zone or Reviews</b> <input type="checkbox"/> Shoreland <i>NA</i> <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <i>Panel 7 zone X</i> <input type="checkbox"/> Subdivision <input checked="" type="checkbox"/> Site Plan # 2001-0137 Maj <input type="checkbox"/> Minor <input checked="" type="checkbox"/> MM <input type="checkbox"/> <i>OK with conditions</i> Date: <i>7/24/01</i>	<b>Zoning Appeal</b> <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	<b>Historic Preservation</b> <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied Date: <i>[Signature]</i>
--	---	---	---

**PERMIT ISSUED WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
------------------------	---------	------	-------

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	DATE	PHONE
---	------	-------

CITY OF PORTLAND, MAINE  
DEVELOPMENT REVIEW APPLICATION  
PLANNING DEPARTMENT PROCESSING FORM  
ADDENDUM

2001-0137  
Application I. D. Number

Maggie Lane Development Llc  
Applicant  
Po Box 10127, Portland , ME 04104

06/05/2001  
Application Date

Applicant's Mailing Address  
Dwight Brackett

Maggie Ln. Lot# 13  
Project Name/Description

Consultant/Agent  
Agent Ph: 878-3351                      Agent Fax:  
Applicant or Agent Daytime Telephone, Fax

79 - 79 Maggie Ln , Portland, Maine  
Address of Proposed Site  
341 A023001  
Assessor's Reference: Chart-Block-Lot

**Approval Conditions of Planning**

- 1 That the applicant submits catalog cuts for all pole and wall mounted fixtures and a photometric plan in compliance with the City of Portland's lighting standards

**Approval Conditions of Insp**

- 1 This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
- 2 Separate permits shall be required for future decks, sheds, pools, and/or garage.
- 3 There are NO DECKS shown on the submittal. NO DECKS are being approved with this permit. Any future decks shall require a separate permit.
- 4 NO DAYLIGHT BASEMENT is being shown. NO DAYLIGHT BASEMENT is being approved with this permit. Any changes to the grading that would result in a daylight basement shall require a separate review and approval, PRIOR to the start of such work.

**Approval Conditions of DRC**

- 1 All damage to sidewalk, curb, street, or public utilities shall be repaired to City of Portland standards prior to issuance of a Certificate of Occupancy.
- 2 Two (2) City of Portland approved species and size trees PER UNIT must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
- 3 Your new street address is now #79-81 Maggie Lane, the number must be displayed on the street frontage of your house prior to issuance of a Certificate of Occupancy.
- 4 The Development Review Coordinator (874-8632) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closing with these requirements in mind.
- 5 A sewer permit is required for you project. Please contact Carol Merritt at 874-8300, ext . 8828. The Wastewater and Drainage section of Public Works must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- 6 As-built record information for sewer and stormwater service connections must be submitted to Public Works Engineering Section (55 Portland Street) and approved prior to issuance of a Certificate of Occupancy.
- 7 The building contractor shall check the subdivision recording plat for pre-determined first floor elevation and establish the first floor elevation (FFE) and sill elevation (SE) to be set above the finish street/curb elevation to allow for positive drainage away from entire footprint of building.
- 8 The site contractor shall establish finish grades at the foundation, bulkhead and basement windows to be in conformance with the first floor elevation (FFE) and sill elevation (SE) set by the building contractor to provide for positive drainage away from entire footprint of building.
- 9 The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.

**CITY OF PORTLAND, MAINE  
DEVELOPMENT REVIEW APPLICATION  
PLANNING DEPARTMENT PROCESSING FORM  
Insp Copy**

2001-0137  
Application I. D. Number  

---

06/05/2001  
Application Date  

---

Maggie Ln. Lot# 13  
Project Name/Description

**Maggie Lane Development Lic**  
Applicant  

---

Po Box 10127, Portland , ME 04104  
Applicant's Mailing Address  

---

Dwight Brackett  
Consultant/Agent  

---

Agent Ph: 878-3351      Agent Fax:  
Applicant or Agent Daytime Telephone, Fax

**79 - 79 Maggie Ln , Portland, Maine**  
Address of Proposed Site  

---

341 A023001  
Assessor's Reference: Chart-Block-Lot

Proposed Development (check all that apply):  
 New Building     Building Addition     Change Of Use     Residential     Office     Retail  
 Manufacturing     Warehouse/Distribution     Parking Lot     Other (specify) 2 Family

1020 SqFt  
 Proposed Building square Feet or # of Units      Acreage of Site      Zoning

**Check Review Required:**

<input checked="" type="checkbox"/> Site Plan (major/minor)	<input type="checkbox"/> Subdivision # of lots _____	<input type="checkbox"/> PAD Review	<input type="checkbox"/> 14-403 Streets Review
<input type="checkbox"/> Flood Hazard	<input type="checkbox"/> Shoreland	<input type="checkbox"/> Historic Preservation	<input type="checkbox"/> DEP Local Certification
<input type="checkbox"/> Zoning Conditional Use (ZBA/PB)	<input type="checkbox"/> Zoning Variance	<input type="checkbox"/> Other _____	

Fees Paid:    Site Plan \_\_\_\_\_    Subdivision \_\_\_\_\_    Engineer Review \_\_\_\_\_    Date: \_\_\_\_\_

**Insp Approval Status:**      Reviewer Marge Schmuckal

Approved       Approved w/Conditions See Attached       Denied

Approval Date 07/24/2001      Approval Expiration 07/24/2002      Extension to \_\_\_\_\_       Additional Sheets Attached

Condition Compliance      Marge Schmuckal      07/24/2001  
signature      date

Performance Guarantee       Required\*       Not Required

\* No building permit may be issued until a performance guarantee has been submitted as indicated below

<input checked="" type="checkbox"/> Performance Guarantee Accepted	<u>07/03/2001</u> date	<u>\$2,870.00</u> amount	<u>11/01/2001</u> expiration date
<input type="checkbox"/> Inspection Fee Paid	_____ date	_____ amount	
<input type="checkbox"/> Building Permit Issued	_____ date		
<input type="checkbox"/> Performance Guarantee Reduced	_____ date	_____ remaining balance	_____ signature
<input type="checkbox"/> Temporary Certificate of Occupancy	_____ date	<input type="checkbox"/> Conditions (See Attached)	_____ expiration date
<input type="checkbox"/> Final Inspection	_____ date	_____ signature	
<input type="checkbox"/> Certificate Of Occupancy	_____ date		
<input type="checkbox"/> Performance Guarantee Released	_____ date	_____ signature	
<input type="checkbox"/> Defect Guarantee Submitted	_____ submitted date	_____ amount	_____ expiration date

- \*20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- \*27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- \*28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- \*29. All requirements must be met before a final Certificate of Occupancy is issued.
- \*30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- \*31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements. *Attached site development review sheets*
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. *shall met*
- 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 36. All flashing shall comply with Section 1406.3.10.
- 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).
- \*38. *Roofing shall comply with section 1507.0.*

*[Signature]*  
 P. Samuel/Hoffset, Building Inspector  
 cc: Lt. McDougall, PFD  
 Marge Schmuckal, Zoning Administrator  
 Michael Nugent, Inspection Service Manager  
*[Signature]*

PSH 10/1/00

**\*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.**

**\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. ( You Shall Call for Inspections )**

**\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.**

**\*\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00**

BUILDING PERMIT REPORT

DATE: 7 June 2001 ADDRESS: 79 Maggie Ln (lot #13) EBL: 341-A-023

REASON FOR PERMIT: To Construct a 2 Family Dwelling

BUILDING OWNER: Maggie Lane Dev. LLC

PERMIT APPLICANT: CONTRACTOR D.A. Brackett

USE GROUP: R-3 CONSTRUCTION TYPE: 5B CONSTRUCTION COST: 100,000 PERMIT FEES: 62400

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: \*1, \*2, \*3, \*5, \*9, \*10, \*11, \*13, \*16, \*20, \*23, \*27, \*28, \*29, \*30, \*31, \*32, \*33, \*35, \*36, \*38

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve.
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts.
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete and masonry.
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating.
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code.
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level.
12. Headroom in habitable space is a minimum of 7'6".
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise.
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less than 36".
16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue.
17. Each apartment shall have access to two (2) separate, remote and approved means of egress.
18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's.
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment.

6/5

**CITY OF PORTLAND, ME  
BOCA 1999 Plan Review Record  
One and Two Family Dwelling**

Valuation: \$100,000.00 Plan Review # 700/01  
 Fee: \$624.00 Date: 7 June 2001  
 Building Location: 79 Maggie Lane CBL: 341-A-023  
 Building Description: Two Family dwelling Sec. 310.5  
 Reviewed By: S. Hoffses


Use or Occupancy: R-3 Type of Construction: 5B  
 \*NR: Not Required NA: Not Applicable SR: See Report X: OK per plan

Correction List		
NO:	Description	Code Section
1.	All Site plan and building code requirements shall be completed before a certificate of occupancy can or will be issued.	111.0 118.0
2.	Before placing concrete for the foundation you shall call for setback inspection	111.0
3.	Foundation drains shall comply with section 1813.5.2	1813.5.2
4.	Waterproofing & clampproofing shall comply with section 1813.0	1813.0
5.	All chimneys or vent shall comply with NFPA 211 and the manufacturer's req.	NFPA 211
6.	Sound transmission control shall comply with section 1214.0	1214.0
7.	Guard rails & handrails shall comply with sections 1021.0 & 1022.0	1021.0 1022.0
8.	Stair construction shall comply with section 1014.0	1014.0
9.	Sleeping room egress or rescue window shall comply with section 1010.4	1010.4
10.	Smoke detectors shall comply with section 920.3.2	920.3.2
11.	Ventilation & access to attic or crawl spaces shall comply with sections 1210.0 & 1211.0	1210.0 1211.0

REV: PSH 4-7-00

SECTION LIST (18)

No.	DESCRIPTION	Code Section
12.	All bldg. elements fastening shall comply with section Table 2305.2	2305.2
13.	Venting of spaces shall comply AOC mech. 1993 Ch. 16	BOCA mech ch. 16.
14.	Boring, cutting & notching shall comply with section 2305.6	2305.6
15.	Bracing shall comply with section 2305.16	2305.16
16.	Glass and glazing shall comply with section Chapter 24 (section 2406 for safety glazing)	2406.6
17.	All Flashing shall comply with section 1406.3.1	1406.3.1
18.	Roofing shall comply with section 1507.0	1507.0



## Foundations (Chapter 18)

### Wood Foundation (1808)

~~NA~~ Design  
~~NA~~ Installation

### Footings (1807.0)

~~X~~ Depth below (outside) grade 4' minimum;  
but below frost line except for insulated footings.  
~~NA~~ Insulated footing provided  
~~X~~ Soil bearing value (table 1804.3)  
~~X~~ Footing width  
~~X~~ Concrete footing (1810.0) .3.1, 3.2  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

### Foundation Walls

~~X~~ Design (1812.1)  
~~X~~ Minimum thickness Tables 1812.3.2.(1) & 1812.3.2 (2)  
~~SA~~ Water proofing and damp proofing Section 1813  
~~X~~ Sill plate (2305.17)  
~~X~~ Anchorage bolting in concrete (2305.17)  
~~X~~ Columns (1912)  
~~SA~~ Crawl space (1210.2) Ventilation  
~~SA~~ Crawl opening size (1210.2.1)  
~~SA~~ Access to crawl and attic space ( 1211.0 )  
~~SA~~

### Floors (Chapter 16-23)

~~B~~ Joists - Non sleeping area LL40PSF (Table - 1606)  
~~X~~ Joists - Sleeping area LL30PSF (Table - 1606)  
~~X~~ Grade  
~~X~~ Spacing  
~~X~~ Span  
~~X~~ Girder 4" bearing 2305



### Floors (contd.)

- ~~X~~ Bearing (1 1/2" minimum on wood or steel 3" on masonry) and lapped (3")
- ~~59~~ Bridging (2305.16)
- ~~59~~ Boring and notching (2305.5.1)
- ~~59~~ Cutting and notching (2305.3)
- ~~59~~ Fastening table (2305.2)
- ~~NA~~ Floor trusses (AFPANDS Chapter 35)
- ~~X~~ Draft stopping (721.7)
- ~~X~~ Framing of openings (2305.11) (2305.12)
- ~~X~~ Flooring - (2304.4) 1" solid - 1/2" particle board
- ~~X~~ Concrete floors (1905) 3 1/2" 6 mil polyethylene vapor retarder
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

### Wall Construction (Chapter 2300)

- ~~X~~ Design (1609) wind loads
- ~~X~~ Load requirements
- ~~X~~ Grade
- ~~59~~ Fastening schedule (Table 2305.2)
- ~~X~~ Wall framing (2305.4.1)
- ~~X~~ Double top plate (2305.4.2)
- ~~X~~ Bottom plates: (2305.4.3)
- ~~59~~ Notching and boring: (2305.4.4) studs
- ~~X~~ Non load bearing walls (2305.5)
- ~~59~~ Notching and boring (2305.5.1)
- ~~X~~ Wind bracing (2305.7)
- ~~X~~ Wall bracing required (2305.8.1)
- ~~X~~ Stud walls (2305.8.3)
- ~~X~~ Sheathing installation (2305.8.4)
- ~~X~~ Minimum thickness of wall sheathing (Table 2305.13)
- ~~NA~~ Metal construction
- ~~NA~~ Masonry construction (Chapter 21)
- ~~X~~ Exterior wall covering ( Chapter 14)
- ~~X~~ Performance requirements (1403)
- ~~X~~ Materials (1404)
- ~~NA~~ Veneers (1405)
- ~~X~~ Interior finishes (Chapter 8)

### Roof-Ceiling Construction (Chapter 23)

- ~~SR~~ Roof rafters - Design (2305.15) spans
- ~~X~~ Roof decking and sheathing (2305.15.1) 5/8" boards and (2307.3) (Table 2307.3.1(2))
- ~~X~~ Roof trusses (2313.3.1)

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Roof Coverings (Chapter 15)**

- SR Approved materials (1404.1)
- Performance requirement (1505)
- Fire classification (1506)
- Material and installation requirements (1507)
- Roof structures (1510.0)
- Type of covering (1507)

**Chimneys and Fireplaces  
 BOCA Mechanical/1993**

- SR Masonry (1206.0)
- Factory - built (1205.0)
- Masonry fireplaces (1404)
- Factory - built fireplace (1403)
- NEPA 211

**Mechanical  
 1993 BOCA Mechanical Code**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Load Design Criteria**

Floor live load sleeping	<u>30 PSF</u>
Floor live load non sleeping	<u>40 PSF</u>
Roof live load	<u>42 PSF</u>
Roof snow load	<u><del>48</del> PSF</u>
Seismic Zone	<u>2</u>
Weathering area	<u>S</u>
Frost line depth	<u>4' MIN</u>

X  
X  
X  
X  
X  
X  
X

**Glazing (Chapter 24)**

- SA Labeling (2402.1)
- \_\_\_\_\_ Louvered window or jalousies (2402.5)
- \_\_\_\_\_ Human impact loads (2405.0)
- \_\_\_\_\_ Specific hazardous locations (2405.2)
- \_\_\_\_\_ Sloped glazing and skylights (2404)
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

**Private Garages (Chapter 4)**

- NA General (407)
- \_\_\_\_\_ Beneath rooms (407.3)
- \_\_\_\_\_ Attached to rooms (407.4)
- \_\_\_\_\_ Door sills (407.5)
- \_\_\_\_\_ Means of egress (407.8)
- \_\_\_\_\_ Floor surface (407.9)
- \_\_\_\_\_
- \_\_\_\_\_

**Egress (Chapter 10)**

- ~~X~~ One exit from dwelling unit (1010.2)
- ~~S9~~ Sleeping room window (1010.4)
- ~~X~~ EXIT DOOR (1017.3) 36" W 80" H
- ~~X~~ Landings (1014.3.2) stairway
- ~~NA~~ Ramp slope (1016.0)
- ~~S9~~ Stairways (1014.3) 36" W
- ~~S9~~ Treads (1014.6) 10" min.
- ~~S9~~ Riser (1014.6) 7 3/4" max.
- ~~S9~~ Solid riser (1014.6.1)
- ~~AA~~ Winders (1014.6.3)
- ~~AA~~ Spiral and Circular (1014.6.4)
- ~~S9~~ Handrails (1022.2.2.) Ht.
- ~~S9~~ Handrail grip size (1022.2.4) 1 1/4" to 2"
- ~~S9~~ Guards (1012.0) 36" min.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Smoke Detectors (920.3.2)**

- ~~S9~~ Location and interconnection
- ~~S9~~ Power source

**Dwelling Unit Separation  
Table 602**

*N/A.*

Most recent

Applicant: Maggie LN Dev,

Date: 7/24/01

Address: 79-81 Maggie LN (lot #13)

C-B-L: 341-A-023

CHECK-LIST AGAINST ZONING ORDINANCE

Date - New

Zone Location - R-5

Interior or corner lot -

Proposed Use/Work - construct 26' x 36' Duplex - No garages - No rear Decks

Sevage Disposal - city

Lot Street Frontage - 50' req - 50' shown

Front Yard - 20' req - 42' scaled

Rear Yard - 20' req - 97' scaled

Side Yard - 12' req - 125' & 13.8' shown  
2-story shown

Projections -

measure be careful of the Belg is moved forward  
Width of Lot - 60' req - 60' scaled  
Height - 35' MAX. - 23' scaled

Lot Area - 6,000 sq ft min 16,629 sq ft given

Lot Coverage/ Impervious Surface - 40% allowed (6651.6 sq ft) MAX

Area per Family - 3,000 sq ft

Off-street Parking - 4 spaces req - 4 spaces shown

26 x 36 = 936 sq ft

Loading Bays - N/A

Site Plan - minor # 2001-0137

Shoreland Zoning/ Stream Protection - N/A

Flood Plains - panel 7 zone X

No Day light basement shown

## SPACE AND BULK REQUIREMENTS – LOT 13

MINIMUM LOT SIZE:	6,000 S.F.
MINIMUM FRONTAGE:	50 FT.
MINIMUM SETBACKS:	20 FT.
FRONT YARD	
REAR YARD	20 FT.
SIDE YARD*	
1 STORY	8 FT.
1 1/2 STORY	8 FT.
2 STORY	12 FT.
2 1/2 STORY	14 FT.
MINIMUM LOT WIDTH:	
OTHER USES	60 FT.


\* THE WIDTH OF ONE (1) SIDE YARD MAY BE REDUCED ONE (1) FOOT FOR EVERY FOOT THAT THE OTHER SIDE YARD IS CORRESPONDINGLY INCREASED, BUT NO SIDE YARD SHALL BE LESS THAN EIGHT (8) FEET IN WIDTH.

THE SIDE YARDS SHOWN ON THE FOLLOWING FIGURES ARE BASED UPON A 2 STORY STRUCTURE AND MAY BE INCREASED OR DECREASED DEPENDING UPON THE NUMBER OF STORIES.

*most recent*

*Received  
7/24/07*

Design: DER	Date: MAY 2001
Draft: RAT	Job No.: 334
Checked: AMP	Scale: NONE
File Name: 99103-ALL-LOTS2.DWG	

 <b>GP</b>	<i>Traffic and Civil Engineering Services</i>
	PO Box 1237, 26 Main Street Gray, ME 04039 207-657-6910

Drawing Name: Space & Bulk Requirements Lot 13
Project: MAGGIE LANE, PORTLAND

Figure No.  <b>1</b>
----------------------------