



Rafter Table R802.5.1
 Rafter span w/ ceiling connected
 D.L. 10lb and 50lb snow
 2X10 Douglass Fir ss, 3 slope or greater
 can go 20'-3" X .67= 13.6' 12" o.c.
 Our span is 13'

CROSS-SECTION
BRIGGS ADDITION
145 HENNESSEY DR. PORTLAND, ME

CUSTOMERS SHOULD APPRECIATE THAT THIS INFORMATION IS NOT THE PRODUCT OF AN ARCHITECT NEITHER NOTWORTHY DESIGNS NOR ANY OF ITS EMPLOYEES ARE REGISTERED ARCHITECTS AND CUSTOMERS MAY WANT TO CONSULT WITH AN ARCHITECT BEFORE TAKING FINAL ACTION WITH REGARD TO ANY BUILDING OR STRUCTURE. CUSTOMERS SHOULD ALSO APPRECIATE THAT BY PROVIDING CUSTOMERS WITH THIS INFORMATION, NOTWORTHY DESIGNS DOES NOT GUARANTEE THE SOUNDNESS OR SUITABILITY OF THE INFORMATION FOR ANY PURPOSE OF THE CUSTOMER.

Revisions:
Date : 12/2/14
Scale : 1/4"=1'-0"
Drawn By: TMS
Project: A111814
Sheet Number: