




D BUILDING SECTION
Scale: 1/4" = 1'-0"



A BUILDING SECTION
Scale: 1/4" = 1'-0"



C GARAGE BUILDING SECTION
Scale: 1/4" = 1'-0"



B BUILDING SECTION
Scale: 1/4" = 1'-0"

ROOF SPECS (TYP)
ASPHALT ROOF SHINGLES
3/8" FELT 1/2" UNDERROOF MEMBRANE • EAVES)
5/8" TIG ROOF SHEATHING
2x4 MANUFACTURED TRUSSES • 24" O.C.
H25 RAFTERS • 24" O.C.

SOFFIT DETAIL (TYP)
1/2" TIL - VENT. SING. (IND)
AIR BARRIER
2x6 SUB-FASCIA
2x6 STUD WALL • 16" O.C.
D/CANT VENTED VNTL
AIR BARRIERS • TRUSS BAY
INSULATION STOP

EXTERIOR WALL (TYP)
4" TIL - VNTL SING. (IND)
AIR BARRIER
2x6 SUB-FASCIA
2x6 STUD WALL • 16" O.C.
D/CANT VENTED VNTL
AIR BARRIERS • TRUSS BAY
INSULATION STOP

ROOF SPECS (TYP)
ASPHALT ROOF SHINGLES
3/8" FELT 1/2" UNDERROOF MEMBRANE • EAVES)
5/8" TIG ROOF SHEATHING
2x4 MANUFACTURED TRUSSES • 24" O.C.
H25 RAFTERS • 24" O.C.

SOFFIT DETAIL (TYP)
1/2" TIL - VENT. SING. (IND)
AIR BARRIER
2x6 SUB-FASCIA
2x6 STUD WALL • 16" O.C.
D/CANT VENTED VNTL
AIR BARRIERS • TRUSS BAY
INSULATION STOP

RAKE DETAIL (TYP)
1/2" TIL - VENT. SING. (IND)
AIR BARRIER
2x6 SUB-FASCIA
2x6 STUD WALL • 16" O.C.
D/CANT VENTED VNTL
AIR BARRIERS • TRUSS BAY
INSULATION STOP

EXTERIOR WALL (TYP)
4" TIL - VNTL SING. (IND)
AIR BARRIER
2x6 SUB-FASCIA
2x6 STUD WALL • 16" O.C.
D/CANT VENTED VNTL
AIR BARRIERS • TRUSS BAY
INSULATION STOP

<p>NEW RESIDENCE - RANCH 1,585 s.f. - Right Hand</p> <p>FRANK & SANTO DIDONATO</p> <p>SKYLARK COMMONS GORHAM, MAINE</p>	<p>DIDONATO ARCHITECTS, INC.</p> <p>134 GUINEA ROAD, KENNEBUNKPORT, ME. 04046 phone: (207) 286-2900 fax: (207) 283-4895 "E" Mail Address: jfdidonato@roadrunner.com www.didonatoarchitects.com</p>	<table border="1"> <tr> <th>NO.</th> <th>REVISIONS</th> </tr> <tr> <td> </td> <td> </td> </tr> </table>	NO.	REVISIONS			<p>DRAWINGS THIS SHEET</p> <p>DATE: 04-18-12</p> <p>REVISION DATE: -</p> <p>DRAWN BY: JFD</p> <p>SHEET: 44</p>
			NO.	REVISIONS			
<p>Building Sections Left Hand</p>	<p>COPYRIGHT REPRODUCTION OR RESALE OF THIS DRAWING OR PORTION THEREOF WITHOUT THE WRITTEN CONSENT IS PROHIBITED.</p>						