

COLD SYSTEM CLASSIFICATION
 ROOMS OF RESIDENCE OR COMMERCIAL BUILDINGS SHALL BE CONSIDERED UNINHABITABLE UNLESS THE ROOMS ARE OCCUPYING SPACE IN A COINTEGRATED PERMANENT STRUCTURE.

GENERAL NOTES

ALL DIMENSIONS ARE CENTER TO CENTER U/M
 ALL 2" AND SMALLER PIPE TO SCH 40 BLACK STEEL
 1/2" BOLL BOTTOM OF JOISTS TO CENTERLINE OF PIPE
 1/2" BOLL TOP OF JOISTS TO CENTERLINE OF PIPE
 RISE FOR DRIP W/PIPE
 RISE BETWEEN FLOORS
 SPRINKLER SYSTEM SHALL BE INSTALLED IN ALL UNINHABITABLE AREAS INCLUDING AREAS TO MAINTAIN A TEMPERATURE OF ABOVE 40 DEGREES TO PREVENT THE SPRINKLER SYSTEM FROM FREEZING.

LEGEND

① 1/2-1 1/2" W/ING FREZZION RES. WHITE CONCRETE PONDENT UNINH SPACE

FF=BACK FRN FRZ TO CENTERLINE OF PIPE

1/2" BOLL BOTTOM OF JOISTS TO CENTERLINE OF PIPE

1/2" BOLL TOP OF JOISTS TO CENTERLINE OF PIPE


* RISE FOR DRIP W/PIPE

* RISE BETWEEN FLOORS



SYSTEM CLASSIFICATION

A WET PIPE SYSTEM SHALL BE INSTALLED IN ALL UNINHABITABLE AREAS INCLUDING AREAS TO MAINTAIN A TEMPERATURE OF ABOVE 40 DEGREES TO PREVENT THE SPRINKLER SYSTEM FROM FREEZING.



SYSTEM	DESCRIPTION	DATE	BY	REVISION	DATE	BY

DATE: 1/25/17
SCALE: 1/8" = 1'-0"

DEAN & ALLEN, INC.
 FIRE PROTECTION - SPECIALTY DIVISION
 100 WEST 20th ST. SUITE 300B
 PORTLAND, ME 04107
 (207) 557-2444 FAX (207) 557-2447

WENDY SWIGER
 88 SKYLARK ROAD
 PORTLAND, MAINE
 04107
 (207) 763-1818
 C12XXXX