DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





This is to certify that

GRESIK ROBERT H & MARIE JTS /Glamour Pool

Located at

148 REGAN LN

PERMIT ID: 2013-00824

ISSUE DATE: 05/20/2013

350 C006001 CBL:

has permission to Install Pool 12' x 20'

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

Fire Prevention Officer

Code Enforcement Officer / Plan Reviewer

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

PERMIT ID: 2013-00824 Located at: 148 REGAN LN **CBL:** 350 C006001

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.

REQUIRED INSPECTIONS:

Footings/Setbacks
Close-in Plumbing/Framing
Electrical - Residential
Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit				Permit No:	Date Applied For:	CBL:	
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716) 874-8716	2013-00824	04/25/2013	350 C006001	
Proposed Use:			Proposed	Proposed Project Description:			
Single Family			Install F	Install Pool 12' x 20'			
Dept:	Zoning	Status: Approved w/Conditions	Reviewer:	Marge Schmucka	1 Approval Da	te: 04/29/2013	
Note:					•	Ok to Issue: 🔽	
1) The	pool shall be	no closer to side and rear property lines and	shall not be o	eloser than 10' to the	he principal structure.		
Dept:	Building	Status: Approved w/Conditions	Reviewer:	Jon Rioux	Approval Da	te: 05/17/2013	
Note:						Ok to Issue: 🔽	

- 1) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 2) Openings in the barrier shall not allow passage of a 4-inch-diameter sphere.

Self-latching access gates shall comply with the standards in Section 6-24 of the City of Portland Buildings and Building Regulations, and shall be equipped to accommodate a locking device.

Pool electrical requirements shall comply with Article 680 of the NEC, 2011.

- 3) Sec. 6-24. Swimming Pools, spas and hot tubs.
 - 10. Where an aboveground pool structure is used as a barrier or where the barrier is mounted on top of the pool structure, and the means of access is a ladder or steps, then:
 - 10.1 The ladder or steps shall be capable of being secured, locked or removed to prevent access, or
 - 10.2 The ladder or steps shall be surrounded by a barrier which meets the requirements set forth above. When the ladder or steps are secured, locked or removed, any opening created shall not allow the passage of a 4- inch-diameter (102 mm) sphere.