DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND



BUILDING PERMIT

This is to certify that RUTH S TAYLOR

Job ID: 2012-11-5356-SF

Located At 15 ALLISON AVE

CBL: 353- A-015-001

has permission to build a new single family residence with an attached garage.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED. A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be

12/21/2012

Fire Prevention Officer

Code Enforcement Officer / Plan Reviewer

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY

PENALTY FOR REMOVING THIS CARD

SCANNED



Certificate of Occupancy

CITY OF PORTLAND, MAINE



Department of Planning and Urban Development **Building Inspections Division**

Location: 15 ALLISON AVE

CBL: 353 A015001

Issued To: JEFFREY HIGHT

Issued Date: 04/29/2013

This is to certify that the building, premises, or part thereof, at the above location, built-altered-changed as to use under Building Permit No. 201250023 has had a final inspection, has been found to conform substantially to the requirements of the Building Code and the Land Use Code of the City of Portland, and is hereby approved for occupancy or use, limited or otherwise, as indicated

PORTION OF BUILDING OR PREMISES

ENTIRE

TEMPORARY

APPROVED OCCUPANCY

USE GROUP R-3 TYPE 5-B SINGLE FAMILY DWELLING IRC 2009 (MUBEC)

LIMITING CONDITIONS: THIS IS A TEMPORARY CERTIFICATE OF OCCUPANCY AND IT EXPIRES ON JUNE 1, 2013, PENDING APPROVAL BY THE DEVELOPMENT REVIEW COORDINATOR FOR EXTERIOR SITE

Approved:

Inspection Division Director

Notice: This certificate identifies the legal use of the building or premises, and ought to be transferred from owner to owner upon the sale of the property.

City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, FAX: (207) 8716

Job No:	Date Applied:		CBL:			
2012-11-5356-SF	11/7/2012		353- A-015-001			
Location of Construction: 15 ALLISON AVE	Owner Name: RUTH S TAYLOR		Owner Address: 11 ALLISON AV PORTLAND, 041	E LO3 MAINE - ME		Phone:
Business Name:	Contractor Name: Dwane Christian – Construction Systems		Contractor Address 5 Rear Industry I	ess: Rd., South Portland	d, ME 04106	Phone: 207-749-2236
Lessee/Buyer's Name: Jeffrey & Susan Hight	Phone: 207-838-9693		Permit Type: Building			Zone: R-2
Past Use: Vacant land (split from 11 Allison Ave.)	Proposed Use: New single family home-build two story colonial (32' x 26') with attached garage (22' x 24')		Cost of Work: \$160,000.00 Fire Dept: \(\frac{1}{2}\) \(\lambda \) 2 Signature:	Approved W Denied N/A	(conditions	CEO District: Inspection: Use Group: R3 Type T3 Type T3 Signature:
Proposed Project Description 26' x 32' colonial with 22' Permit Taken By: Gayle			Pedestrian Activ	ities Distriot (P.A.) Zoning Appro	D.)	Signature
Termit Tunen By: Guyle		Special 7	one or Reviews	Zoning Appeal		reservation
 This permit application Applicant(s) from meeti Federal Rules. Building Permits do not septic or electrial work. Building permits are voi within six (6) months of False informatin may in 	include plumbing, id if work is not started the date of issuance.	Shorelar Wetland Flood Zo Subdivis ✓ Site Plar Maj	nd N/A s N/A one panel J-rovex sion	Variance Miscellaneous Conditional Use Interpretation Approved Denied Date:	Not in D Does not Requires Approve	ist or Landmark Require Review Review
False informatin may invalidate a building permit and stop all work.		IIIPIN ARM		Date.		
I hereby certify that I am the owner of the owner to make this application as he the appication is issued, I certify that the to enforce the provision of the code(s)	nis authorized agent and I agree the code official's authorized re	or that the prope to conform to	all applicable laws of the	his jurisdiction. In add	ition, if a permit for w	ork described in
SIGNATURE OF APPLICAN	T AI	DDRESS		DAT	ГЕ	PHONE
RESPONSIBLE PERSON IN (CHARGE OF WORK T	TTI F		DAT		PHONE

1-29-13 DWM FOOTHS OK as per plan property surveyed

2-4-13 DWM Backfill OK


3-7-13 DWM/BKL Dwane (1050-In OK

4-29-13 DWM/Roland Dwagne Final Provide: 8' max dyer

Connector, AFCI Breakers, DRC Approval



State of Maine Department of Public Safety





10337

LOT 33 ALLISON

Located at:

LOT 33 ALLISON RD

In the Town of: Portland

Occupancy/Use: RESIDENTIAL

Type of System: NFPA 13D

Permission is hereby given to:

SPB Plumbing & Heating*

PO Box 21

Saco, ME 04072

Contractor License #

to begin installation according to plans submittal approved by the Office of State Fire Marshal. The submittal is filed under log # 2121505, and no departure from the application submittal shall be made without prior approval in writing. This permit is issued under the provisions of Title 32, Chapter 20, Section 12004-I. Nothing herein shall excuse the holder of this permit from failure to comply with local ordinances, zoning laws, o other pertinent legal restrictions. This permit shall be displayed at the construction site or be made readily available.

This permit was issued on 10/31/2012

for a fee paid of \$25.00

This permit will expire at midnight on

Monday, April 29, 2013

The expiration date applies only if the installation has not begun by that date and no permission has been granted to extend the date. Once installation begins, then the permit is valid for however long it takes to complete the installation, assuming that the work is fairly continuous.

John E. Morris Commissioner

The type of Fire Department Connection and its location is to be according to the Local Fire Department

Within 30 days of the completion of a new fire sprinkler system or an addition to an existing fire sprinkler system, a fire sprinkler system contractor shall provide to the Office of State Fire Marshal a copy of this permit signed and dated by the certified Responsible Managing Supervisor representing that the fire sprinkler system has been installed according to specifications of the approved plan to the best of the supervisor's knowledge, information, and belief. This requirement is part of the sprinkler law, and neglect of this duty is grounds to not renew the contractor's license to do work in the State of Maine. All renewed sprinkler licenses are good for two years and expire on a June 30th.

> Job completed, tested and verified RMS Signature:

RMS for this job: Hubbard Daniel P

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 (ONLY)

or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- 1. Footings/Setbacks prior to pouring concrete
- 2. Foundation wall prior to backfill
- 3. Close In Elec/Plmb/Frame prior to insulate or gypsum
- 4. Final Inspection/ Certificate of Occupancy

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.



PORTLAND MAINE

Strengthening a Remarkable City, Building a Community for Life • www.portlandmaine.gov

Director of Planning and Urban Development Jeff Levine

Job ID: 2012-11-5356-SF

Located At: 15 ALLISON AVE

CBL: 353- A-015-001

Conditions of Approval:

Zoning

- 1. This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.
- As discussed during the review process, the property must be clearly identified prior to
 pouring concrete and compliance with the required setbacks must be established. Due
 to the proximity of the setbacks of the proposed structure, it may be required to be
 located by a surveyor.
- 3. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.

DRC

- 1. The Development Review Coordinator reserves the right to require additional lot grading or other drainage improvements as necessary due to field conditions.
- 2. The applicant shall have a licensed surveyor install, prior to the issuance of any Certificate of Occupancy, permanent monumentation/pins identifying property corners.
- 3. A street opening permit(s) is required for your site. Please contact Carol Merritt ay 874-8300, ext. 8822. (Only excavators licensed by the City of Portland are eligible.)
- 4. All damage to sidewalk, curb, street, or public utilities shall be repaired to City of Portland standards prior to issuance of a certificate of occupancy.
- 5. The Development Review Coordinator (874-8632) must be notified five (5) working days prior to date required for final site inspection. Please make allowances for completion of site plan requirements determined to be incomplete or defective during the inspection. This is essential as all site plan requirements must be completed and approved by the Development Review Coordinator prior to issuance of a Certificate of Occupancy. Please schedule any property closing with these requirements in mind.
- Two (2) City of Portland approved species and size trees must be planted on your street frontage prior to issuance of a Certificate of Occupancy.
- 7. All Site work (final grading, landscaping, loam and seed) must be completed prior to issuance of a certificate of occupancy. A performance guarantee will be required to cover the cost of site work not completed due to seasonal conditions ie., finish grading, loaming, seeding, mulching, installation of street trees, etc. The performance guarantee must be reviewed, approved, and accepted by the Planning Authority prior to the release of a Temporary Certificate of Occupancy.
- 8. Trees that are designated to be saved are to be protected during excavation and construction. Tree protection fencing is to be installed around the tree canopy drip line prior to the start of any excavation. Tree protection measures are to be inspected and maintained daily.

9. Erosion and Sedimentation control shall be established and inspected by the Development Review Coordinator prior to soil disturbance, and shall be done in accordance with Best Management Practices, Maine Department of Environmental Protection Technical and Design Standards and Guidelines. All Erosion and Sedimentation control measures must be inspected and maintained daily.

CBL: 353- A-015-001

- 10. The limits of allowable clearing shall be clearly marked with flagging or temporary fencing. Absolutely no clearing is to take place within, or encroach into the "do not disturb/no cut" zone. All conditions listed in the approved subdivision plan, as they relate to this lot shall be followed.
- 11. A sewer permit is required for your project. Please contact Carol Merritt at 874-8300, ext. 8822. The Wastewater and Drainage section of Public Services must be notified five (5) working days prior to sewer connection to schedule an inspector for your site.
- 12. The site shall be developed and maintained as depicted on the approved site plan, written submission of the applicant, and these written conditions of approval. The modification of the approved site plan or alteration of a parcel which was the subject of site plan approval shall require the prior approval of a revised site plan by the Planning Authority.
- 13. The foundation drain is to be connected to the City's storm drain system in compliance with the City's Technical Manual. Direct connection to sewer and storm drain structures are not allowed.

Building

- 1. Separate permits are required for any electrical: plumbing, sprinkler, fire alarm, HVAC systems, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 2. Frost protection must be installed per the enclosed detail as discussed w/owner/contractor (at least 4' from grade).
- 3. Foundation Drainage: Fabric, Damp proofing shall comply with Section R405 & R406, see attachment.
- 4. Window sills in locations more than 72 inches from finished grade shall be a minimum of 24 inches above the finished floor of the room, unless a window fall prevention devices is installed in accordance with section R612.3.
- 5. A code compliant emergency escape shall be provided in each bedroom. Window sills in locations more than 72 inches from finished grade shall be a minimum of 24 inches (no higher than 44 inches) above the finished floor of the room, or in compliance with Section R612.4.2 Operation for emergency escape.
- 6. Ventilation of this space is required per ASRAE 62.2, 2007 edition; Contractor agreed that the "building envelope" insulation will comply with the IECC, 2009 (Maine State Energy Codes).
- 7. A Carbon Monoxide (CO) alarms shall be installed in each area within or giving access to bedrooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.
- 8. Hardwired photoelectric interconnected battery backup smoke alarms shall be installed in each bedroom, protecting the bedrooms, and on every level.

- LLISON AVE CBL: 353- A-015-001
- 9. R807.1 Attic access. Buildings with combustible ceiling or roof construction shall have an attic access opening to attic areas that exceed 30 square feet and have a vertical height of 30 inches or greater. The vertical height shall be measured from the top of the ceiling framing members to the underside of the roof framing members. The rough-framed opening shall not be less than 22 inches by 30 inches and shall be located in a hallway or other readily accessible location.
- 10. Roof Rafter framing and Connection shall comply with Section R802.3 & R802.3.1 of MUBEC.
 - a. Note: Contractor will provide engineered specifications for the shed dormer beam & posting requirements.
- 11. R316.5.10 Interior finish. Foam plastics shall be permitted as interior finish where approved in accordance with Section R316.6 Foam plastics that are used as interior finish shall also meet the flame spread index and smoke-developed index requirements of Sections R302.9.1 and R302.9.2.

TABLE R302.6 DWELLING/GARAGE SEPARATION

DWLLLING/GARAGE SLEAKATION				
SEPARATION	MATERIAL			
From the residence and attics	Not less than $^{1}\!I_{2}$ inch gypsum board or equivalent applied to the garage side			
From all habitable rooms above the garage	Not less than 5/8-inch Type X gypsum board or equivalent			
Structure(s) supporting floor/ceiling assemblies used for separation required by this section	Not less than ${}^{1}\!I_{Z}$ inch gypsum board or equivalent			
Garages located less than 3 feet from a dwelling unit on the same lot	Not less than ${}^{1}\!I_{2}$ -inch gypsum board or equivalent applied to the interior side of exterior walls that are within this area			

For SI: 1 inch = 25.4 mm, 1 foot = 304.8 mm.

2009 INTERNATIONAL RESIDENTIAL CODE®

51

Fire

- 1. All construction shall comply with City Code Chapter 10.
- 2. A sprinkler system shall be installed.
- 3. A separate no fee One- or Two-family Fire Sprinkler Permit is required.
- 4. Hardwired photoelectric smoke alarms with battery backup are required in each sleeping room and on each floor outside of sleeping rooms, including basements. Smoke alarm shall be interconnected.
- 5. Hardwired Carbon Monoxide alarms with battery backup are required on each floor. CO alarms shall be interconnected.

mous entere 8;	000
Project Address:	Ullison & All 1
Total Square Footage of Proposed Structure/Area:	Area of lot (total sq. ft.): 12, 86 0
1630 B	Garage: Yes No Number of Stories: Z
, , ,	Attached Number of Bathrooms:
	Detached Number of Bedrooms: <u>3</u>
	Sq. Ft.: 456
	94. Ft
Fax Assessor's Chart, Block & Lot(s):	RECEIVED
Chart# Block # Lot #	, LESEIVED
353 A 0 6	NOV 07 2012
Current legal use:	Dept. of Building Inspections
	City of Portland Maine
Number of Residential Units	
f vacant, what was the previous use?	
s property part of a subdivision?	es If yes, please name Deering Run.
s property part of a subdivision? <u>/</u> Project Description: Single family 26,	es. If yes, please name <u>Deering han</u> . [x28 colonial w/ 22x24 garage.
Project Description: Single family 26	x28 colonial w/ 22x24 garage.
Project Description: Single family 26 Applicant - must be owner, Lessee or	Buyer Applicant Contact Information
Project Description: Single family 26 Applicant - must be owner, Lessee or Name: Dance K. Chisha.	Buyer Applicant Contact Information Work #
Applicant - must be owner, Lessee or Name: Dane K. Chisha. Business Name, if applicable: Lons A	Buyer Applicant Contact Information Work # Function System Home#
Applicant - must be owner, Lessee or Name: Dane K. Chisha. Business Name, if applicable: Lons A	Buyer Applicant Contact Information Work # Function System Home#
Applicant - must be owner, Lessee or Name: Paral K. Christian. Business Name, if applicable: Constant Address: Srear Industry	Buyer Applicant Contact Information Work # Function System Home#
Applicant - must be owner, Lessee or Name: Da and Christia. Business Name, if applicable: Constitution of the City/State: So. Por Manual City/State: So. Po	Buyer Applicant Contact Information Work # Fuction System of fome# Rol. Cell # 749-2236 Code: 04/06. e-mail: Akchist 59e yahoo, contact Information
Applicant - must be owner, Lessee or Name: Da and Christia. Business Name, if applicable: Constitution of the City/State: So. Por Manual City/State: So. Po	Buyer Applicant Contact Information Work # Fuction System of fome# Rol. Cell # 749-2236 Code: 04/06. e-mail: Akchist 59e yahoo, contact Information
Applicant - must be owner, Lessee or Name: Dane K. Chisha. Business Name, if applicable: Constant City/State: S. Por Many Zip (Dwner) (if different from Applicant) Name: Jeff & Sue High	Buyer Applicant Contact Information Work # Cell # 749-2236 Code: 04/06. e-mail: Accepted yahoo. contact Information Work # Home#
Applicant - must be owner, Lessee or Name: Da anc. K. Chisha. Business Name, if applicable: Constitution of the City/State: So. Portland Zip (Dwner (if different from Applicant) Name: Jeff a Sue Itys. Address: I Racine	Buyer Applicant Contact Information Work # Function System of fome# Cell # 749-2236 Code: 04/06. e-mail: Achist 59e yahoo, conduct Information Work # Home#
Applicant - must be owner, Lessee or Name: Da ane K. Chisha. Business Name, if applicable: Constitution of the City/State: So. Portland Zip (Dwner (if different from Applicant)) Name: Seff a Sue High Address: // Racine	Buyer Applicant Contact Information Work # Cell # 749-2236 Code: 04/06. e-mail: Accepted yahoo. contact Information Work # Home#
Applicant - must be owner, Lessee or Name: Dane K. Chisha. Business Name, if applicable: Constant City/State: So. Por Many Zip (Dwner (if different from Applicant) Name: Jeff a Sue High City/State: Particle Zip (Dity/State: Zip (Dity/State: Particle Zip (Dity/State: Zip (Dity	Buyer Buyer Buyer Buckin System Flome# Cell # 749-2236 Code: 04/06. Code: 04/06. Owner Contact Information Work # Home# Code: 04/03 Code:
Applicant - must be owner, Lessee or Name: Pane K. Christian Business Name, if applicable: Constant City/State: So. Parland Zip (Dwner) (if different from Applicant) Name: Jeff & Sue High City/State: Parland Zip (Dity/State: Parland Zip (Dity/St	Buyer Applicant Contact Information Work # Cell # 749-2236 Code: 04/06. Cell # 749-2236 Owner Contact Information Work # Home# Code: 04/03 Contact when Building Permit is Ready: Name: Dware L. Christian.
Applicant - must be owner, Lessee or Name: Dane K. Chisha. Business Name, if applicable: Constant City/State: So. Parland Zip (Downer (if different from Applicant) Name: Jeff as Sue High City/State: Parland Zip (City/State: Zip (City/State: Parland Zip (City/State: Zip (City/State: Parland Zip (City/State: Zip (City/	Buyer Buyer Buchin System Home# Cell # 749-2236 Code: 04/06. Code: 04/06. Code: 04/06. Code: 04/03.

DEVELOPMENT REVIEW FEES:

Payment may be made in cash, credit card or check addressed to the City of Portland.

Level I Minor Residential Site Plan	Fees Paid:
1. Application Fee - \$300.00	\$ <u>300</u>
2. Inspection Fee - \$100.00 (for site plan inspection by the Planning Division)	\$ <u>/00</u>
3. Certificate of Occupancy Fee - \$75.00	\$
I. Building Permit (Cost of Work) 160 K	\$ 1530
Total Due:	\$ 2005
Building Permit Fee - \$30 for the first \$1,000 construction	n cost - \$10 every additional \$1,000.

Please submit all of the information outlined on the applicable Checklist, shown on Page 4 and 5 of this Application. In addition, a CD or PDF (e-mailed to <u>buildinginspections@portlandmaine.gov</u>) of the entire Application, including all plans, must be submitted with the Application. Failure to do so may result in the automatic denial of your permit.

Portland's development review process and requirements are outlined in the Land Use Code (Chapter 14), which includes the Subdivision Ordinance (Section 14-491) and the Site Plan Ordinance (Section 14-521). Portland's Land Use Code is on the City's web site: www.portlandmaine.gov Copies of the ordinances may be purchased through the Planning Division. All of the information on the checklist must be submitted for review. The applicant must check off the items contained in the application package to ensure the application is complete.

Property Taxes:

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before a permit of any kind is accepted.

Separate Permits:

Separate permits are required for internal and external plumbing, HVAC, and electrical installations.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Planning Authority and Code Enforcement's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of Applicant:	Date:
Che .	11/5/12

This is not a permit - you may not commence any work until the permit is issued.

(A CD or PDF (e-mailed to <u>buildinginspections@portlandmaine.gov</u>) of the entire application, including all plans, must be submitted with the application.)

	General Submittal Requirements – Level I Minor Residential				
Applicant Checklist	Planner Checklist (internal)	Number of Copies	Submittal Requirement		
		2	Completed application form and check list.		
		1	Application fees.		
/		2	Evidence of right, title and interest. Pulling! Sals		
N/A.	NA	2	Copies of required state and/or federal permits.		
n/A.	1 *	2	Written Description of existing and proposed easements or other burdens. Phil will cheek of subdiving plate		
	-Acre	2	Written requests for waivers from individual site plan and/or technical standards. ふんしん		
	AlA	2	Written symmary of fire safety (referencing NFPA fire code and Section 3 of the City of Portland Technical Manual). Refer to Fire Department Checklist on page 6 of this application.		

Site Plans and Boundary Survey Requirements – Level I Minor Residential				
Applicant Checklist	Planner Checklist (internal)	Number of Copies	Submittal Requirement	
		3	Boundary survey meeting the requirements of section 13 of the City of Portland Technical Manual with the site plan information listed below shown on the plan, including a north arrow and a scale greater than or equal to 1"=20'. (Photocopies of the plat or hand drawn building footprints will not be accepted.)	
			rict, setbacks and dimensional requirements. Show zone lines and es that apply to the property, including Shoreland Zone &/or Stream	
/		 Existing and proposed structures (including location of proposed piers, docks or wharves if in Shoreland Zone). 		
			d dimension of existing and proposed paved areas.	
		■ Proposed gi	round floor area of building.	
/		■ Finish floor	elevation (FEE) or sill elevation.	
		Exterior building elevations (show all 4 sides).		
		Existing and proposed utilities (or septic system, where applicable)		
		Existing and proposed grading and contours.		
		Proposed stormwater management and erosion controls.		
		■ Total area and limits of proposed land disturbance.		
		Proposed protections to or alterations of watercourses.		
xIIA.		■ Proposed w	etland protections or impacts.	
			retation to be preserved and proposed site landscaping and street es per unit for a single or two-family house).	

Existing and proposed curb and sidewalk, except for a single family home.
Existing and proposed easements or public or private rights of way.
Show foundation/perimeter drain and outlet.
 Additional requirements may apply for lots on unimproved streets.

Building Permit Submittal Requirements –Level I: Minor Residential Development				
Applicant Checklist	Planner Checklist (internal)	Number of Copies	Submittal Requirement	
		1	One (1) complete set of construction drawings must include:	
			Cross section with framing details	
1			 Floor plans and elevations to scale 	
			Stair details including dimensions of : rise/run, head room, guards/handrails, baluster space	
			Window and door schedules	
			 Foundation plans w/required drainage and damp proofing, if applicable 	
			 Detail egress requirements and fire separation, if applicable 	
			 Insulation R-factors of walls, ceilings & floors & U-factors of windows per the IEEC 2003 	
			 Deck construction including: pier layout, framing, fastenings, guards, stair dimensions 	
			 As of September 16, 2010 all new construction of one and two family homes are required to be sprinkled in compliance with NFPA 13D. This is required by City Code. (NFPA 101 2009 ed.) 	
			Reduced plans or electronic files in pdf format are also required if original plans are larger than 11X17"	

** Reminder: **

- 1. A CD or PDF of the entire application, including all plans, must be submitted with the application.
- 2. Separate permits are required for internal and external plumbing, HVAC, and electrical installations.
- 3. Please submit all of the information outlined in this application checklist.
- 4. If the application is incomplete, the application may be refused.
- 5. The Planning and Urban Development Department may request additional information prior to the issuance of a permit.

Site Plan Standards for Review of Level I: Minor Residential

Level I: Minor Residential site plan applications are subject to the following site plan standards*, as contained in section 14-526 of Article V, Site Plan:

- 14-526 (a) Transportation Standards:
 - 2.a. Site Access and Circulation (i) and (ii);
 - 2.c Sidewalks: (if the site plan is a two- family or multi-family building only);
 - 4.a. Location and required number of vehicle parking spaces:(i) and (iv)
- 14-526 (b) Environmental Quality Standards:
 - 1. Preservation of significant natural features.
 - 2.a. Landscaping and landscape preservation
 - 2.b. Site landscaping (iii)
 - 3.a. Water quality, stormwater management and erosion control: a., d., e., and f.
- 14-526 (c) Public Infrastructure and Community Safety Standards:
 - 1. Consistency with Master Plan
 - 2. Public Safety and fire prevention
 - 3. Availability and adequate capacity of public utilities; a., c., d., and e.
- 14-526 (d) Site Design Standards:
 - 5. Historic Resources
 - 9. Zoning related design standards
- Except as provided in Article III of the City Code, or to conditions imposed under Section 14-526(e) only, or to those submission requirements set forth in section 14-527 as relate solely thereto.



PORTLAND FIRE DEPARTMENT SITE REVIEW FIRE DEPARTMENT CHECKLIST



A separate drawing[s] shall be provided to the Portland Fire Department for all site plan reviews.

- 1. Name, address, telephone number of applicant.
- 2. Name address, telephone number of architect
- 3. Proposed uses of any structures [NFPA and IBC classification]
- 4. Square footage of all structures [total and per story]
- 5. Elevation of all structures
- 6. Proposed fire protection of all structures
 - As of September 16, 2010 all new construction of one and two family homes are required to be sprinkled in compliance with NFPA 13D. This is required by City Code. (NFPA 101 2009 ed.)
- 7. Hydrant locations

Type of Heating System		
Means of Egress (Sec R311 & R312) Basement	1 Pro horse Rulkhord	Pro
Number of Stairways		s S
Interior		
Exterior		
Treads and Risers (Section R311.5.3)	7 1/4 x 10" 20+	
Width (Section R311.5.1)	4,000 A1-0"	
Headroom (Section R311.7.2)	7. "." 1. 8 - 9	
Guardrails and Handrails (Section R312 & R311.5.6 – R311.5.6.3)	1/4/6.02p2ss/38" > 1650 & stormell	//
Carbon Monoxide Alarms (R315) Smoke Alarms (Section R314) Location and Interconnected	> sate & co. Per code	Per code
Dwelling Unit Separation (Section R302.3)	t/N	
Deck Construction (Section R502.2)	N/A	

Job No: 2012-11-5356-SF

Pitch, Span, Spacing& Dimension (Table R802.5.1(1) - R 802.5.1(8))	12/3 4/2 5/2	Engineered report from provided.
Roof Rafter; Framing & Connections (Section R802.3 & R802.3.1)	2x10"e16" o.c.	proper hang rill pe
Sheathing; Floor, Wall and Roof (Table R503.2.1.1(1)	Floor: 3/4 / Wall: 9/16 / Road: 5/8	Okay
Fastener Schedule (Table R602.3(1) & (2))		Per code 5/8 Type X "Entire"
Private Garage		rla T
(Section R302.5)	_	5/8 Type X EATTLE
Living Space (Above or beside)?		
Table R302.6		
Fire separation (Section R302.6)		
Opening Protection (Section R302.5.1)		90 Min. steel door
Emergency Escape and Rescue Openings (Section R310)	"Egress" noted it	>
Roof Covering (Section R905)	"Egress" noted in Bedwons Asphault "TBD"	
Safety Glazing (Section R308)		Bathoon windows
Attic Access (Section R807)		> 22 x30"
Chimney Clearances/Fire Blocking (Chap. 10)	N/A	,
Header Schedule (Tables R502.5(1) & (2))		See Table
Energy Efficiency IECC, 2009 R-Factors of Walls, Floors, Ceilings, Building Envelope, U-Factor Fenestration Ventilation of Space per ASRAE 62.2, 2007		> See Table > Re- rode

ONE AND TWO FAMILY	PLAN REVIEW	CHECKLIST
Soil type/Presumptive Load Value (Table R401.4.		
Component	Submitted Plan	Findings/Revisions/Dates
STRUCTURAL Footing Dimensions/Depth (Table R403.1 & R403.1(1),	20×10" /24°59 tor 8" thick wall	
(Section R403.1 & R403.1.4.1)	0 1466 0611	
Foundation Drainage, Fabric, Damp proofing (Section R405 & R406)		Filhe Fabric; pine
Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY	NIA	
Anchor Bolts/Straps, spacing (Section R403.1.6)		5/8 DIA 1-0" @ Corners 6-09 O.C.
Lally Column Type (Section R407)	3 1/2" Lelly	
Girder & Header Spans (Table R 502.5(2))	(3) axio" > sec rolle	
Built-Up Wood Center Girder Dimension/Type	(3) 2 x 12 "	
Sill/Band Joist Type & Dimensions	2×6" P.T	Okey
First Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))	2x10" e 16" o.c - SPF#2	714-3" Mex
Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))	ax10" e 16" o.c. 5PF#2	14-5"A=x
Attic or additional Floor Joist Species Dimensions and Spacing (Table R802.4(1) and R802.4(2))		

6	COACTA	T/			C	Client					Shipping)		
Project Name:	COASTA FOREST PRODUCTS.	INC.	ob#:			Quantity 1 (2)	vec)		Description	n:				
Project Name:	ormer Head			1 A R A				-Ply	- Description		12/18/2	2012 11	:06 AM	
10 Shed D	ormer nead	er 2	LUE CP-	·LAW	1.75	A 11.07)	-Piy			Page 1	of 1	ık Gonyea	
] 200.g.		donyou	
												0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	T	$M \leftarrow 1$
1 SPF	COASTAI	L of sage	अञ्चेतिक वर्षः		and Spanners of the American Spanners of the A	COASTA 11 COASTA	L rec				2 SPF			11 7/8"
 					10'							1	†	3 1/2"
 					10'							7		
	0.1		Ta	TI			T							
1 "	Girder 2		Application: Design Met				Reac Brg		ve	Dead	Snow	W	ind (Const
Moisture Condition:	-		Building Co		IRC		1		0	605	2220		0	0
4	360 240		Load Sharir Deck:	-	SPF Plyw	ood Nailed	2		0	605	2220		0	0
Importance:	Normal		Vibration:	Not	Checked									
Temperature:	Temp <= 100°F													
							Beari Bearin	g Input	In Applyoid		React D/L lb	Total	Ld. Case	Ld. Comb.
Analysis Ac	tual Loc	cation A		Capacity		omb. Ld. Cas	e 1 - SP	Length F 5.500"	n Analysis 2.000"	95%	605 / 2220	2825	L	D+S
	33 ft-lb	5′ 2′ 4 3/8″ 9′		0.267 (27%) 0.245 (24%)		L	2 - SP	F 5.500"	2.000"	95%	605 / 2220	2825	L	D+S
	20 lb 1')80 (L/1386)			0.245 (24%)		L, L								
1	02 (L/1090)			0.220 (22%)		L								
Design OK. Design Notes														
1 Girders are des 2 Multiple plies m	signed to be support nust be fastened tog t be supported equa	ether as p	er manufacti											
	Load Type			rib Width	Side	Dead		Live	Snow				Comments	
1	Uniform Self Weight		8	-0-0	Тор	15 PSF 10.79 PLF) PSF	60 PSF	0 F	PSF 0	PSF		
												Co	astal Forest	Products
Notes Calculated Structured Desi the structural adequacy of the design criteria and it responsibility of the custom ensure the component s application, and to verify the	nadings shown It is the	LVL beams Refer to regarding	& Installation s must not be cut or manufacturer's installation requ	product informatic irements, multi-p	pondin In	t roofs provide prop g	er drainage te	o prevent					South Rive	
application, and to verify the Lumber 1. Dry service conditions, to be treated.	unless noted otherwise	approvals 3. Damaged I 4. Design ass 5. Provide lat	Beams must not be sumes top edge is l	aterally restrained aring points to avo										OASTAL REST PRODUCTS, INC. ROBERT STORY TO SEE THE SEE

Jonathan Rioux - Re: 15 Allison Ave.

From:

dwane christian <dkchrist59@yahoo.com>

To:

Jonathan Rioux <JRIOUX@portlandmaine.gov>

Date:

12/18/2012 5:56 PM

Subject:

Re: 15 Allison Ave.

Attachments: 10' Shed Dormer[1].pdf

Jonathan -

Here is the spec on the beam which they state that I will need to use HHUS410 hanger.

Please let me know if you need anything else.

Dwane K. Christian

749-2236

From: Jonathan Rioux < JRIOUX@portlandmaine.gov>

To: dwane christian <dkchrist59@yahoo.com> Sent: Tuesday, December 11, 2012 2:53 PM

Subject: Re: 15 Allison Ave.

Dwane,

Can you provide the engineered specifications from the lumber yard for your proposed roof beam & posting requirements?

Jonathan Rioux

Code Enforcement Officer/ Plan Reviewer

City of Portland

Planning and Urban Development Department

Inspection Services Division 389 Congress St. Rm 315 Portland, ME 04101

Office: 207.874.8702

Support Staff: 207.874.8703

jrioux@portlandmaine.gov

>>> dwane christian <dkchrist59@yahoo.com> 12/3/2012 6:06 AM >>>

Good morning Jonathan -

Thanks for your feed back. I am wondering if you have a complete set of plans where as most of what you have listed is on the plans. The spacing for the columns is in the foundation plans. The size of the girder is in the cross section. I have attached the plans in case you are missing a page. I started to go through your list and am realizing that I should just schedule a time to meet with you to go through this since I to have questions as to what you are asking for. I will bring in anything that is not listed on the plans with me as you have noted. I will call later to try and set up a time to meet sometime this week. Thanks for your input and time.

Dwane K. Christian

749-2236

From: Jonathan Rioux <JRIOUX@portlandmaine.gov>

To: dkchrist59@yahoo.com

Sent: Friday, November 30, 2012 1:19 PM

Subject: 15 Allison Ave.

The information below was missing on the building permit application. The floor framing plans/cross sections need to indicate the (3) 2 x 12 girder spans/spacing between each lally column; the roof framing plan must show how the dormer meets the 2 by 10 inch rafters, with finished headroom. All bulleted items require a response for permit issuance.

Soil type/Presumptive Load Value (Table R401.4.1) _____

STRUCTURAL

- Footing Dimensions/Depth 20" x 10"
- (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1)
- Foundation Drainage, Fabric, Damp proofing Indicated in the cross section but not spelled out. Also clearly shown in the drainage design
- (Section R405 & R406)
- Ventilation/Access (Section R408.1 & R408.3) shown in crossection at eves with propa vent and ridge vent at peak
- Crawls Space ONLY
- Anchor Bolts/Straps, spacing (Section R403.1.6)Bolts at 6' o.c.
- Girder & Header Spans between lally columns? (Table R 502.5(2))on foundation plans
- Built-Up Wood Center Girder shown in cross section

First Floor Joist Species

- Dimensions and Spacing dimensions are on floor plan. spacing is shown in the cross section
- (Table R502.3.1(1) & Table R502.3.1(2))

Second Floor Joist Species (2 x 10" @ 16 Inches on Center) max span?

- Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))
- Attic or additional Floor Joist Species
- Dimensions and Spacing (Table R802.4(1) and R802.4(2))
- Dormer pitch, Span, Spacing& Dimension (Table R802.5.1(1) R 802.5.1(8)) shown in cross section

- Roof Rafter; Framing & Connections (Section R802.3 & R802.3.1) oRafter tie connection to top plate? not shown but I use H2.5 hurricane clips
- Fastener Schedule (Table R602.3(1) & (2))not shown

Private Garage

- (Section R302.5)
- Living Space (Above or beside)?
- Table R302.6
- Fire separation (Section R302.6)
- **Opening Protection (Section R302.5.1)**
- Safety Glazing (Section R308)
- Attic Access (Section R807)
- Chimney Clearances/Fire Blocking (Chap. 10)
- Header Schedule (Tables R502.5(1) & (2))
 - Windows/ doors/ garage?
- Energy Efficiency IECC, 2009
- R-Factors of Walls, Floors, Ceilings, Building Envelope, U-Factor Fenestration
- Ventilation of Space per ASRAE 62.2, 2007
- Type of Heating System
- Means of Egress (Sec R311 & R312)
- Basement, Bulkhead?
- **Guardrails and Handrails**
- (Section R312 & R311.5.6 R311.5.6.3)
- Carbon Monoxide Alarms (R315)
- Smoke Alarms (Section R314)
- Location and Interconnected
- Deck Construction (Section R502.2)

Jonathan Rioux Code Enforcement Officer/ Plan Reviewer

City of Portland Planning and Urban Development Department Inspection Services Division 389 Congress St. Rm 315 Portland, ME 04101 Office: 207.874.8702 Support Staff: 207.874.8703 jrioux@portlandmaine.gov

Notice: Under Maine law, documents - including e-mails - in the possession of public officials or city employees about government business may be classified as public records. There are very few exceptions. As a result, please be advised that what is written in an e-mail could be released to the public and/or the media if requested.

PURCHASE AND SALE AGREEMENT - LAND ONLY

September 20 ,2012	, Effective Date
Offer Date	Effective Date is defined in Paragraph 20 of this Agreement.
	• •
1. PARTIES: This Agreement is made between Jeffrey Hig	("Buyer") and
Ruth Ta	ylor ("Seller").
2 DESCRIPTION: Subject to the terms and conditions hereing	after set forth, Seller agrees to sell and Buyer agrees to buy (X all
part of: If "part of" see para. 22 for explanation) the property s	situated in municipality of,
County of <u>Cumberland</u> , State of Maine, loc described in deed(s) recorded at said County's Registry of Deeds	ated at 15 Allison Ave and Book(s) 16918 . Page(s) 051
the amount \$ 1,000.00 . If said deposit is to be above deadline, this offer shall be void and any attempted acceptesult in a binding contract. Buyer agrees that an additional deposit is to be above deadline, this offer shall be void and any attempted accepted in a binding contract.	days of the Offer Date, a deposit of earnest money in e delivered after the submission of this offer and is not delivered by the ptance of this offer in reliance on the deposit being delivered will not it of earnest money in the amount of \$ will be Failure by Buyer to deliver this additional deposit in this Agreement. The remainder of the purchase price shall be paid by
This Purchase and Sale Agreement is subject to the following cor	nditions:
4. EARNEST MONEY/ACCEPTANCE: said earnest money and act as escrow agent until closing; this offer 5:00 AM X PM; and, in the even	REMAX ABSOLUTE ("Agency") shall hold er shall be valid until September 21, 2012 (date) ent of non-acceptance, this earnest money shall be returned promptly awsuit by virtue of acting as escrow agent, Agency shall be entitled to
the Maine Bar Association shall be delivered to Buyer and this execute all necessary papers on October 31, 2012 Seller is unable to convey in accordance with the provisions of exceed 30 calendar days, from the time Seller is notified of the to remedy the title. Seller hereby agrees to make a good-faith eclosing date set forth above or the expiration of such reasonable	chantable title in accordance with the Standards of Title adopted by a transaction shall be closed and Buyer shall pay the balance due and (closing date) or before, if agreed in writing by both parties. If this paragraph, then Seller shall have a reasonable time period, not to defect, unless otherwise agreed to in writing by both Buyer and Seller, affort to cure any title defect during such period. If, at the later of the time period, Seller is unable to remedy the title, Buyer may close and come null and void in which case the parties shall be relieved of any arned to the Buyer.
6. DEED: The property shall be conveyed by a encumbrances except covenants, conditions, easements and rescontinued current use of the property.	Warranty deed, and shall be free and clear of all strictions of record which do not materially and adversely affect the
7. POSSESSION: Possession of premises shall be given to Buye	er immediately at closing unless otherwise agreed in writing.
8. RISK OF LOSS: Until the closing, the risk of loss or dama shall have the right to view the property within 24 hours prior substantially the same condition as on the date of this Agreement	ge to said premises by fire or otherwise, is assumed by Seller. Buyer or to closing for the purpose of determining that the premises are in .
Real estate	Il be prorated as of the date of closing: rent, association fees, (other) taxes shall be prorated as of the date of closing (based on municipality's
they shall be apportioned on the basis of the taxes assessed for	years. If the amount of said taxes is not known at the time of closing, the preceding year with a reapportionment as soon as the new tax rate subsive closing. Buyer and Seller will each pay their transfer tax as H
January 2012 Page 1 of 4 - P&S-LO Buyer(s) Initials	Seller(s) Initials
RE/MAX Absolute 79 Atlantic Place South Portland, ME 4106 Phone: (207)229-9515 Fax: Tyra-Marie Ha	tcher Taylor to High

10. DUE DILIGENCE: Buyer is encouraged to seek information from professionals regarding any specific issue or concern.

Neither Seller nor Licensee makes any warranties regarding the condition, permitted use or value of Sellers' real property. This Agreement is subject to the following contingencies, with results being satisfactory to Buyer:

_	-	_		-	•	
	CONTINGENCY	YES	NO	DAYS FOR COMPLETION	OBTAINED BY	TO BE PAID FOR BY
1.	SURVEY Purpose: locate pin.	X		21	Buyer	Buyer
2.	SOILS TEST Purpose:		X	pair ten		
3.	SEPTIC SYSTEM DESIGN Purpose:		x			
4.	LOCAL PERMITS Purpose: building pe	X		30	Buyer/Build	Buyer/Build
5.	HAZARDOUS WASTE REPORTS Purpose:		X			
6.	UTILITIES	X		21	Buyer	Buyer
	Purpose: If easemen	t is re	equired, s	eller to request in	nclusion in deed	
7.	WATER Purpose: locate water	X er line	as .	21	Buyer	Buyer
8.	SUB-DIVISION APPROVAL		x			No. 1, 1944
9.	Purpose: DEP/LURC APPROVALS Purpose:		X			
10.	ZONING VARIANCE Purpose:		X			
11.	HABITAT REVIEW/ WATERFOWL Purpose:		X			
12.	MDOT DRIVEWAY/ ENTRANCE PERMIT Purpose:		X			
13.	DEED RESTRICTION Purpose:	X		21	Buyer	Buyer
14.	TAX EXEMPT STATUS Purpose:		X			
15.	OTHER Purpose:		X			
Fur	ther specifications regarding an	y of the a	lbove: n/a			
con with con	ess otherwise specified above, dition specified herein is unsa hin the specified number of didition specified herein is unsat the solution with	tisfactory ays, and tisfactory	to Buyer, Bu any earnest m to Buyer, and	yer will declare the Agree noney shall be returned to I Buyer wishes to pursue re	ment null and void by notify Buyer. If the result of any temedies other than voiding the second second in the second seco	ying Seller in writing investigation or other he Agreement, Buyer

January 2012 Page 2 of 4 - P&S-LO Buyer(s) Initials Seller(s) Initials

of inspection(s) mentioned above, Buyer is relying completely upon Buyer's own opinion as to the scondition of the property.

Seller that an investigation is unsatisfactory within the time period set forth above, this contingency is waived by Buyer. In the absence

- 21. CONFIDENTIALITY: Buyer and Seller authorize the disclosure of the information herein to the real estate licensees, attorneys, lenders, appraisers, inspectors, investigators and others involved in the transaction necessary for the purpose of closing this transaction. Buyer and Seller authorize the lender and/or closing agent preparing the entire closing statement to release a copy of the closing statement to the parties and their licensees prior to, at and after the closing.
- 22. OTHER CONDITIONS: A. Subject to buyer providing proof of funds letter within 21 calendar days.

23. GENERAL PROVISIONS:

- a. A copy of this Agreement is to be received by all parties and, by signature, receipt of a copy is hereby acknowledged. If not fully understood, contact an attorney. This is a Maine contract and shall be construed according to the laws of Maine.
- b. Seller acknowledges that State of Maine law requires buyers of property owned by non-resident sellers to withhold a prepayment of capital gains tax unless a waiver has been obtained by Seller from the State of Maine Revenue Services.
- Buyer and Seller acknowledge that under Maine law payment of property taxes is the legal responsibility of the person who owns the property on April 1, even if the property is sold before payment is due. If any part of the taxes is not paid when due, the lien will be filed in the name of the owner as of April 1 which could have a negative impact on their credit rating. Buyer and Seller shall agree at closing on their respective obligations regarding actual payment of taxes after closing. Buyer and Seller should make sure they understand their obligations agreed to at closing and what may happen if taxes are not paid as agreed.
- Buyer acknowledges that Maine law requires continuing interest in the property and any back up offers to be communicated by d. the listing agent to the Seller.

24. ADDENDA: X Yes Explain: Deed	, MLS Sheet, House	plans No)
Buyer's Mailing address is 17 Racine	Avenue, Portland,	ME 04103	
BUYER Jeffrey CADRCEPOFE 9443F Jeffrey Hight	DATE	BUYER	DATE
Seller accepts the offer and agrees to delivagrees to pay agency a commission for ser	vices as specified in the li	sting agreement.	rms and conditions set forth and
Seller's Mailing address is 11 Allison	Ave, Portland, ME	04103	
SELLER Ruth Taylor	DATE	SELLER	DATE
will expire unless accepted by Buyer's sign (time) AM	PM.	of such signature to Seller by (date	
SELLER	DATE	SELLER	DATE
The Buyer hereby accepts the counter offer	r set forth above.		
BUYER	DATE	BUYER	DATE
The time for the performance of this Agreer	EXTEN		
The time for the performance of this Agreen	ment is extended until	DATE	•
SELLER	DATE	SELLER	DATE
BUYER	DATE	BUYER	DATE
Maine Association of REALTO	RS®/Copyright © 2012		



All Rights Reserved. Revised January 2012



Page 4 of 4 - P&S-LO



- 21. CONFIDENTIALITY: Buyer and Seller authorize the disclosure of the information herein to the real estate licensees, attorneys, lenders, appraisers, inspectors, investigators and others involved in the transaction necessary for the purpose of closing this transaction. Buyer and Seller authorize the lender and/or closing agent preparing the entire closing statement to release a copy of the closing statement to the parties and their licensees prior to, at and after the closing.
- 22. OTHER CONDITIONS: A. Subject to buyer providing proof of funds letter within 21 calendar days.

23. GENERAL PROVISIONS:

- a. A copy of this Agreement is to be received by all parties and, by signature, receipt of a copy is hereby acknowledged. If not fully understood, contact an attorney. This is a Maine contract and shall be construed according to the laws of Maine.
- b. Seller acknowledges that State of Maine law requires buyers of property owned by non-resident sellers to withhold a prepayment of capital gains tax unless a waiver has been obtained by Seller from the State of Maine Revenue Services.
- c. Buyer and Seller acknowledge that under Maine law payment of property taxes is the legal responsibility of the person who owns the property on April 1, even if the property is sold before payment is due. If any part of the taxes is not paid when due, the lien will be filed in the name of the owner as of April 1 which could have a negative impact on their credit rating. Buyer and Seller shall agree at closing on their respective obligations regarding actual payment of taxes after closing. Buyer and Seller should make sure they understand their obligations agreed to at closing and what may happen if taxes are not paid as agreed.
- d. Buyer acknowledges that Maine law requires continuing interest in the property and any back up offers to be communicated by the listing agent to the Seller.

24. ADDENDA: X Yes Explain: Deed, MI	S Sheet, Hous	e plans No	
Buyer's Mailing address is 17 Racine Ave	nue, Portland	ME 04103	
Docusigned by:			
BUYER Jeffrey C40BCE90FE9443F Jeffrey Hight	DATE	BUYER	DATE
Seller accepts the offer and agrees to deliver the agrees to pay agency a commission for services	ne above-described p as specified in the l	roperty at the price and upon the ter sting agreement.	ms and conditions set forth and
Seller's Mailing address is 11 Allison Ave	, Portland, M	E 04103	
SELLER Ruth Taylor	DATE	SELLER	DATE
The parties acknowledge that until signed by B will expire unless accepted by Buyer's signature (time) AM PM.	uyer, Seller's signat with communication	are constitutes only an offer to sell on of such signature to Seller by (date)	n the above terms and the offer
	DATE		
SELLER	DATE	SELLER	DATE
The Buyer hereby accepts the counter offer set f	orth above.		
BUYER	DATE	BUYER	DATE
The King Could are Council and Colin A	EXTEN		
The time for the performance of this Agreement	is extended until	DATE	
SELLER	DATE	SELLER	DATE
BUYER	DATE	BUYER	DATE
Maine Association of REALTOPS®	Conveight @ 2012		_



Maine Association of REALTORS®/Copyright © 2012

All Rights Reserved. Revised January 2012





Addendum 1 to Agreement

Addendum to contract dated		September 20, 2012	
between	Ruth Taylor		(hereinafter "Seller")
and	Jeffrey Hight		(hereinafter "Buyer")
property	15 Allison	Ave, Portland,	
Seller and Buyer agree		changes to the contract	
1. Title and Closing ext	tended to November	r 30, 2012.	
2. Local Permits to be	extended from 30	to 45 days.	
Parties acknowledge Agency's adv with sale/purchase of property.	ice to seek legal, tax and	d other professional advice as ne	cessary in connection
Docusigned by:		Docusigned by: Rull Taylor	
Buyer ^{C40BCE90FE9443F} Jeffrey Hight	Date	Seller6FDFF6053941442 Ruth Taylor	Date
Buyer	Date	Seller	Date

SHORT FORM WARRANTY DEED

Eva W. Sussman of 8 Berkshire Road, Great Neck, NY 11023, FOR CONSIDERATION PAID, grants to Ruth S. Taylor of 11 Allison Avenue, Portland, ME 04103, with WARRANTY COVENANTS, the following described real property located in the City of Portland, County of Cumberland and State of Maine:

A certain lot or parcel of land, situated in the City of Portland, County of Cumberland and State of Maine, on the westerly side of Washington Avenue and bounded and described as follows:

Lot 33. in Deering Run Subdivision - Phase II. containing approximately 12,769 square feet, as shown on the recording plat of Deering Run Subdivision - Phase II. dated April 30, 1987 and recorded in the Cumberland County Registry of Deeds in Book 164, Page 51.

This conveyance is made subject to the notes, easements and restrictions shown on said plan; an easement granted to the Portland Water District recorded in the said Registry of Deeds in Book 7933. Page 179; a sewer and drainage easement dated August 6, 1987, granted to the City of Portland as shown on said plan, recorded in the said Registry of Deeds; a site location Order issued by the Department of Environmental Protection recorded in the said Registry of Deeds in Book 7804, Page 173.

SUBJECT TO the restrictions as set forth in Exhibit A of a deed from Deering Run Partnership to Eva W. Sussman, dated September 30, 1987 and recorded in the Cumberland County Registry of Deeds in Book 7996, Page 88.

ALSO SUBJECT TO those matters as set forth in Exhibit B of a deed from Deering Run Partnership to Eva W. Sussman, dated September 30, 1987 and recorded in the said Registry of Deeds in Book 7996, Page 88.

The premises are conveyed together with and subject to any and all easements or appurtenances of record, insofar as the same are in force and applicable.

This conveyance is made subject to unpaid real estate taxes for the current tax year, if any, which the Grantees herein, by acceptance of this deed, assume and agree to pay.

Meaning and intending to convey and hereby conveying the same premises conveyed to Grantor herein by deed of Deering Run Partnership, dated September 30, 1987 and recorded in the Cumberland County Registry of Deeds in Book 7996, Page 88.

A9 1191 13

BK | 69 | 8 PG 052

WITNESS my hand and seal this 2 day of October, 2001

WITNESS

STATE OF NEW YORK

October 🕢, 2001

Personally appeared the above named Eva W. Sussman and acknowledged the foregoing instrument to be her free act and deed.

Before me,

Notary/Public

Printed Name

TUAN MAKIA WEINSKI

My Commission Expires:

Qualified in Queens County Commission Expires Sept. 30, 20 05

S:\JCurrier\real\client\T\Taylor104107\SFWD.indiv.wpd

RECEIVED RECORDED REGISTRY OF DEEDS

2001 NOV -2 AM 11: 26

CUMBER! AND COM



PORTLAND MAINE

Strengthening a Remarkable City, Building a Community for Life . www.portlandmaine.gov

Receipts Details:

Tender Information: Check , BusinessName: Construction systems of New England, Check Number:

6304\$2,095.00

Tender Amount: 2095.00

Receipt Header:

Cashier Id: gguertin Receipt Date: 11/7/2012 Receipt Number: 50025

Receipt Details:

Referance ID:	8667	Fee Type:	BP-C of O
Receipt Number:	0	Payment	
•		Date:	
Transaction	75.00	Charge	75.00
Amount:		Amount:	
Job ID: Job ID: 2012	-11-5356-SF - 26' x 28' colonial with 22	2' x24' attached garage	
Additional Comme	ents: 15 Allison Ave./Construction Sys	tems	

Referance ID:	8668	Fee Type:	BP-Constr	
Receipt Number:	0	Payment		
•		Date:		
Transaction	1620.00	Charge	1620.00	
Amount:		Amount:		Ç
	2-11-5356-SF - 26' x 28' colonia	al with 22' x24' attached garage		
Additional Commo	ante:			

			I SECTION OF THE PROPERTY OF T
Referance ID:	8669	Fee Type:	BP-MSFSR
Receipt Number:	0	Payment	

		Date:	/
Transaction	300.00	Charge	300.00
Amount:		Amount:	
Job ID: Job ID: 2012	-11-5356-SF - 26' x 28' colonial with 22' x24' attac	hed garage	
Additional Comme	ents:		

Referance ID:	8670	Fee Type:	BP-INSP
Receipt Number:	0	Payment	
•		Date:	
Transaction	100.00	Charge	100.00
Amount:		Amount:	
Job ID: Job ID: 2012	-11-5356-SF - 26' x 28' coloni	al with 22' x24' attached garage	
Additional Comme	ents:		

Thank You for your Payment!

Jonathan Rioux - Re: 15 Allison Ave.

From:

dwane christian <dkchrist59@yahoo.com>

To:

Jonathan Rioux <JRIOUX@portlandmaine.gov>

Date:

12/3/2012 6:07 AM

Subject:

Re: 15 Allison Ave.

Attachments: 15 Allison cross.pdf; 15 Allison Floor plan.pdf; 15 Allison Elev.pdf

MP/an Review 176.

Schidoled

v.pdf 12/06/12

Good morning Jonathan -

Thanks for your feed back. I am wondering if you have a complete set of plans where as most of what you have listed is on the plans. The spacing for the columns is in the foundation plans. The size of the girder is in the cross section. I have attached the plans in case you are missing a page. I started to go through your list and am realizing that I should just schedule a time to meet with you to go through this since I to have questions as to what you are asking for. I will bring in anything that is not listed on the plans with me as you have noted. I will call later to try and set up a time to meet sometime this week. Thanks for your input and time.

Dwane K. Christian 749-2236

From: Jonathan Rioux <JRIOUX@portlandmaine.gov>

To: dkchrist59@yahoo.com

Sent: Friday, November 30, 2012 1:19 PM

Subject: 15 Allison Ave.

30Y1

The information below was missing on the building permit application. The floor framing plans/ cross sections need to indicate the (3) 2 x 12 girder spans/ spacing between each lally column; the roof framing plan must show how the dormer meets the 2 by 10 inch rafters, with finished headroom. All bulleted items require a response for permit issuance.

Soil type/Presumptive Load Value (Table R401.4.1) _____

STRUCTURAL

- Footing Dimensions/Depth 20" x 10"
- (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1)
- Foundation Drainage, Fabric, Damp proofing Indicated in the cross section but not spelled out. Also clearly shown in the drainage design
- (Section R405 & R406)
- Ventilation/Access (Section R408.1 & R408.3) shown in crossection at eves with propa vent and ridge vent at peak
- **Crawls Space ONLY**
- Anchor Bolts/Straps, spacing (Section R403.1.6)Bolts at 6' o.c.
- Girder & Header Spans between lally columns? (Table R 502.5(2))on foundation plans
- Built-Up Wood Center Girder shown in cross section

First Floor Joist Species

- Dimensions and Spacing dimensions are on floor plan. spacing is shown in the cross section
- (Table R502.3.1(1) & Table R502.3.1(2))

Second Floor Joist Species (2 x 10" @ 16 Inches on Center) max span?

- Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2))
- Attic or additional Floor Joist Species
- Dimensions and Spacing (Table R802.4(1) and R802.4(2))
- Dormer pitch, Span, Spacing& Dimension (Table R802.5.1(1) R 802.5.1(8)) shown in cross section
- Roof Rafter; Framing & Connections (Section R802.3 & R802.3.1) •Rafter tie connection to top plate? not shown but I use H2.5 hurricane clips
- Fastener Schedule (Table R602.3(1) & (2))not shown

Private Garage

- (Section R302.5)
- Living Space (Above or beside)?
- **Table R302.6**
- Fire separation (Section R302.6)
- **Opening Protection (Section R302.5.1)**
- Safety Glazing (Section R308)
- Attic Access (Section R807)
- Chimney Clearances/Fire Blocking (Chap. 10)
- Header Schedule (Tables R502.5(1) & (2))
 - Windows/ doors/ garage?
- Energy Efficiency IECC, 2009
- R-Factors of Walls, Floors, Ceilings, Building Envelope, U-Factor Fenestration
- Ventilation of Space per ASRAE 62.2, 2007
- Type of Heating System

- Means of Egress (Sec R311 & R312)
- Basement, Bulkhead?
- Guardrails and Handrails
- (Section R312 & R311.5.6 R311.5.6.3)
- Carbon Monoxide Alarms (R315)
- Smoke Alarms (Section R314)
- Location and Interconnected
- Deck Construction (Section R502.2)

Jonathan Rioux Code Enforcement Officer/ Plan Reviewer

City of Portland Planning and Urban Development Department Inspection Services Division 389 Congress St. Rm 315 Portland, ME 04101 Office: 207.874.8702 Support Staff: 207.874.8703

jrioux@portlandmaine.gov

Notice: Under Maine law, documents - including e-mails - in the possession of public officials or city employees about government business may be classified as public records. There are very few exceptions. As a result, please be advised that what is written in an e-mail could be released to the public and/or the media if requested.

IMPORTANT NOTICE FROM CITY OF PORTLAND

To residents and property owners: A Level I Minor Residential Development application was submitted to the Portland Inspections Division by the buyer's Jeff & Sue Hight to build a new single family home at 15 Allison Avenue.

In accordance with the Portland Land Use Ordinance, notices of receipt of a Level I Minor Residential Development application must be sent to neighbors. This application will be reviewed administratively by City Staff.

Plans are available in the Portland Inspections Division, Room 315, City Hall. If you have any questions or wish to submit comments, contact Ann Machado, Zoning Specialist at 874-8709 or email amachado@portlandmaine.gov

IMPORTANT NOTICE FROM CITY OF PORTLAND

To residents and property owners: A Level I Minor Residential Development application was submitted to the Portland Inspections Division by the buyer's Jeff & Sue Hight to build a new single family home at 15 Allison Avenue.

In accordance with the Portland Land Use Ordinance, notices of receipt of a Level I Minor Residential Development application must be sent to neighbors. This application will be reviewed administratively by City Staff.

Plans are available in the Portland Inspections Division, Room 315, City Hall. If you have any questions or wish to submit comments, contact Ann Machado, Zoning Specialist at 874-8709 or email amachado@portlandmaine.gov

IMPORTANT NOTICE FROM CITY OF PORTLAND

To residents and property owners: A Level I Minor Residential Development application was submitted to the Portland Inspections Division by the buyer's Jeff & Sue Hight to build a new single family home at 15 Allison Avenue.

In accordance with the Portland Land Use Ordinance, notices of receipt of a Level I Minor Residential Development application must be sent to neighbors. This application will be reviewed administratively by City Staff.


Plans are available in the Portland Inspections Division, Room 315, City Hall. If you have any questions or wish to submit comments, contact Ann Machado, Zoning Specialist at 874-8709 or email amachado@portlandmaine.gov

IMPORTANT NOTICE FROM CITY OF PORTLAND

To residents and property owners: A Level I Minor Residential Development application was submitted to the Portland Inspections Division by the buyer's Jeff & Sue Hight to build a new single family home at 15 Allison Avenue.

In accordance with the Portland Land Use Ordinance, notices of receipt of a Level I Minor Residential Development application must be sent to neighbors. This application will be reviewed administratively by City Staff.

Plans are available in the Portland Inspections Division, Room 315, City Hall. If you have any questions or wish to submit comments, contact Ann Machado, Zoning Specialist at 874-8709 or email amachado@portlandmaine.gov



1842 WASHINGTON AVENUE LLC 38 MALILLY RD PORTLAND, ME 04103 COUTURE GILBERT A & JOAN O JTS 16 ALLISON AVE PORTLAND, ME 04103 PEDRO PHILIP J 27 ALLISON AVE PORTLAND, ME 04103

SHEARER EDWIN A & DARLENE H JTS 22 ALLISON AVE PORTLAND, ME 04103

TAYLOR RUTH S 11 ALLISON AVE PORTLAND, ME 04103 TAYLOR RUTH S 11 ALLISON AVE PORTLAND, ME 04103

Labels Requested For CBL:

353	

353 A014

353 A015

353 A016

353 B012

353 B013

Gayle Guertin - 15 Allison Ave.

Gayle Guertin From:

Ann Machado; Marge Schmuckal To:

Date: 11/15/2012 3:51 PM

Subject: 15 Allison Ave. CC: Gayle Guertin

Mailed the Abutters notices for the new sf for 15 Allison Ave. as of 11-15-12

Gayle

Proposed House Lot

Contrator-Dware Christian Construction Systems

Owner - Jeff! Suc Hight Applicant: Donne Christian

Date: 11/8/12

Address: IT Allison Arc (split from (1 Allison Arc) C-B-L: 3T3-A-IT permit to 2012-11-53T6 CHECK-LIST AGAINST ZONING ORDÍNANCE

Date - New

Zone Location - R-2 (R-3 spaces, NS) butters rear slystly)

Interior or corner lot -

Proposed UseWork - build new twostry (colonial) singletandy (21×301/5 ×241)

Servage Disposal - pub NZ.

Lot Street Frontage - 50 min, - fo' given (Ob)

Front Yard - 25 mm. - 31' scaled to steps. 49'scaled to house

Rear Yard. or min. -83's could be but thead

Side Yard - 10 13 stories - 10 1 teft 175 htside - 19's calch ! since * reed 15' (OK)

2 stories - M left side - 13's iven tor - convolute b ? 2 if add bottom

Projections - Wildred - SATXI, Shirs 4xy, fort 6'x 84' (Six vertes between Site plan Ebulding plan) Width of Lot - 80'mm, - 80' scholow

Height - 35 max - 24.25 scaled 6kg

Lot Area - 10,000 + min - 12,718.90 \$

Lot Coverage Impervious Surface - 3% = 2, 553. TFI

Area per Family - 10,000 \$ (019)

When - 315 26×32 = 832

Off-street Parking - Ispans regulard Ispanin sorge, Ispan in faut (23 x 211) Loading Bays - 1/A

Sile Plan - Level I Miror Residential.

NIA Shoreland Zoning/Stream Protection -

Flood Plains - Parel 2 - Zare X

lot 5:21 - 10,000 to 13,564, 98 \$ (0) 5: de subset fronty - 50 min 79 77 5 min 1000 lot width 80 mm - 80' (called 60)

Existing House lot.

Assessor's Office | 389 Congress Street | Portland, Maine 04101 | Room 115 | (207) 874-8486

City

Departments

City Council

E-Services Calendar

This page contains a detailed description of the Parcel ID you selected. Press the New Search button at the bottom of the screen to submit a new query.

Current Owner Information:

Services Applications

Land Use Type **Property Location** Owner Information

Home

353 A014001 SINGLE FAMILY 11 ALLISON AVE TAYLOR RUTH S 11 ALLISON AVE PORTLAND ME 04103

Doing Business

Book and Page Legal Description Maps

8653/179 353-A-14 ALLISON AVE 9-13

Tax Relief

0 & A

Acres

13564 SF 0.3114

Tax Roll

Current Assessed Valuation:

browse city services a-z

TAX ACCT NO.

37792

OWNER OF RECORD AS OF APRIL 2012 TAYLOR RUTH S

LAND VALUE **BUILDING VALUE** HOMESTEAD EXEMPTION

\$74,500.00 \$228,900.00 (\$10,000.00)

11 ALLISON AVE PORTLAND ME 04103

browse facts and links a-z

NET TAXABLE - REAL ESTATE \$293,400.00 TAX AMOUNT

\$5,521.80



Any information concerning tax payments should be directed to the Treasury office at 874-8490 or e-mailed.

Building Information:

Building 1

800x600, with Internet Explorer

Year Built 1987 Style/Structure Type CONTEMP # Stories # Units Bedrooms 3 **Full Baths Total Rooms** Attic NONE FULL Basement

Square Feet View Sketch

View Map

2204

View Picture



Sales Information:


Sale Date 2/8/1989

Type

LAND + BUILDING

Price \$0.00 Book/Page 8653/179

New Search!



GENERAL NOTES

I. THE RECORD OWNER OF THE PARCELS IS RUTH S. TAYLOR BY DEED DATED FEBRUARY 8, 1989AND RECORDED IN BOOK 8653, PAGE 179 AND DEED DATED OCTOBER 12, 2001 AND RECORDED IN BOOK 16918, PAGE 51 IN THE CUMBERLAND COUNTY REGISTRY OF DEEDS (CCRD).

- 2. THE PROPERTY IS SHOWN AS LOT 14, BLOCK A AND LOT 15, BLOCK A ON THE CITY OF PORTLAND ASSESSORS MAP 353.
- 3. SPACE AND BULK CRITERIA FOR THE R-2 ZONE ARE AS FOLLOWS:

MINIMUM LOT SIZE:
MINIMUM STREET FRONTAGE:
MINIMUM FRONT YARD:
MINIMUM SIDE YARD:
MINIMUM REAR YARD:
MAXIMUM BUILDING HEIGHT:

10,000 S.F.
50 FEET
25 FEET
14 FEET (2 STORIES)
25 FEET
NOV - 7 2012

MAXIMUM BUILDING HEIGHT: 35 FEET
MAXIMUM BUILDING COVERAGE: 20%
• SEE ORDINANCE FOR ADDITIONAL INFORMATION

Dept. of Building Inspections

4. TOTAL AREA OF THE SURVEYED PARCELS AREA AS FOLLOWS: ity of Portland Maine LOT 32 13,564.98 SF 0.31 ACRES
LOT 33 12,768.90 SF 0.29 ACRES

• AREAS TAKEN FROM THE SUBDIVISION PLAN AS REFERENCED IN NOTE 6-A.

5. BOUNDARY INFORMATION SHOWN HEREON IS BASED ON THE SUBDIVISION AS REFERENCED IN NOTE 6-A. TOPOGRAPHIC INFORMATION SHOWN IS BASED ON A FIELD SURVEY BY SEBAGO TECHNICS DURING OCTOBER OF 2012.

6. PLAN REFERENCES:

A. RECORDING PLAT DEERING RUN SUBDIVISION-PHASE II WASHINGTON AVENUE PORTLAND, MAINE" DATED 4-30-87 AND RECORDED IN PLAN BOOK 164 PAGE 51 (CCRD).

B. ROAD PLAN AND PROFILE OF ALLISON AVENUE DEERING RUN SUBDIVISION WASHINGTON AVENUE PORTLAND, MAINE" DATED DECEMBER 1986 BY SEBAGO TECHNICS ON FILE WITH THE CITY OF PORTLAND ENGINEERING DEPT. (APPARENTLY AN AS-BUILT PLAN OF THE UTILITIES).

C. WATER PLAN AND PROFILE OF ALLISON AVENUE DEERING RUN SUBDIVISION WASHINGTON AVENUE PORTLAND, MAINE" DATED DECEMBER 1986 BY SEBAGO TECHNICS ON FILE WITH THE CITY OF PORTLAND ENGINEERING DEPT.

D. DETAILS DEERING RUN SUBDIVISION WASHINGTON AVENUE PORTLAND, MAINE" DATED FEBRUARY 12, 1987 BY SEBAGO TECHNICS ON FILE WITH THE CITY OF PORTLAND ENGINEERING DEPT.

7. PLAN ORIENTATION IS MAGNETIC MAY 1985. ELEVATIONS ARE NGVD 1929 BASED ON DUAL FREQUENCY GPS OBSERVATIONS AND CORPSCON CONVERSION, PORTLAND BENCHMARK OF MONUMENT AT 31 ALLISON AVENUE WAS USED AS A CHECK.


8. UTILITY INFORMATION DEPICTED HEREON IS COMPILED FROM PHYSICAL EVIDENCE LOCATED IN THE FIELD, A DIG-SAFE MARK-OUT AND THE PLANS REFERENCED IN NOTE 6. CONTRACTORS NEED TO CONTACT DIG-SAFE SYSTEMS, INC. (1-800-DIG-SAFE) AND FIELD VERIFY EXISTING UTILITIES PRIOR TO CONSTRUCTION AND/OR EXCAVATION.

9. UTILITY SUBS SHOWN ARE TAKEN FROM PLAN REFERENCE 6-B.

10. ALL WATER MAIN SERVICE CONNECTIONS SHALL BE MADE UNDER THE SUPERVISION AND INSPECTION OF THE PORTLAND WATER DISTRICT.

II. ALL EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED IN ACCORDANCE WITH "MAINE EROSION AND SEDIMENTATION CONTROL HANDBOOK FOR CONSTRUCTION: BEST MANAGEMENT PRACTICES" FUBLISHED BY THE CUMBERLAND COUNTY SOIL AND WATER DISTRICT AND MANE DEPARTMENT OF ENVIRONMENTAL PROTECTION, MARCH 1991 OR LATEST EDITION. IT SHALL BE RESPONSIBILITY OF THE CONTRACTOR TO POSSES A COPY OF THE EROSION CONTROL PLAN AT ALL TIMES.

12. ALL ELECTRIC, TELEPHONE AND CABLE T.V. SERVICES SHALL BE INSTALLED UNDERGROUND AND IN CONFORMANCE WITH CENTRAL MAINE POWER CO., VERIZON TELEPHONE CO. AND TIME WARNER CABLE T.V. CO. STANDARDS.



LOCATION MAP

NTS.

GENERAL NOTES CONTINUED

13. TOTAL DEVELOPED AREA ASSOCIATED WITH LOT IMPROVEMENT IS APPROXIMATELY 5,406 SQUARE FEET.

14. TOTAL PAVED AREA ASSOCIATED WITH LOT IMPROVEMENT IS APPROXIMATELY 800 SQUARE FEET.

15. SOILS ON THE PROPERTY ARE GENERALLY DEERFIELD LOAMY SAND AND HINCKELY GRAVELLY SAND LOAM AS CLASSIFIED BY THE USDANIRCS MEDIUM INTENSITY SOIL SURVEY OF CUMBERLAND COUNTY.

16. THE LOT OWNER SHALL BE RESPONSIBLE FOR PLANTING A MINIMUM OF TWO (2) STREET TREES ON THE; PROPERTY AS REQUIRED UNDER SECTION 14-499 OF THE CITY OF PORTLAND LAND USE ORDINANCE. THE SPECIES AND LOCATION OF SAID TREES MAY DIFFER FROM WHAT IS SHOWN ON THIS PLAN SET, BUT SHALL BE IN CONFORMANCE WITH THE "STANDARDS FOR LANDSCAPING AND LANDSCAPE PRESERVATION" CONTAINED IN THE CITY OF PORTLAND TECHNICAL MANUAL AND MUST BE APPROVED BY THE CITY ARBORIST.

17. THERE ARE NO FLOOD PLAINS ASSOCIATED WITH THIS PROJECT. AS INDICATED ON FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA) FLOOD INSURANCE RATE MAPS (FIRMS) COMMUNITY PANEL NUMBERS 230051 0001C AND 230051 0002C DATED 1998

WAIVER REQUEST

- THE APPLICANT IS PROPOSING TO UTILIZE THE EXISTING CURB CUT FOR DRIVEWAY ACCESS. THE PROPOSED DRIVEWAY IS APPROXIMATELY 12.5' FROM THE ADJACENT DRIVEWAY.
- 2. THE APPLICANT IS REQUESTING A WAIVER FROM THE STREET TREE REQUIREMENT AND WILL MAINTAIN THE TWO EXISITING TREES LOCATTED WITHIN THE FRONT SETBACK.

SHEET INDEX

- 1. COVER SHEET (NOTES, LEGEND, LOCATION MAP)
- 2. EXISTING CONDITIONS PLAN
- 3. SITE PLAN
- 4. GRADING/UTILITY PLAN

South Portland MF 04108

Rd.

OF NEW ENGLOSINDS

15 ALLISON AVENUE
PORTLAND, MAINE 04103
FOR:
CONSTRUCTION SYSTEMS (
5 REAR INDUSTRY ROAD, SOUTH PORTLAND, MA
10 ALLISON AVENUE, PORTLAND, MAINE

SHEE

COVER 15 ALLIS PORTLAND, P DESIGN BY: DMR DRAWN BY: JAR CHECKED BY: DMR DATE: 10-26-12 SCALE: 1"=20" FIELD BK PROJ. NO: 12297 DWG: 12297 SHEET OF 4

