A1 INTERIOR DOOR - HEAD DETAIL

REFERENCED FROM: XX.XX SCALE: 3" = 1'-0"

C1 INTERIOR DOOR - JAMB DETAIL

REFERENCED FROM: XX.XX SCALE: 3" = 1'-0"

A3 NOT USED

REFERENCED FROM: XX.XX SCALE: N/A

C3 EXTERIOR DOOR 145B - HEAD DETAIL

REFERENCED FROM: XX.XX SCALE: 3" = 1'-0"

A4 NOT USED

REFERENCED FROM: XX.XX SCALE: N/A

C4 EXTERIOR DOOR 145B - SILL DETAIL

REFERENCED FROM: XX.XX SCALE: 3" = 1'-0"

A5 NOT USED

REFERENCED FROM: XX.XX SCALE: N/A

C5 EXTERIOR DOOR 145B - JAMB DETAIL

REFERENCED FROM: XX.XX SCALE: 3" = 1'-0"

DOOR & DOOR FRAME SCHEDULE

DOOR NO.	ROOM NO.	HDWR SET NO.	DOOR SIZE (W x H)	DOOR MAT	DOOR TYPE	FRAME MAT	FRAME TYPE	FRAME HEAD	FRAME JAMB	FRAME SILL	FIRE RATING	REMARKS
164	164	4	(2) 3'-0" x 7'-0"	HM	NVL1	HM	1	A1/A8.01	C1/A8.01	—	—	—
165A	165	2	3'-0" x 7'-0"	HM	HG	HM	1	A1/A8.01	C1/A8.01	—	—	—
165B	165	5	3'-0" x 7'-0"	HM	HG	HM	1	A1/A8.01	C1/A8.01	—	—	—
166	166	5	3'-0" x 7'-0"	HM	F2	HM	1	A1/A8.01	C1/A8.01	—	—	—
168	168	1	3'-6" x 7'-0"	HM	F2	HM	1	A1/A8.01	C1/A8.01	—	—	—
145B	145	3	3'-0" x 7'-0"	HM	F1	HM	2	C3/A8.01	C5/A8.01	C4/A8.01	—	—
145	164	ETR	ETR	ETR	ETR	ETR	ETR	—	—	—	ETR	DOOR & FRAME EXISTING TO REMAIN

HARDWARE SCHEDULE

HARDWARE SET #1

QTY.	DESCRIPTION	MODEL #	COLOR	MANUFACTURER
1 EA.	STORAGE FUNCTION LOCKSET	10904	26D	SARGENT
1 EA.	DOOR CLOSER	1431 SERIES W/ HOLD OPEN	—	SARGENT
3 EA.	FULL MORTISE HINGE	T2714BB	—	McKINNEY
1 SET	SILENCERS	SR64/SR65	—	IVES

NOTES:

HARDWARE SET #2

QTY.	DESCRIPTION	MODEL #	COLOR	MANUFACTURER
1 EA.	STORAGE FUNCTION LOCKSET	10904	26D	SARGENT
1 EA.	DOOR CLOSER	1431 SERIES W/ HOLD OPEN	—	SARGENT
3 EA.	FULL MORTISE HINGE	T2714BB	—	McKINNEY
1 SET	SILENCERS	SR64/SR65	—	IVES

NOTES:
- PREP FOR ELECTRIC STRIKE BY SECURITY SYSTEM CONTRACTOR
- TIE TO CARD ACCESS SYSTEM BY SECURITY SYSTEM CONTRACTOR

HARDWARE SET #3

QTY.	DESCRIPTION	MODEL #	COLOR	MANUFACTURER
1 EA.	SERIES 30 RIM EXIT DEVICE FUNCTION 06	28-N-LL	—	SARGENT
1 EA.	DOOR CLOSER	1431 SERIES W/ HOLD OPEN	—	SARGENT
3 EA.	FULL MORTISE HINGE	T2714BB	—	McKINNEY
1 SET	SILENCERS	SR64/SR65	—	IVES
1 SET	RIGID JAMB WEATHER STRIPPING	303AV	—	PEMKO
1 EA.	DOOR BOTTOM SWEEP	368CN	—	PEMKO
1 EA.	DOOR THRESHOLD	271A	—	PEMKO

NOTES:

HARDWARE SET #4 — ACTIVE LEAF: RIGHT LEAF UPON EXITING 164

QTY.	DESCRIPTION	MODEL #	COLOR	MANUFACTURER
1 EA.	STORAGE FUNCTION LOCKSET	10904	26D	SARGENT
1 EA.	DOOR CLOSER	1431 SERIES W/ HOLD OPEN	—	SARGENT
3 EA.	FULL MORTISE HINGE	T2714BB	—	McKINNEY
1 SET	SILENCERS	SR64/SR65	—	IVES
1 SET	SMOKE AND FIRE GASKETING	S88D	—	PEMKO
1 EA.	DOOR BOTTOM SWEEP	368CN	—	PEMKO
1 EA.	CENTRAL OVERLAPPING ASTRAGAL PLATE	357SP	—	PEMKO

NOTES:
- PREP FOR ELECTRIC STRIKE BY SECURITY SYSTEM CONTRACTOR
- TIE TO CARD ACCESS SYSTEM BY SECURITY SYSTEM CONTRACTOR

INACTIVE LEAF: LEFT LEAF UPON EXITING 164

QTY.	DESCRIPTION	MODEL #	COLOR	MANUFACTURER
3 EA.	FULL MORTISE HINGE	T2714BB	—	McKINNEY
1 SET	SMOKE AND FIRE GASKETING	S88D	—	PEMKO
1 EA.	DOOR BOTTOM SWEEP	368CN	—	PEMKO
1 EA.	TOP AND BOTTOM BOLTS	SB360	603	IVES

NOTES:

HARDWARE SET #5

QTY.	DESCRIPTION	MODEL #	COLOR	MANUFACTURER
1 EA.	KEYPAD LOCKSET	B-PB E4761LN	26D	YALE
1 EA.	DOOR CLOSER	1431 SERIES W/ HOLD OPEN	—	SARGENT
3 EA.	FULL MORTISE HINGE	T2714BB	—	McKINNEY
1 SET	SILENCERS	SR64/SR65	—	IVES

NOTES:

GENERAL NOTES:

1. ALL GLAZING SHALL BE TEMPERED GLASS.
2. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.

GENERAL HARDWARE NOTES:

1. IT IS THE INTENT TO MATCH ALL EXISTING HARDWARE TYPES AND FINISHES.
2. ALL NEW LOCKING LOCKSETS TO RECEIVE A CYLINDER MATCHING EXISTING. COORDINATE KEYING WITH EXISTING MASTER KEY SYSTEM.

ABBREVIATIONS:

ALUM = ALUMINUM
HM = HOLLOW METAL
SCW = SOLID CORE WOOD
ETR = EXISTING TO REMAIN

E4 DOOR AND HARDWARE SCHEDULE

REFERENCED FROM: XX.XX SCALE: N.T.S.

E5 DOOR AND DOOR FRAME ELEVATIONS

REFERENCED FROM: XX.XX SCALE: 1/4" = 1'-0"

CWS ARCHITECTURE | INTERIOR DESIGN
264 US Route One Box 6, Suite 100-2A
Scarborough ME 04074
OFFICE: 207 774 4441 CWSARCH.COM

Reviewed for Code Compliance Inspections Division Approved as Noted Date: 12/01/17

LICENSED ARCHITECT GUY T. LABRECQUE, JR. No. 2568 STATE OF MAINE

DESIGNER

CWS ARCHITECTS
ARCHITECTURE | INTERIOR DESIGN
264 US ROUTE ONE
BOX 6, SUITE 100-2A
SCARBOROUGH, MAINE 04074
T: 207-774-4441
WWW.CWSARCH.COM

OWNER

UNITIL

6 LIBERTY LANE WEST
HAMPTON, NEW HAMPSHIRE 03842

PROJECT

UNITIL GAS OPERATIONS TRAINING AND TESTING ROOM

376 RIVERSIDE INDUSTRIAL PARKWAY
PORTLAND, MAINE 04101

DRAWING

DOOR AND DOOR FRAME SCHEDULE, HARDWARE SCHEDULE, ELEVATIONS AND DETAILS

CWS PROJECT NUMBER: 17027

REVISIONS

REVISED SCOPE OF WORK	09/14/17

DRAWING NUMBER

A8.01

SCALE: AS NOTED

DATE: 08/14/2017

ISSUED FOR CONSTRUCTION

M:\2017 Design Projects\17027 - Unitil Gas Operations Training and Testing Room\1-Drawings\A8 Series