

**Riverside
Golf Course -
North Course
Club House
Design Study**

Riverside Street
Portland, Maine

REVISIONS

PERMIT
DOCUMENTS
January 14, 2013


Electrical Lighting &
Fire Alarm Plans
Scale: As Noted

NOTES:


1. SEE E000 FOR LEGEND, ABBREVIATIONS AND GENERAL NOTES.
2. CONNECT EXIT SIGNS, EMERGENCY LIGHTS AND OCCUPANCY SENSORS TO LOCAL LIGHTING CIRCUITS.

KEYED NOTES:

- ① SWITCH AT ENTRY TO CONTROL TYPE "F" FIXTURES.
- ② DIMMING SWITCHES BEHIND BAR TO CONTROL AS FOLLOWS:
 - 0-10V - TYPE "F"
 - 0-10V - TYPE "A"
 - TYPE "C" & "D"
 - TYPE "E"
- ③ MONITOR MODULE FOR ANSUL SYSTEM IN COOKING HOOD.
- ④ VIA DIMMING POWER SUPPLY.
- ⑤ CONNECTION FOR LIQUOR DISPLAY LIGHTING.
- ⑥ REUSE EXISTING CIRCUIT AND CONTROLS.



LOWER LEVEL - LIGHTING & FIRE ALARM PLAN
1/8"=1'-0"



UPPER LEVEL - LIGHTING & FIRE ALARM PLAN
1/8"=1'-0"

FOR REVIEW
NOT FOR CONSTRUCTION