



ROOF FRAMING PLAN—BUILDING ONE
1/8"=1'-0"

- NOTES:
1. ALL DIMENSIONS REF EXISTING STRUCTURE ARE "±", TO BE VERIFIED IN FIELD.
 2. TEMPORARILY REMOVE/RELOCATE AND REINSTALL BRACING AND ANY CONFLICTING MEP SPRINKLER AS REQD FOR REINFORCEMENT INSTALLATION.
 3. WALL CROSS BRACING HAS LIKELY BEEN REMOVED. CONFIRM & REPLACE ALL MISSING CROSS BRACING W/3/8" WIRE ROPE. ALL BRACING CONNECTIONS SIM TO EXISTING. INSTALL & TIGHTEN ALL BRACING COMPONENTS PRIOR TO REMOVAL OF EXISTING METAL SIDING. AT CONFLICT W/DOOR/WINDOW— OPTION TO OMIT BRACING AT ORIG LOCATION & PROVIDE BRACING AT ADJACENT BAYS, BOTH SIDES OF ORIG LOCATION.
 4. LOCATIONS & WEIGHTS OF MECHANICAL R.T.U.'S ARE UNKNOWN & WILL LIKELY REQUIRE ADDITIONAL REINFORCEMENT OF PURLINS AND/OR STEEL FRAMES. G.C./OWNER SUBMIT SELECTED EQUIPMENT REQUIREMENTS TO ENGINEER FOR DESIGN OF REINFORCEMENT.
 5. STRUCTURAL DESIGN OF ROOF REINFORCEMENT INCLUDES A 4 PSF ALLOWANCE FOR FUTURE SOLAR PANELS.



PROJECT NAME:
1000 Riverside

RENOVATIONS
PORTLAND, ME



THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS (SSA) AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE
2013 © SCOTT SIMONS ARCHITECTS, LLC

REVISION:

1	DATE
2	DATE
3	DATE
4	DATE
5	DATE
6	DATE

DATE OF ISSUE: NOVEMBER 13, 2013
PROJECT NUMBER: 2013-0190-1000 RIVERSIDE
STATUS: ISSUED FOR PERMIT—NOT FOR CONSTRUCTION

ROOF FRAMING PLAN-BUILDING 1

S101