NOTES:
1. MDOT TYPE D AGGREGATE GRADATION SHALL BE MODIFIED FOR A MAXIMUM 4" STONE SIZE AND LIMIT #200 SIEVE TO 5% PASSING.

2. THIS TYPICAL PAVEMENT SECTION APPLIES TO ALL PAVED LOT AREAS.

A PAVEMENT SECTION DETAIL
N.T.S.

NEW PAVEMENT ADJACENT TO EXISTING PAVEMENT
B
N.T.S.

C BOLLARD DETAIL
N.T.S.

PRELIMINARY - NOT FOR CONSTRUCTION

Stantec

Reviewed for Code Compliance
Inspection Division
Approved with Conditions
Date: 10/12/17

Stantec
482 Payne Road Scarborough Court
Scarborough, Maine 04074-8929
Tel. 207.883.3355
www.stantec.com

Copyright Reserved
The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Consultants

Notes

REVISION		BY	APPD.	YY.MM.DD
1	LEVEL II SITE PLAN SUBMISSION	-	-	16.07.06

File Name: 195350364 DETAILS	DED	SRB	SRB	16.06.08
	DWN.	CHKD.	DSGN.	DATE

Permit-Seal

Client/Project
980 RIVERSIDE LLC

MINI-STORAGE EXPANSION

980 RIVERSIDE STREET, PORTLAND, MAINE

Title
SITE DETAILS

Project No. 195350364

Scale AS NOTED

Sheet
C-5

V:\1953\active\195350364\civil\cad\permit\dwg\195350364_details.dwg pfilliettez 7/8/2016 11:24 AM