

# Bank of America



## ADA UPGRADES

CBRE Project Name: 39 Auburn St, Portland ME  
Manhattan ID: ME1-132

08/15/2014

Issue for Bid and Permit

39 Auburn Street, Portland, ME 04103  
GENSLER PROJECT NUMBER: 11.6560.125

### **Gensler**

Architect  
One Beacon Street 3rd Floor  
Boston MA 02108  
Telephone: 617.619.5700  
Attn: Stephen Newbold

### **CB Richard Ellis**

Project Management  
14 Tall Pines Dr.  
Stratham, NH 03885  
t: 339.237.8907  
Attn: Dan McAuliffe

### **Stonefield Engineering**

Civil Engineer  
36 Ames Ave, Suite 2B  
Rutherford NJ 07070  
t: 201.340.4468  
Attn: Tim Ponton



**ABBREVIATIONS**

|         |  |         |                        |
|---------|--|---------|------------------------|
| A       |  | J       |                        |
| ACCES   | ACCESSORY                                  | JAN     | JANITOR                |
| ACOUS   | ACOUSTIC(AL)                               | K       |                        |
| AFF     | ABOVE FINISHED FLOOR                       | KIT     | KITCHEN                |
| AL      | ALUMINUM                                   | L       |                        |
| ALT     | ALTERNATE                                  | LAV     | LAVATORY               |
| ANNUNC  | ANNUNCIATOR                                | LB      | POUND                  |
| ANOD    | ANODIZED                                   | LOUVER  | LOUVER                 |
| APPL    | APPLIANCE                                  | LT      | LIGHT                  |
| AUTO    | AUTOMATIC                                  | LVLG    | LEVELING               |
| AVG     | AVERAGE                                    | M       |                        |
| B       |  | M.E.    | MATCH EXISTING         |
| BD      | BOARD                                      | MAX     | MAXIMUM                |
| BLDG    | BUILDING                                   | MECH    | MECHANICAL             |
| BLKG    | BLOCKING                                   | MEMB    | MEMBRANE               |
| BOLL    | BOLLARD                                    | MET     | METAL                  |
| BRDLM   | BROADLOOM                                  | MEZZ    | MEZZANINE              |
| BU      | BUILT UP                                   | MFD     | MANUFACTURED           |
| C       |  | MFR     | MANUFACTURER           |
| CAB     | CABINET                                    | MIN     | MINIMUM                |
| CEM     | CEMENT(TIOUS)                              | MISC    | MISCELLANEOUS          |
| CER     | CERAMIC                                    | MLWK    | MILLWORK               |
| CLG     | CEILING                                    | MOIST   | MOISTURE               |
| CMU     | CONCRETE MASONRY UNIT                      | MOT     | MOTOR(IZED)            |
|         |  | MTD     | MOUNTED                |
| COATG   | COATING                                    | N       |                        |
| COILG   | COILING                                    | NIC     | NOT IN CONTRACT        |
| CONC    | CONCRETE                                   | NO      | NUMBER                 |
| CONSTR  | CONSTRUCTION                               | NTS     | NOT TO SCALE           |
| CONT    | CONTINUOUS(ATION)                          | O       |                        |
| CONTR   | CONTRACT(OR)                               | OPNG    | OPENING(S)             |
| COV     | COVER                                      | OPR     | OPERABLE               |
| CPT     | CARPET                                     | ORNA    | ORNAMENTAL             |
| D       |  | OS      | OCCUPANCY SENSOR       |
| DBL     | DOUBLE                                     | OVFL    | OVERFLOW               |
| DEPT    | DEPARTMENT                                 | OVHD    | OVERHEAD               |
| DES     | DESIGN(ED)                                 | P       |                        |
| DET     | DETAIL                                     | PBD     | PARTICLE BOARD         |
| DF      | DRINKING FOUNTAIN                          | PEDTR   | PEDESTRIAN             |
| DIA     | DIAMETER                                   | PLAM    | PLASTIC LAMINATE       |
| DIFF    | DIFFUSER                                   | PLAS    | PLASTER                |
| DIM     | DIMENSION                                  | PLSTC   | PLASTIC                |
| DISP    | DISPENSER                                  | PLYWD   | PLYWOOD                |
| DIV     | DIVISION                                   | PNL     | PANEL                  |
| DN      | DOWN                                       | POLYST  | POLYSTYRENE            |
| DR      | DOOR                                       | PORT    | PORTABLE               |
| DSCON   | DISCONNECT                                 | PREFAB  | PREFABRICATED          |
| DWR     | DRAWER                                     | PREFIN  | PREFINISHED            |
| E       |  | PRTECN  | PROTECTION             |
| ELAST   | ELASTOMERIC                                | PTN     | PARTITION              |
| ELEC    | ELECTRICAL                                 | R       |                        |
| EMBED   | EMBEDD(ED)(ING)                            | RDR     | READER                 |
| ENGR    | ENGINEER(ED)                               | RECES   | RECESS(ED)             |
| ENTR    | ENTRANCE                                   | RECPT   | RECEPTACLE             |
| EQ      | EQUAL                                      | REF     | REFER(ENCE)            |
| EQUIP   | EQUIPMENT                                  | REFL    | REFLECTED              |
| EX      | EXISTING                                   | REFR    | REFRIGERATOR           |
| EXP JT  | EXPANSION JOINT                            | REQD    | REQUIRED               |
| EXPS    | EXPOSE(D)                                  | RESIS   | RESIST(ANT)(IVE)       |
| EXT     | EXTERIOR                                   | RFG     | ROOFING                |
| F       |  | RM      | ROOM                   |
| FAB     | FABRICATION                                | RO      | ROUGH OPENING          |
| FD      | FLOOR DRAIN                                | S       |                        |
| FE      | FIRE EXTINGUISHER                          | SCR     | SCRIBE                 |
| FE&C    | FIRE EXTINGUISHER AND CABINET              | SECUR   | SECURITY               |
| FHC     | FIRE HOSE CABINET                          | SF      | SQUARE FEET            |
| FIN     | FINISH                                     | SGL     | SINGLE                 |
| FLDG    | FOLDING                                    | SHORG   | SHORING                |
| FLR     | FLOOR(ING)                                 | SIM     | SIMILAR                |
| FPLC    | FIREPLACE                                  | SST     | STAINLESS STEEL        |
| FR      | FIRE RAT(ING)(ED)                          | STD     | STANDARD               |
| FRMG    | FRAMING                                    | STL     | STEEL                  |
| FURN    | FURNITURE                                  | STRFR   | STOREFRONT             |
| FWC     | FABRIC WALL COVERING                       | STRUCT  | STRUCTURAL             |
| FXD     | FIXED                                      | SURF    | SURFACE                |
| FXTR    | FIXTURE                                    | SUSP    | SUSPENDED              |
| G       |  | SYS     | SYSTEM(S)              |
| GA      | GAUGE                                      | T       |                        |
| GFCI    | GROUND FAULT CIRCUIT INTERRUPTER           | T&G     | TONGUE AND GROOVE      |
|         |  | THK     | THICK                  |
| GFR     | GLASS FIBER REINFORCED CONCRETE            | TLT     | TOILET                 |
| GFRG    | GLASS FIBER REINFORCED GYPSUM              | TRAF    | TRAFFIC                |
| GFRP    | GLASS FIBER REINFORCED PLASTER             | TRANS   | TRANSPARENT            |
| GL      | GLASS                                      | TRTD    | TREATED                |
| GR      | GRAD(E)(ING)                               | TYP     | TYPICAL                |
| GYP     | GYPSUM                                     | U       |                        |
| H       |  | UNDRLAY | UNDERLAYMENT           |
| HD      | HEAD                                       | UON     | UNLESS OTHERWISE NOTED |
| HDWD    | HARDWOOD                                   | UTIL    | UTILITY                |
| HDWE    | HARDWARE                                   | V       |                        |
| HM      | HOLLOW METAL                               | VEH     | VEHICLE                |
| HORIZ   | HORIZONTAL                                 | VERT    | VERTICLE               |
| HVAC    | HEATING, VENTILATING, AND AIR CONDITIONING | VIF     | VERIFY IN FIELD        |
| I       |  | W       |                        |
| INFILTR | INFILTRATION                               | W/      | WITH                   |
| INFO    | INFORMATION                                | W/O     | WITHOUT                |
| INSTRUM | INSTRUMENT(ATION)                          | WC      | WATER CLOSET           |
| INSUL   | INSULATION                                 | WD      | WOOD                   |
| INT     | INTERIOR                                   | WOW     | WINDOW                 |
| INTLK   | INTERLOCK(ING)                             | WT      | WEIGHT                 |
|         |  | WTRPRF  | WATERPROOFING          |

**GRAPHIC SYMBOLS**

**FINISH**

- XXXX WALL FINISH
- XXXX BASE FINISH
- XXXX EXTENT OF FINISH
- XXXX WALL FINISH
- XXXX SPECIAL FINISH
- XXXX FLOOR FINISH
- XXXX CEILING FINISH
- XXXX CHANGE IN FLOOR FINISH

**CONSTRUCTION**

- 1 COLUMN GRID
- NOT IN CONTRACT
- EXISTING CONSTRUCTION TO REMAIN
- EXISTING CONSTRUCTION TO BE DEMOLISHED
- NEW PARTITION REFERENCE TO PARTITION TYPE
- 1 HR. RATED PARTITION
- SMOKE PARTITION
- OFFICE ROOM NAME
- 04F08 ROOM NUMBER
- XXX DOOR TYPE
- XXX HARDWARE SET
- ALIGN ALIGN WITH ESTABLISHED SURFACES
- XX KEY NOTE
- XX SHEET NOTE
- REVISION REFERENCE
- XX DIRECTION OF ELEVATION
- XXXXX ELEVATION NUMBER ON SHEET
- XXXXX SHEET WHERE SHOWN
- XX DETAIL NUMBER
- XXXXX SHEET WHERE SHOWN
- FL12NW SIM DESCRIPTION OF SIMILAR OR OPPOSITE FLOOR LEVEL AND AREA OR PHASE AREA TO BE DETAILED
- MILLWORK MILLWORK SCHEDULE TAG (IF USED)
- FHC FIRE HOSE CABINET
- FE FIRE EXTINGUISHER WITHOUT CABINET
- FEC FIRE EXTINGUISHER CABINET
- FV FIRE VALVE WITHOUT CABINET
- FVC FIRE VALVE CABINET
- FA FIRE ALARM PULL


**SECTION INDICATIONS**

- STONE
- CONCRETE
- CONCRETE MASONRY UNIT
- METAL
- NON-FERROUS ALUMINUM
- PLYWOOD
- WOOD (FINISH)
- WOOD (CONTINUOUS)
- WOOD (BLOCKING)
- INSULATION (LOOSE OR BATT)
- GLASS (LARGE SCALE)
- GYPSUM BOARD
- ACOUSTICAL TILE
- CARPET


**GENERAL NOTES**

- COMPLY WITH APPLICABLE LOCAL, STATE AND FEDERAL CODES AND REGULATIONS PERTAINING TO SAFETY OF PERSONS, PROPERTY AND ENVIRONMENTAL PROTECTION.
- OBTAIN AND PAY FOR PERMITS AND INSPECTIONS REQUIRED BY PUBLIC AUTHORITIES GOVERNING THE WORK EXCEPT AS PROVIDED OTHERWISE IN THE SPECIFICATIONS OR OWNER CONTRACTOR AGREEMENT.
- REVIEW DOCUMENTS, VERIFY DIMENSIONS AND FIELD CONDITIONS AND CONFIRM THAT WORK IS BUILDABLE AS SHOWN. REPORT ANY CONFLICTS OR OMISSIONS TO THE ARCHITECT FOR CLARIFICATION PRIOR TO PERFORMING ANY WORK IN QUESTION.
- COORDINATE WORK WITH THE OWNER, INCLUDING SCHEDULING TIME AND LOCATIONS FOR DELIVERIES, BUILDING ACCESS, USE OF BUILDING SERVICES AND FACILITIES, AND USE OF ELEVATORS. MINIMIZE DISTURBANCE OF BUILDING FUNCTIONS AND OCCUPANTS.
- OWNER WILL PROVIDE WORK NOTED "BY OTHERS" OR "NIC" UNDER SEPARATE CONTRACT. INCLUDE SCHEDULE REQUIREMENTS IN CONSTRUCTION PROGRESS SCHEDULE AND COORDINATE TO ASSURE ORDERLY SEQUENCE OF INSTALLATION.
- MAINTAIN WORK AREAS SECURE AND LOCKABLE DURING CONSTRUCTION. COORDINATE WITH OWNER AND/OR PROPERTY MANAGER TO ENSURE SECURITY.
- MAINTAIN EXITS, EXIT LIGHTING, FIRE PROTECTIVE DEVICES, AND ALARMS IN CONFORMANCE WITH APPLICABLE CODES AND ORDINANCES.
- DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS GOVERN. IN CASE OF CONFLICT, CONSULT THE ARCHITECT.
- PROVIDE AND MAINTAIN BARRICADES, LIGHTING, AND GUARDRAILS AS REQUIRED BY APPLICABLE CODES AND REGULATIONS TO PROTECT OCCUPANTS OF BUILDING AND WORKERS.
- ERECT AND MAINTAIN DUSTPROOF PARTITIONS AS REQUIRED TO PREVENT SPREAD OF DUST, FUMES, AND SMOKE, ETC. TO OTHER PARTS OF THE BUILDING. ON COMPLETION, REMOVE PARTITIONS AND REPAIR DAMAGED SURFACES TO MATCH ADJACENT SURFACES.
- IF DEMOLITION IS PERFORMED IN EXCESS OF THAT REQUIRED, RESTORE EFFECTED AREAS AT NO COST TO THE OWNER.
- REMOVE FROM SITE DAILY AND LEGALLY DISPOSE OF REFUSE, DEBRIS, RUBBISH, AND OTHER MATERIALS RESULTING FROM DEMOLITION OPERATIONS.
- REMOVE DESIGNATED PARTITIONS, COMPONENTS, BUILDING EQUIPMENT, AND FIXTURES AS REQUIRED FOR NEW WORK.
- REMOVE ABANDONED HVAC EQUIPMENT, INCLUDING DUCT WORK.
- REMOVE ABANDONED ELECTRICAL, CABLING AND DEVICES.
- REPAIR EXISTING SURFACES TO REMAIN AS REQUIRED FOR APPLICATION OF NEW FINISHES.
- WHERE EXISTING ACCESS PANELS CONFLICT WITH CONSTRUCTION, RELOCATE PANELS TO ALIGN WITH AND FIT WITHIN NEW CONSTRUCTION.
- CONTRACTOR SHALL PROVIDE BLOCKING FOR ALL EQUIPMENT, MILLWORK & ACCESSORIES MOUNTED ON WALL.
- CONTRACTOR SHALL PROVIDE COLOR SAMPLE FOR ALL FINISHES & P-LAM TO OWNER & ARCHITECT PRIOR TO ORDERING AND INSTALLATION.
- PARTITIONS ARE DIMENSIONED FROM FINISH FACE TO FINISH FACE UNLESS OTHERWISE NOTED. MAINTAIN DIMENSIONS MARKED AS "CLEAR". ALLOW FOR THICKNESS OF FINISHES.
- G.C. SHALL PROVIDE ALL WORK RELATED TO ENGINEERING TO INCLUDE, BUT NOT LIMITED TO: MECHANICAL, ELECTRICAL, FIRE PROTECTION & LIFE SAFETY. G.C. SHALL PROVIDE DESIGN DRAWINGS, PERMITS & INSTALLATION OF SYSTEMS ON A DESIGN BUILD BASIS.

**VICINITY MAP**



**LOCATION MAP**



**SITE PLAN**



**DRAWING INDEX**

| DRAWING NUMBER | DRAWING NAME                               | CURRENT ISSUE | CURRENT ISSUE DATE | CURRENT ISSUE DESCRIPTION |
|----------------|--|---------------|--------------------|---------------------------|
| A00.00         | DRAWING INDEX                              | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A00.20         | PARTITION TYPES, DOOR & HARDWARE SCHEDULES | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A00.40         | TYPICAL ADA INFORMATION                    | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A01.01         | DEMOLITION PLAN                            | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A02.01         | CONSTRUCTION PLAN                          | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A05.01         | FINISH PLAN                                | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A06.01         | FURNITURE PLAN                             | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A12.00         | ENLARGED PLANS AND TYPICAL DETAILS         | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A12.01         | TYPICAL DETAILS                            | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A12.02         | TYPICAL DETAILS                            | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |
| A12.20         | EXISTING CONDITION PHOTOS                  | 1             | 08/15/2014         | ISSUE FOR BID AND PERMIT  |

**PROJECT INFORMATION**

**PROJECT DESCRIPTION:** BANK OF AMERICA ADA UPGRADE

**BUILDING ADDRESS:** North Gate, 39 Auburn Street, Portland, ME 04103

**OCCUPANCY TYPE:** BUSINESS GROUP B

**CONSTRUCTION TYPE:** EXISTING

**PROJECT AREA:** 980 s.f.

**APPLICABLE CODES**

**BUILDING SUBCODE:** 2009 IBC & 2009 IEBC MAINE UNIFORM BUILDING AND ENERGY CODE "MUBEC"

**PLUMBING SUBCODE:** ME STATE INTERNATIONAL PLUMBING CODE (UPC 2007)

**MECHANICAL SUBCODE:** ME STATE MECHANICAL CODE

**ELECTRICAL SUBCODE:** NEC 2007 ELECTRICAL STANDARDS

**FIRE/LIFE SAFETY SUBCODE:** NFPA 2007 FIRE SAFETY CODES

**ENERGY CODE:** 2009 IECC MAINE UNIFORM BUILDING AND ENERGY CODE "MUBEC"

**ACCESSIBILITY CODE:** ADAAG



One Beacon Street  
Third Floor  
Boston MA 02108  
Tel: 617.619.5700  
Fax: 617.619.5701

| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

Seal/Signature

Project Name  
ADA UPGRADES

Project Number  
11.6560.125

Description  
DRAWING INDEX

Scale  
NOT TO SCALE

**A00.00**

© 2014 Gensler



| No. | Location            | Type | Door      |           |           | Frame    |        |         |      |      | Fire Rating | Hardware Set | Remarks |  |
|-----|---------------------|------|-----------|-----------|-----------|----------|--------|---------|------|------|-------------|--------------|---------|--|
|     |                     |      | Width     | Height    | Thickness | Material | Finish | Details |      |      |             |              |         | Material   |
|     |                     |      | Match EX. | Match EX. | Match EX. |          |        | Head    | Jamb | Sill |             |              |         |  |
| 100 | ATM VESTIBULE       | G    | MATCH EX. | MATCH EX. | MATCH EX. | EX.      | EX.    | EX.     | EX.  | EX.  | EX.         | EX.          | #AL-1   | EXISTING CARD READER TO REMAIN                               |
| 101 | ATM VESTIBULE       | G    | MATCH EX. | MATCH EX. | MATCH EX. | EX.      | EX.    | EX.     | EX.  | EX.  | EX.         | EX.          | #AL-1   |  |
| 105 | SVB VIEWING ROOM    | A    | 3'-0"     | 7'-0"     | 1 3/4"    | WOOD     | P-2    | --      | --   | --   | WOOD        | P-2          | #6      |  |
| 106 | SDB VESTIBULE       | A1   | 3'-0"     | 4'-5"     | 1 3/4"    | WOOD     | P-2    | --      | --   | --   | WOOD        | P-2          | #6C     |  |
| 107 | SECURED TELLER AREA | A1   | 3'-0"     | 4'-5"     | 1 3/4"    | WOOD     | P-2    | --      | --   | --   | WOOD        | P-2          | #11A    | DOOR EXISTING TO REMAIN. PROVIDE NEW HDWR.                   |
| 108 | OFFICE              | EX.  | EX.       | EX.       | EX.       | EX.      | EX.    | EX.     | EX.  | EX.  | EX.         | EX.          | #5B     | DOOR EXISTING TO REMAIN. PROVIDE NEW HDWR.                   |
| 110 | OFFICE              | EX.  | EX.       | EX.       | EX.       | EX.      | EX.    | EX.     | EX.  | EX.  | EX.         | EX.          | #5B     | DOOR EXISTING TO REMAIN. PROVIDE NEW HDWR.                   |
| 111 | EGREES DOOR         | EX.  | EX.       | EX.       | EX.       | EX.      | EX.    | EX.     | EX.  | EX.  | EX.         | EX.          | AL-1C   | G.C. TO COORDINATE HARDWARE REPLACEMENT WITH SECURITY VENDOR |

### DOOR SCHEDULE

SCALE: 1/2" = 1'-0"

| QTY                           | DESCRIPTION | MODEL            | FINISH | MFR |
|-------------------------------|-------------|------------------|--------|-----|
| <b>GROUP 6 - COUPON BOOTH</b> |             |                  |        |     |
| 3 EA                          | HINGE       | BB1279 4.5 X 4.5 | 26D    | HAG |
| 1 EA                          | PRIVACY SET | ND40S SPA        | 626    | SCH |
| 1 EA                          | WALL STOP   | WS407CCV         | 630    | IVE |
| 3 EA                          | SILENCER    | SR64             | GRY    | IVE |

| QTY                            | DESCRIPTION         | MODEL            | FINISH | MFR |
|--------------------------------|---------------------|------------------|--------|-----|
| <b>GROUP 6C - VIEWING AREA</b> |                     |                  |        |     |
| 2 EA                           | HINGE               | BB1279 4.5 X 4.5 | 26D    | HAG |
| 1 EA                           | ELECTRIFIED LOCK    | ND96PDEU SPA     | 626    | SCH |
| 1 EA                           | SFIC EV B CORE ONLY | 80-037           | 626    | SCH |
| 1 EA                           | WALL STOP           | WS407CCV         | 630    | IVE |
| 2 EA                           | SILENCER            | SR64             | GRY    | IVE |

| QTY                               | DESCRIPTION         | MODEL                   | FINISH | MFR |
|-----------------------------------|---------------------|-------------------------|--------|-----|
| <b>GROUP AL-1C - VIEWING AREA</b> |                     |                         |        |     |
| 1 EA                              | PANIC EXIT HARDWARE | 98/99EL RIM EXT. DEVICE | 630    | VDN |





| QTY                       | DESCRIPTION    | MODEL            | FINISH | MFR |
|---------------------------|----------------|------------------|--------|-----|
| <b>GROUP 5B - OFFICES</b> |                |                  |        |     |
| 3 EA                      | HINGE          | BB1279 4.5 X 4.5 | 26D    | HAG |
| 1 EA                      | OFFICE LOCKSET | ND91PD F82       | 626    | SCH |
| 1 EA                      | WALL STOP      | WS407CCV         | 630    | IVE |
| 3 EA                      | SILENCER       | SR64             | GRY    | IVE |

| QTY                               | DESCRIPTION    | MODEL            | FINISH | MFR |
|-----------------------------------|----------------|------------------|--------|-----|
| <b>GROUP 11A - SECURE TELLERS</b> |                |                  |        |     |
| 3 EA                              | HINGE          | BB1279 4.5 X 4.5 | 26D    | HAG |
| 1 EA                              | STOREROOM LOCK | ND80HD SPA       | 626    | SCH |
| 1 EA                              | SURFACE CLOSER | 4011             | 689    | LCN |
| 1 EA                              | WALL STOP      | WS407CCV         | 630    | IVE |
| 3 EA                              | SILENCER       | SR64             | GRY    | IVE |

| QTY  | DESCRIPTION          | MODEL                             | FINISH | MFR |
|--|----------------------|-----------------------------------|--------|-----|
| <b>GROUP AL-1 - STOREFRONT (EXTERIOR DOOR)</b> |                      |                                   |        |     |
| 4 EA   | HINGE                | BB1199 4.5 X 4.5 NRP              | 26D    | HAG |
| 1 EA   | PANIC EXIT HARDWARE  | 98/99EL RIM EXT. DEVICE           | 630    | VDN |
| 1 EA   | DOOR PULL            | 8103EZ-0                          | 630    | IVE |
| 1 EA   | MORTISE CYLINDER     | 80-132XQ110948                    | 626    | SCH |
| 1 EA   | DEADLOCK             | MS1850S                           | 626    | AR  |
| 1 EA   | RIM CYL W/CONST CORE | 80-159                            | 626    | SCH |
| 1 EA   | SURFACE CLOSER       | 4110 SCUSH                        | 689    | LCN |
| 1 EA   | MOUNTING PLATE       | 4110-18                           | 689    | LCN |
| 1 EA   | CUSH SHOE SUPPORT    | 4110-30                           | 689    | LCN |
| 1 EA   | BLADE STOP SPACER    | 4110-61                           | 689    | LCN |
| 1 EA   | THRESHOLD            | 325                               | 689    | NGP |
| 1 EA   | CARD READER          | INSTALLED BY BANK SECURITY VENDOR |        |     |

### HARDWARE SCHEDULE



SCALE: 1/2" = 1'-0"



| NUMBER | STUD SIZE | SEE SPEC | SEE SPEC | GYPSUM BOARD | WALL THICKNESS | INSULAT. | FIRE RATING | U.L. NUMBER | S.T.C. RATING |
|--------|-----------|----------|----------|--------------|----------------|----------|-------------|-------------|---------------|
| C      | 3 5/8"    |          |          | 5/8"         | 4 7/8"         |          |             |             |               |

### PARTITION TYPE C


SCALE: 3/4" = 1'-0"



| NUMBER | STUD SIZE | SEE SPEC | SEE SPEC | GYPSUM BOARD | WALL THICKNESS | INSULAT. | FIRE RATING | U.L. NUMBER | S.T.C. RATING |
|--------|-----------|----------|----------|--------------|----------------|----------|-------------|-------------|---------------|
| A      | 3 5/8"    |          |          | 5/8"         | 4 7/8"         |          |             |             |               |

### PARTITION TYPE A

SCALE: 3/4" = 1'-0"



### DOOR TYPES

SCALE: 1/2" = 1'-0"

### WOOD DOOR FRAME TYP. JAMB

SCALE: 3/4" = 1'-0"

### WOOD DOOR FRAME TYP. HEAD

SCALE: 3/4" = 1'-0"

### KEY NOTES

### GENERAL NOTES

- COORDINATE ALL HARDWARE WITH DOOR SWINGS. WHEN SPECIFIED, CLOSERS TO BE ON INTERIOR OF ALL ROOMS. IF NO WALL IS PROVIDED WHERE A WALL STOP HAS BEEN SPECIFIED, SUBMIT OVERHEAD STOP WITH HARDWARE SUBMITTAL. ALL SECURITY HARDWARE TO BE LOCATED SO THE INTERIOR ROOM OR SPACE IS SECURE, U.N.O.
- ALL HARDWARE FINISH TO MATCH EXISTING, U.N.O. WHERE MULTIPLE FINISHES EXIST, NOTIFY ARCHITECT IMMEDIATELY AND CONFIRM FINAL FINISH SELECTION BEFORE ORDERING.
- WHERE NEW HARDWARE IS TO BE INSTALLED ON EXISTING DOORS, CONFIRM ALL SPECIFIED HARDWARE IS COMPATIBLE WITH EACH DOOR TYPE. NOTIFY ARCHITECT OF ALL CONFLICTS BEFORE ORDERING.

| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

Seal/Signature

Project Name  
ADA UPGRADES

Project Number  
11.6560.125

Description  
PARTITION TYPES, DOOR & HARDWARE SCHEDULES

Scale  
NOT TO SCALE

**A00.20**

© 2014 Gensler



| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

Seal/Signature \_\_\_\_\_

Project Name  
ADA UPGRADES


Project Number  
11.6560.125

Description  
TYPICAL ADA INFORMATION

Scale  
1/2" = 1'-0"


**A00.40**

© 2014 Gensler




**CLEARANCES 01**

SCALE: 1/2" = 1'-0"




**THRESHOLDS 02**

SCALE: FULL




**REACH RANGES 04**

SCALE: 1/2" = 1'-0"




**PROTRUDING OBJECTS 05**

SCALE: 1/4" = 1'-0"




**SINK OR VANITY 06**

SCALE: 1/2" = 1'-0"




**DRINKING FOUNTAIN 07**

SCALE: 1/2" = 1'-0"




**WAYFINDING SIGNAGE 03**

SCALE: 1/4" = 1'-0"




**WAYFINDING SIGNAGE 03**

SCALE: 1/4" = 1'-0"




**WAYFINDING SIGNAGE 03**

SCALE: 1/4" = 1'-0"




**TYPICAL MOUNTING HEIGHTS 08**

SCALE: N.T.S.




**ATM CLEARANCES 09**

SCALE: 1/2" = 1'-0"




**HANDRAIL EXTENSIONS 10**

SCALE: 1/2" = 1'-0"




**ACCESSIBLE SIGNAGE 11**

SCALE: 1/4" = 1'-0"



**ATM SIDE APPROACH 12**

SCALE: N.T.S.




**DIRECTIONAL SIGNAGE 13**

SCALE: 1/2" = 1'-0"



J:\11.6560.125\BIM\Building Model\User Model Files\Delta Cctt\_2014\_BOA\_Portland-39 Auburn St\_ E2013.rvt




**KEY NOTES**

- 101 DEMOLISH EXISTING PARTITION WALLS AS INDICATED (SHOWN DASHED). ALL LIGHT SWITCHES, OUTLETS AND DEVICES TO BE TEMPORARILY REMOVED & RELOCATED TO IDENTICAL LOCATION, U.O.N. REFER TO A02 SERIES AND A04 SERIES FOR NEW LAYOUT AND SPECIFIED LOCATIONS FOR DEVICES. PROVIDE TEMPORARY STRUCTURAL SUPPORT AS NEEDED. NOTIFY ARCHITECT OF ANY CONFLICTS.
- 107 REMOVE EXISTING DOOR, DOOR FRAME & ASSOCIATED DOOR HARDWARE.
- 114 REMOVE EXISTING NON-COMPLIANT DOOR HARDWARE AND PREPARE DOOR TO RECEIVE NEW HARDWARE. PATCH / REPAIR DOOR TO MATCH EXISTING FINISH. REFER TO A02 SERIES AND A00.20 FOR NEW HARDWARE.
- 118 REMOVE SECTION OF TELLER COUNTER AS INDICATED (SHOWN DASHED), REMOVE & RELOCATE ALL POWER/DATA (& GST IF THERE IS ONE) TO SAME LOCATION AFTER COMPLETION OF MILLWORK RENOVATIONS.
- 123 REMOVE NON-COMPLIANT WALK-OFF MAT.
- 132 REMOVE & RELOCATE FURNITURE AS PER CONSTRUCTION PLAN.
- 138 REMOVE & RELOCATE FIRE ALARM PULL. REFER TO A02 SERIES FOR NEW LOCATION. VERIFY NEW LOCATION COMPLIES WITH ALL APPLICABLE FIRE AND LIFE SAFETY CODES.
- 166 REMOVE EXISTING ATM SURROUND, PATCH AND PREPARE SURFACE FOR NEW SURROUND.
- 802 REMOVE EXISTING CHECK STAND COUNTER AND COMPONENTS, INCLUDING SIGNAGE. REPAIR SURFACES TO REMAIN AS NEEDED TO MATCH EXISTING FINISH.
- 895 RELOCATE EXISTING ATM'S AS INDICATED IN THE CONSTRUCTION PLAN.

**GENERAL NOTES**

- A. COMPLY WITH APPLICABLE LOCAL, STATE AND FEDERAL CODES AND REGULATIONS PERTAINING TO SAFETY OF PERSONS, PROPERTY AND ENVIRONMENTAL PROTECTION.
- B. PROVIDE AND MAINTAIN BARRICADES, LIGHTING, AND GUARDRAILS AS REQUIRED BY APPLICABLE CODES AND REGULATIONS TO PROTECT OCCUPANTS OF BUILDING AND WORKERS.
- C. ERECT AND MAINTAIN DUSTPROOF PARTITIONS AS REQUIRED TO PREVENT SPREAD OF DUST, FUMES, AND SMOKE, ETC. TO OTHER PARTS OF THE BUILDING. ON COMPLETION, REMOVE PARTITIONS AND REPAIR DAMAGED SURFACES TO MATCH ADJACENT SURFACES.
- D. IF DEMOLITION IS PERFORMED IN EXCESS OF THAT REQUIRED, RESTORE EFFECTED AREAS AT NO COST TO THE OWNER.
- E. REMOVE FROM SITE DAILY AND LEGALLY DISPOSE OF REFUSE, DEBRIS, RUBBISH, AND OTHER MATERIALS RESULTING FROM DEMOLITION OPERATIONS.
- F. REMOVE DESIGNATED PARTITIONS, COMPONENTS, BUILDING EQUIPMENT, AND FIXTURES AS REQUIRED FOR NEW WORK.
- G. REMOVE ABANDONED HVAC EQUIPMENT, INCLUDING DUCT WORK.
- H. REMOVE ABANDONED ELECTRICAL, CABLING AND DEVICES.
- I. ALL FURNITURE AFFECTED BY DEMOLITION AND NEW CONSTRUCTION LAYOUT IS TO BE RELOCATED. NO FURNITURE IS TO BE DISPOSED, U.N.O. COORDINATE FINAL RELOCATION WITH OWNER AND SITE MANAGER.
- J. ALL SECURITY DEVICES AND SYSTEMS TO REMAIN INTACT DURING ALL PHASES OF WORK. ANY MODIFICATIONS NEEDED DUE TO AREA OF DEMOLITION AND NEW CONSTRUCTION LAYOUT TO BE PERFORMED BY OWNER'S SECURITY VENDOR AND TO BE COORDINATED WITH OWNER PRIOR TO DEMOLITION.
- K. ALL LIGHT LENSES IN AREA OF WORK ARE REQUIRED TO BE CLEANED, REGARDLESS IF FIXTURE IS NEW, RELOCATED OR REMAINING IN THE EXISTING LOCATION.
- L. GC IS REQUIRED TO PERFORM INTERNAL REVIEW PRIOR TO ARCHITECT/OWNER PUNCH LIST WALK.
- M. NO DEVIATIONS FROM CONSTRUCTION DOCUMENTS WITHOUT PROPER RFI.



| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

Seal/Signature \_\_\_\_\_

Project Name  
ADA UPGRADES


Project Number  
11.6560.125

Description  
DEMOLITION PLAN

Scale  
1/4" = 1'-0"



J:\11.6560.125\BIM\Building Model\User Model Files\Delta Cctt\_2014\_BOA\_Portland-39 Auburn St\_ E2013.rvt




**KEY NOTES**

- 301 ALL NEW PARTITION WALL TYPES AND PATCHED WALLS TO BE FINISHED TO MATCH EXISTING. U.O.N. IF EXISTING. PROVIDE MATCHING WALL BASE. NEW CONSTRUCTION TO ALIGN AND MATCH EXISTING CONSTRUCTION WHERE INDICATED.
- 302 PATCH / REPAIR WALL AND FINISH TO MATCH EXISTING ADJACENT. IF EXISTING, PROVIDE MATCHING WALL BASE.
- 315 NEW MILLWORK COUNTERTOP. REFER A12 SERIES FOR ENLARGED PLAN AND DETAILS.
- 318 RELOCATED EXISTING FURNITURE.
- 323 RELOCATED FIRE ALARM PULL. HIGHEST OPERABLE PART TO BE MOUNTED AT 48" A.F.F. MAX. SHOWN FOR LOCATION ONLY. G.C. TO COORDINATE WITH DESIGN BUILD ENGINEER. PATCH / REPAIR AND FINISH WALL TO MATCH EXISTING.
- 389 PROVIDE NEW COMPLIANT HARDWARE. REFER TO A00 SERIES FOR DOOR AND HARDWARE SCHEDULE AND TYPICAL MOUNTING HEIGHTS.
- 390 NEW ADA TELLER COUNTER (W/ LOWERED CUSTOMER SHELF). P-LAM TO MATCH EXISTING. VERIFY W/ OWNER AND ARCHITECT PRIOR TO INSTALLATION. PROVIDE NEW OR RELOCATE EXISTING QST.
- 391 NEW COUPON BOOTH COUNTER.
- 393 PROVIDE NEW BANK STANDARD MERCHANDISING QUEUE.
- 851 NEW LOBBY CHECK DESK. PATCH AND REPAIR ANY FLOORING DAMAGE DUE TO DEMOLITION OF EXISTING CHECK STAND. FINISH TO MATCH EXISTING.
- 895 PROVIDE NEW FURNITURE. REFER TO SHEET A06.01 FOR LAYOUT AND SCHEDULE.
- 896 RELOCATED EXISTING NCR ATM. G.C. TO COORDINATE WITH BANK'S SECURITY VENDOR.
- 897 RELOCATED EXISTING NCR ATM. RECONFIGURE BASE SUPPORT - LOWER ATM TO COMPLY WITH 2010 ADAAG. H.O.P. @ 46" AFF MAX. G.C. TO COORDINATE WITH BANK'S SECURITY VENDOR.
- 898 PROVIDE NEW ADA COMPLIANT DOOR, HARDWARE AND THRESHOLD. REFER TO SHEET A00.20.
- 899 PROVIDE NEW SUR-WING-DOUBLE-STD SURROUND.

**GENERAL NOTES**

- A. REPAIR EXISTING SURFACES TO REMAIN AS REQUIRED FOR APPLICATION OF NEW FINISHES.
- B. WHERE EXISTING ACCESS PANELS CONFLICT WITH CONSTRUCTION, RELOCATE PANELS TO ALIGN WITH AND FIT WITHIN NEW CONSTRUCTION.
- C. CONTRACTOR SHALL PROVIDE BLOCKING FOR ALL EQUIPMENT, FIXTURES, MILLWORK & ACCESSORIES MOUNTED ON WALL.
- D. CONTRACTOR SHALL PROVIDE COLOR SAMPLES FOR ALL FINISHES & P-LAM TO OWNER & ARCHITECT PRIOR TO ORDERING AND INSTALLATION.
- E. ADJUST OPENING FORCE OF ALL INTERIOR DOOR CLOSERS TO A MAXIMUM OF 5 LBF.
- F. DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS GOVERN. IN CASE OF CONFLICT, CONSULT THE ARCHITECT.
- G. PARTITIONS ARE DIMENSIONED FROM FINISH FACE TO FINISH FACE UNLESS OTHERWISE NOTED. MAINTAIN DIMENSIONS MARKED AS "CLEAR". ALLOW FOR THICKNESS OF FINISHES.
- H. IF EXISTING DOORS TO REMAIN DO NOT ALLOW FOR SPECIFIED HARDWARE. G.C. TO PROVIDE NEW DOOR.
- I. G.C. SHALL PROVIDE ALL WORK RELATED TO ENGINEERING TO INCLUDE, BUT NOT LIMITED TO: MECHANICAL, ELECTRICAL, FIRE PROTECTION & LIFE SAFETY. G.C. SHALL PROVIDE DESIGN DRAWINGS, PERMITS & INSTALLATION OF SYSTEMS ON A DESIGN BUILD BASIS.
- J. RELOCATE EXISTING FIXTURES ON WALLS TO BE REMOVED TO NEW PARTITION. REFER TO SHEET A00.40 FOR TYPICAL MOUNTING HEIGHTS.
- K. RE-KEY NEW LOCKSETS TO MATCH EXISTING KEY WAY OR KEYED SEPARATELY AS PER MANAGER/CBRE DIRECTION AND USE OWNER'S DOOR HARDWARE VENDOR.
- L. PROVIDE SUBMITTALS FOR MILLWORK, DOOR HARDWARE, AND TOILET ACCESSORIES.



| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

Seal/Signature \_\_\_\_\_

Project Name  
ADA UPGRADES

Project Number  
11.6560.125


Description  
CONSTRUCTION PLAN

Scale  
1/4" = 1'-0"

**A02.01**

© 2014 Gensler





**FINISH PLAN - DEMOLITION**

SCALE: 3/16" = 1'-0"


**GENERAL NOTES**

- A. REPAIR EXISTING SURFACES TO REMAIN AS REQUIRED FOR APPLICATION OF NEW FINISHES.
- B. WHERE EXISTING ACCESS PANELS CONFLICT WITH CONSTRUCTION, RELOCATE PANELS TO ALIGN WITH AND FIT WITHIN NEW CONSTRUCTION.
- C. CONTRACTOR SHALL PROVIDE BLOCKING FOR ALL EQUIPMENT, FIXTURES, MILLWORK & ACCESSORIES MOUNTED ON WALL.
- D. CONTRACTOR SHALL PROVIDE COLOR SAMPLES FOR ALL FINISHES & P-LAM TO OWNER & ARCHITECT PRIOR TO ORDERING AND INSTALLATION.
- E. ADJUST OPENING FORCE OF ALL INTERIOR DOOR CLOSERS TO A MAXIMUM OF 5 LBF.
- F. DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS GOVERN. IN CASE OF CONFLICT, CONSULT THE ARCHITECT.
- G. PARTITIONS ARE DIMENSIONED FROM FINISH FACE TO FINISH FACE UNLESS OTHERWISE NOTED. MAINTAIN DIMENSIONS MARKED AS "CLEAR". ALLOW FOR THICKNESS OF FINISHES.
- H. IF EXISTING DOORS TO REMAIN DO NOT ALLOW FOR SPECIFIED HARDWARE, G.C. TO PROVIDE NEW DOOR.
- I. G.C. SHALL PROVIDE ALL WORK RELATED TO ENGINEERING TO INCLUDE, BUT NOT LIMITED TO: MECHANICAL, ELECTRICAL, FIRE PROTECTION & LIFE SAFETY. G.C. SHALL PROVIDE DESIGN DRAWINGS, PERMITS & INSTALLATION OF SYSTEMS ON A DESIGN BUILD BASIS.
- J. RELOCATE EXISTING FIXTURES ON WALLS TO BE REMOVED TO NEW PARTITION. REFER TO SHEET A00-40 FOR TYPICAL MOUNTING HEIGHTS.
- K. RE-KEY NEW LOCKSETS TO MATCH EXISTING KEY WAY OR KEYS SEPARATELY AS PER MANAGER/CBRE DIRECTION AND USE OWNER'S DOOR HARDWARE VENDOR.
- L. PROVIDE SUBMITTALS FOR MILLWORK, DOOR HARDWARE, AND TOILET ACCESSORIES.

| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

**Gensler**  
 One Beacon Street  
 Third Floor  
 Boston MA 02108  
 Tel: 617.619.5700  
 Fax: 617.619.5701

**Bank of America**  
 39 Auburn Street, Portland, ME 04103



| CODE  | DESCRIPTION   |
|-------|---|
| CPT-1 | MANUFACTURER: TANDUS GROUP<br>PRODUCT NAME: BAC 6 ROLL RS WITH POWERBOND BACKING<br>STYLE: VISUAL TENSION<br>SIZE: 7' WIDE<br>LOCATION: SAFE DEPOSIT / VAULT  |
| B-4A  | MANUFACTURER: JOHNSONITE FLEXIBLE WALL BASE<br>PRODUCT NAME: RUBBER BASE<br>COLOR: 88 WHITE SAND<br>SIZE: 4" H (STRAIGHT BASE AT CARPET, COVE BASE AT RESILIENT FLOORING)<br>LOCATION: SAFE DEPOSIT VIEWING ROOM, VAULT LOBBY |
| P-1   | MANUFACTURER: BENJAMIN MOORE<br>PRODUCT NAME: OC-22<br>COLOR: COTTON BALLS<br>FINISH: ECO SPEC WB INTERIOR LATEX EGGSHELL ENAMEL<br>LOCATION: GENERAL   |
| P-2   | MANUFACTURER: BENJAMIN MOORE<br>PRODUCT NAME: OC-122<br>COLOR: COTTON BALLS<br>FINISH: SEMI-GLOSS FINISH<br>LOCATION: GENERAL - DOORS AND DOOR FRAMES   |
| VCT-1 | MANUFACTURER: MANNINGTON COMMERCIAL<br>PRODUCT NAME: DESIGNER ESSENTIALS<br>COLOR: TOFFEE 219<br>SIZE: 12"X12"<br>LOCATION: RESTROOM, BREAKROOM & CORRIDOR  |
| PL-3  | MANUFACTURER: WILSONART<br>COLOR: ASIAN SUN 7951<br>FINISH: 38<br>LOCATION: NEW STANDARD TELLER   |
| PL-5  | MANUFACTURER: WILSONART<br>COLOR: GRAPHITE NEBULA 4623<br>FINISH: TEXTURED GLOSS<br>LOCATION: NEW STANDARD TELLER   |
| PL-6  | MANUFACTURER: WILSONART<br>COLOR: BLACK 1595<br>FINISH: 60 MATTE<br>LOCATION: NEW STANDARD TELLER   |
| PL-7  | MANUFACTURER: WILSONART<br>COLOR: FROSTY WHITE 1573-80<br>FINISH: MATTE<br>LOCATION: BREAK ROOM & COUPON BOOTH  |
| PL-8  | MANUFACTURER: WILSONART<br>PRODUCT NAME: HIGH WEAR LAMINATE<br>COLOR: FROSTY WHITE 1573-80, TYPE: 107HW<br>FINISH: MATTE<br>LOCATION: COUPON BOOTH  |

**FINISH PLAN**

SCALE: 3/16" = 1'-0"

**FINISH SCHEDULE**

SCALE: 12" = 1'-0"

J:\11.6560.125\BIM\Building Model\User Model Files\Delta Cotti\_2014\_BOA\_Portland-39 Auburn St\_R2013.rvt

NOTE: EVERY KEY NOTE MAY NOT APPEAR ON THIS PAGE

Seal/Signature

Project Name  
ADA UPGRADES

Project Number  
11.6560.125


Description  
FINISH PLAN

Scale  
As indicated

**A05.01**

© 2014 Gensler





**HARDWARE SCHEDULE**

SCALE: 1/2" = 1'-0"

XX XXXXX DESIGNATES UNIQUE MILLWORK NUMBERING SYSTEM FOR ITEMS PROVIDED BY OWNER.

| MILLWORK COMPONENT # | MILLWORK COMPONENT DESCRIPTION |
|----------------------|--------------------------------|
| BMA 50003            | UNIVERSAL HOST / WORK STATION  |
| BMA 50007            | CHECK DESK                     |

XX-XXX FURNITURE COMPONENTS

| FURNITURE COMPONENT # | FURNITURE COMPONENT DESCRIPTION    | QUANTITY |
|-----------------------|------------------------------------|----------|
| CH-5B                 | TELLER CHAIR - ADA                 | 1        |
| CH-6                  | CONFERENCE ROOM                    | 4        |
| CH-7                  | STEELCASE WOOD GUEST SEATING       | 8        |
| CH-12                 | BERNHARDT LOUNGE CHAIR             | 5        |
| CH-17F                | STEELCASE COALESSE THREE SEAT SOFA | 1        |
| TB-7C                 | BERNHARDT RECTANGULAR TABLE 2      | 1        |
| WS-4A                 | MONTAGE 8X10 WORKSTATION           | 4        |

NOTE: PROJECT MANAGER TO VERIFY ALL TYPES AND QUANTITIES OF MILLWORK AND FURNITURE COMPONENTS WITH STORE DESIGN. COORDINATE WITH VENDORS BEFORE PLACING ORDER.

**KEY NOTES**

**GENERAL NOTES**

- REPAIR EXISTING SURFACES TO REMAIN AS REQUIRED FOR APPLICATION OF NEW FINISHES.
- WHERE EXISTING ACCESS PANELS CONFLICT WITH CONSTRUCTION, RELOCATE PANELS TO ALIGN WITH AND FIT WITHIN NEW CONSTRUCTION.
- CONTRACTOR SHALL PROVIDE BLOCKING FOR ALL EQUIPMENT, FIXTURES, MILLWORK & ACCESSORIES MOUNTED ON WALL.
- CONTRACTOR SHALL PROVIDE COLOR SAMPLES FOR ALL FINISHES & P-LAM TO OWNER & ARCHITECT PRIOR TO ORDERING AND INSTALLATION.
- ADJUST OPENING FORCE OF ALL INTERIOR DOOR CLOSERS TO A MAXIMUM OF 5 LBF.
- DO NOT SCALE DRAWINGS. WRITTEN DIMENSIONS GOVERN. IN CASE OF CONFLICT, CONSULT THE ARCHITECT.
- PARTITIONS ARE DIMENSIONED FROM FINISH FACE TO FINISH FACE UNLESS OTHERWISE NOTED. MAINTAIN DIMENSIONS MARKED AS "CLEAR". ALLOW FOR THICKNESS OF FINISHES.
- IF EXISTING DOORS TO REMAIN DO NOT ALLOW FOR SPECIFIED HARDWARE, G.C. TO PROVIDE NEW DOOR.
- G.C. SHALL PROVIDE ALL WORK RELATED TO ENGINEERING TO INCLUDE, BUT NOT LIMITED TO: MECHANICAL, ELECTRICAL, FIRE PROTECTION & LIFE SAFETY. G.C. SHALL PROVIDE DESIGN DRAWINGS, PERMITS & INSTALLATION OF SYSTEMS ON A DESIGN BUILD BASIS.
- RELOCATE EXISTING FIXTURES ON WALLS TO BE REMOVED TO NEW PARTITION. REFER TO SHEET A00.40 FOR TYPICAL MOUNTING HEIGHTS.
- RE-KEY NEW LOCKSETS TO MATCH EXISTING KEY WAY OR KEYED SEPARATELY AS PER MANAGER/CBRE DIRECTION AND USE OWNER'S DOOR HARDWARE VENDOR.
- PROVIDE SUBMITTALS FOR MILLWORK, DOOR HARDWARE, AND TOILET ACCESSORIES.

| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

Seal/Signature

Project Name  
ADA UPGRADES

Project Number  
11.6560.125

Description  
FURNITURE PLAN


Scale  
As indicated

**A06.01**

© 2014 Gensler


NOTE: EVERY KEY NOTE MAY NOT APPEAR ON THIS PAGE






**TELLER SECTION**

SCALE: 1/2" = 1'-0"




**TELLER ELEVATION - CUSTOMER SIDE**

SCALE: 1/2" = 1'-0"




**TELLER ELEVATION - TELLER SIDE**

SCALE: 1/2" = 1'-0"




**ENLARGED TELLER PLAN**

SCALE: 1/2" = 1'-0"




**ADA COUNTER SECTION**

SCALE: 1 1/2" = 1'-0"



**COUPON BOOTH ELEVATION**

SCALE: 1/2" = 1'-0"



**ENLARGED COUPON BOOTH PLAN**


SCALE: 1/2" = 1'-0"

| MARK | DESCRIPTION | MANUFACTURER/MODEL   |
|------|-------------|--|
| 40   |             | DIEBOLD MODEL:SD-3-LL (PT#00-022047-L-00)                    |
| 41   |             | DIEBOLD MODEL:SD-3-RL (PT#00-022047-R-00)                    |
| 42   |             | DIEBOLD MODEL: 10" ADA STORAGE PEDESTAL (PT#41-018855-000-C) |
| 43   |             | INGENICO PAYMENT TERMINAL AS PROVIDED BY OWNER               |

UNDER COUNTER STEEL EQUIPMENT TO BE PROVIDED BY OWNER AND INSTALLED BY G.C.

**UNDERCOUNTER STEEL SCHEDULE**


SCALE: 1/2" = 1'-0"



CHECK DESK TO BE PROVIDED BY OWNER AND INSTALLED BY G.C.  
IDX BMA50007 - STANDARD LOBBY CHECK DESK

**CHECK DESK - LOBBY**

SCALE: 1/2" = 1'-0"



CHECK DESK TO BE PROVIDED BY OWNER AND INSTALLED BY G.C.  
IDX BMA50003 - UNIVERSAL HOST WORK STATION

**CHECK DESK - HOST WORK STATION**

SCALE: 1/2" = 1'-0"

**KEY NOTES**

- 391 NEW COUPON BOOTH COUNTER.
- 850 NEW ADA TELLER COUNTER (W/ LOWERED CUSTOMER SHELF) FINISHES TO MATCH EXISTING. VERIFY W/ OWNER & ARCHITECT PRIOR TO INSTALLATION. RELOCATE ALL POWER/DATA, PAYMENT TERMINAL AND SECURITY DEVICES IF EXISTING TO SAME LOCATION. CONFIRM FINAL LOCATIONS WITH OWNER.
- 862 NEW VERTICAL MILLWORK PANEL TO CONNECT NEW LOWERED COUNTER TO EXISTING COUNTER TO REMAIN. ALL EXPOSED SURFACES TO BE FINISHED TO MATCH EXISTING.
- 863 NEW VERTICAL END PANEL. FINISH TO MATCH EXISTING.
- 868 1/2" CLEAR ACRYLIC WITH POLISHED EDGES. INSTALL ACRYLIC SCREEN WITH 2 SATIN ALUM. CHANNELS (LEFT AND RIGHT). RECESS INTO EXISTING MILLWORK AND SET ACRYLIC INTO CHANNEL WITH CLEAR SILICONE.
- 872 COUNTERTOP, BACKSPASH AND SIDE SPLASH BOTH SIDES TO BE PL-8 FINISH. COUNTERTOP SUPPORT TO BE PL-7 FINISH.
- 876 NEW FINISHES TO MATCH EXISTING.
- 877 NEW BASE TO MATCH EXISTING.
- 884 NEW CH-50 ADA TELLER CHAIR BY STEELCASE (#TS30102).
- 895 NEW 'C' TYPE WALL TO BE 4'-3" HT.

**GENERAL NOTES**

- A. ALL INTERIOR OF MILLWORK TO BE WHITE MELAMINE, UNLESS NOTED OTHERWISE.
- B. ALL EXPOSED SURFACES OF MILLWORK TO BE PLASTIC LAMINATE AS SPECIFIED ON ELEVATIONS.
- C. REF. SHEET A00.40 FOR TYPICAL WALL MOUNTING HEIGHTS.
- D. CONTRACTOR TO COORDINATE ALL POWER AND COMMUNICATIONS AT TELLER COUNTER.
- E. CONTRACTOR SHALL PROVIDE BLOCKING PER ALL EQUIPMENT/ACCESSORIES MOUNTED ON WALL.
- F. ALL DEVICE COVER PLATES INCLUDING PLATES FOR COAX SHALL MATCH LUTRON LIGHT ALMOND UNLESS NOTED OTHERWISE.
- G. G.C. TO PROVIDE CAULK AROUND ALL UNDERCOUNTER STEEL AS REQUIRED. COLOR TO MATCH UNDERCOUNTER STEEL AS PROVIDED.
- H. G.C. SHALL PROVIDE ALL WORK RELATED TO ENGINEERING TO INCLUDE, BUT NOT LIMITED TO: MECHANICAL, ELECTRICAL, FIRE PROTECTION & LIFE SAFETY. G.C. SHALL PROVIDE DESIGN DRAWINGS, PERMITS & INSTALLATION OF SYSTEMS ON A DESIGN BUILD BASIS.
- I. FOR FINISH SCHEDULE, REFER A00.20
- J. WHEN A GAP EXISTS BETWEEN THE TOP OF THE UNDERCOUNTER STEEL AND THE UNDERSIDE OF THE COUNTER, G.C. TO BUILD A 1" MILLWORK BASE TO MATCH EXISTING FINISH AND CONSTRUCTION.
- K. ALL SECURITY DEVICES AND SYSTEMS TO REMAIN INTACT DURING ALL PHASES OF WORK. ANY MODIFICATIONS NEEDED DUE TO AREA OF DEMOLITION AND NEW CONSTRUCTION LAYOUT TO BE PERFORMED BY OWNER'S SECURITY VENDOR AND TO BE COORDINATED WITH OWNER PRIOR TO DEMOLITION.

| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

Seal/Signature \_\_\_\_\_

Project Name  
ADA UPGRADES

Project Number  
11.6560.125

Description  
ENLARGED PLANS AND TYPICAL DETAILS

Scale  
As indicated


**A12.00**



J:\11.6560.125\BIM\Building Model\User Model Files\Delta Cotti\_2014\_BOA\_Portland-39 Auburn St\_ E2013.rvt


ATM ROUGH WALL OPENING ELEVATION

SCALE: 1/2" = 1'-0"




ENLARGED ATM ROOM - RCP

SCALE: 1/2" = 1'-0"



ENLARGED ATM ROOM - PLAN

SCALE: 1/2" = 1'-0"



KEY NOTES

- 519 EXISTING SURFACE MOUNTED LIGHT FIXTURE TO REMAIN.
- 520 EXISTING HVAC DEVICE TO REMAIN.
- 555 NEW CEILING GRID / TILES AND LIGHTING. CEILING TO BE INSTALLED AT EXISTING CEILING HEIGHT, U.O.N.
- 575 PROVIDE TYPE A 2X4 4-LAMP GRID TROFFER W/LAMPS R SERIES BY SECURITY LIGHTING SYSTEMS INC. FINISH IN HIGH REFLECTANCE WHITE POWDER-COAT PAINT.
- 895 RELOCATE ALARM PANEL. G.C. TO COORDINATE WITH BANK'S SECURITY VENDOR.

GENERAL NOTES

- A. ALL NEW DOOR FRAMES TO MATCH EXISTING STYLE AND DIMENSIONS. FINISH TO MATCH EXISTING, U.N.O.
- B. PROVIDE NEW FLOOR THRESHOLD TRANSITIONS WHERE NEW FLOORING IS INSTALLED AND MEETS EXISTING FLOORING. VERIFY ALL EXISTING FLOORING TYPES AT NEW THRESHOLDS. NOTIFY ARCHITECT OF ANY CONFLICTS BEFORE ORDERING AND INSTALLATION.
- C. REFER TO SHEET A00.40 FOR ALL THRESHOLD REGULATIONS.

**Bank of America**  
39 Auburn Street, Portland, ME 04103


**Gensler**

One Beacon Street  
Third Floor  
Boston MA 02108  
Tel: 617.619.5700  
Fax: 617.619.5701

| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

BOA-SUR WING DOUBLE SURROUND

SCALE: 3/8" = 1'-0"



**AGI Architectural Graphics Incorporated**  
2555 International Parkway  
P.O. Box 9175  
Virginia Beach, VA 23460  
(757)421-1900

**Project Title**  
BANK OF AMERICA

**Sign Type**  
SUR-WING-DOUBLE-STD

**Drawing Type**  
ELEVATION

**Date** 05.10.10

**Lead Drafter** MZC  
**Drawn By** MZC/RMA  
**Project Mgr.**

**General Sign Specifications**  
 Interior  Exterior  
 Single Faced  Double Faced  
 Non-Illuminated  
 Illuminated  
 120 Volts Amps(+/-)  
 277 Volts Amps(+/-)  
 Amps(+/-)  
 UL Listed  Non UL Listed  
**Location**  
**Windload**  
**Area** **Weight**

**Drawing Revisions**

| Drawn By | Date | Change |
|----------|------|--------|
|          |      |        |

**Quality Control**  
 Drafter  Manager  
 Lead  Engineer

This document is the sole property of Architectural Graphics, Inc. and all design, manufacturing, production, use and sale rights regarding the same are reserved. Reproduction, in any form, without the written consent of Architectural Graphics, Inc. is prohibited. It is understood that this document and its contents are not to be used for any other project without the written consent of Architectural Graphics, Inc. and that the user of this document is responsible for obtaining the appropriate permissions for any reproduction or use of this document in any other project.

**Approved By**  
Date Approved

**Code** 10032 **Type** C

**Job Number**


**Sheet Number** SUR-WING-DOUBLE-STD.1 **Rev.**

A12.01










REAR EGRESS DOOR AND FA PULL TO BE MADE COMPLIANT



VIEWING ROOM ACCESS TO BE RECONFIGURED



TELLER LINE AND SDV ENTRY TO BE RECONFIGURED FOR NEW ADA TELLER STATION AND VIEWING ROOM



TELLER STATION TO BE MADE ADA COMPLIANT

### DOORS & HARDWARE

SCALE: N/A

2

### TELLER STATION

SCALE: N/A

1

### KEY NOTES



CHECK DESK TO BE REPLACED



REMOVE NON-COMPLIANT WALK OFF MATS



LOBBY FURNITURE TO BE REPLACED



CARPET TO BE REPLACED

### LOBBY

SCALE: N/A

3



REMOVE & REPLACE FURNITURE AS PART OF CONSOLIDATION CAP ADD PROJECT.



REMOVE & REPLACE FURNITURE AS PART OF CONSOLIDATION CAP ADD PROJECT.

### FURNITURE

SCALE: N/A

4




RELOCATE AND RECONFIGURED ATMS. REPLACE EXISTING SURROUNDS.



RELOCATE ONE ATM. RELOCATE AND LOWER SECOND ATM TO COMPLY WITH 2010 ADAAG.



ATM ROOM - RELOCATE EXISTING HVAC UNIT.



ATM LOBBY - EXISTING HVAC UNIT TO REMAIN.

### ATM

SCALE: N/A

6

### EXISTING HVAC

SCALE: N/A

5

| Issue # | Issue Date | Issue Description        |
|---------|------------|--------------------------|
| 1       | 08/15/2014 | ISSUE FOR BID AND PERMIT |

Seal/Signature

Project Name  
ADA UPGRADES

Project Number  
11.6560.125

Description  
EXISTING CONDITION PHOTOS

Scale

**A12.20**

© 2014 Gensler